

# SAFETY DATA SHEET

Revision Date 23-Jan-2018

**Revision Number** 3

1. Identification

AC407980000; AC407980050; AC407980250

## N,N-Dimethylallylamine

Cat No. :

**Product Name** 

CAS-No Synonyms 2155-94-4 2-Propen-1-Amine, N,N-Dimethyl-.

Recommended Use Uses advised against

Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

#### Details of the supplier of the safety data sheet

<u>Company</u> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

#### **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Skin Corrosion/irritation
Serious Eye Damage/Eye Irritation

Label Elements

Signal Word Danger

#### **Hazard Statements**

Highly flammable liquid and vapor Causes severe skin burns and eye damage



Category 2 Category 1 B Category 1

#### **Precautionary Statements** Prevention Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep cool Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) None identified

## 3. Composition/Information on Ingredients

Compo	nent	CAS-No	Weight %	
2-Propen-1-amine, N,N-dimethyl-		2155-94-4	>95	
	4.⊧	First-aid measures		
General Advice	Immediate me attendance.	dical attention is required. Show this	s safety data sheet to the doctor in	
Eye Contact		ately with plenty of water, also under dical attention is required. Keep eye	r the eyelids, for at least 15 minutes. a wide open while rinsing.	
Skin ContactWash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Call a physician immediately.				
Inhalation	mouth-to-mou with the aid of	Remove from exposure, lie down. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.		
0		with water. Do not induce vomiting. Nerson. Call a physician immediately	0,0,	

Most important symptoms and effects Notes to Physician	Breathing difficulties. Causes burns by all exposure routes. Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Treat symptomatically		
	5. Fire-fighting measures		
Suitable Extinguishing Media CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed with water spray.			
Unsuitable Extinguishing Media	No information available		
Flash Point	8 °C / 46.4 °F		
Method -	No information available		
Autoignition Temperature Explosion Limits	No information available		
Upper Lower	No data available No data available		

### **Specific Hazards Arising from the Chemical**

Sensitivity to Static Discharge

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2) Thermal decomposition can lead to release of irritating gases and vapors

#### **Protective Equipment and Precautions for Firefighters**

Sensitivity to Mechanical Impact No information available

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

No information available

NFPAHealth 3	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	from and upwind of spill/lea Take precautionary measur	k. Ensure adequate ventilations es against static discharges.	I to safe areas. Keep people away on. Remove all sources of ignition.
Environmental Precaut	tions Should not be released into	the environment.	
Methods for Containm Up	ent and Clean Keep in suitable, closed cor Remove all sources of igniti		p with inert absorbent material. Id explosion-proof equipment.
	7. Handling a	and storage	
Handling	under a chemical fume hoo away from open flames, ho To avoid ignition of vapors l	d. Wear personal protective of surfaces and sources of ign	, on skin, or on clothing. Use only equipment. Do not ingest. Keep ition. Use only non-sparking tools. , all metal parts of the equipment st static discharges.
Storage		y from heat and sources of io d in a dry and well-ventilated	gnition. Refrigerator/flammables. J place. Store under an inert

8. E	xposure controls / personal protection	
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.	
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.	
Personal Protective Equipment		
Eye/face Protection	Tightly fitting safety goggles. Face-shield.	
Skin and body protection	Long sleeved clothing.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

atmosphere.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Clear
Odor	amine-like
Odor Threshold	No information available
рН	No information available
Melting Point/Range	No data available
Boiling Point/Range	62 °C / 143.6 °F @ 760 mmHg
Flash Point	8 °C / 46.4 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	2.94
Specific Gravity	0.741
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C5 H11 N
Molecular Weight	85.15

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials	Strong oxidizing agents, Strong bases, Acids
Hazardous Decomposition Product	s Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Thermal decomposition can lead to release of irritating gases and vapors
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
	11. Toxicological information

<u> </u>	
Product Information	No acute toxicity information is available for this product
Component Information	
Toxicologically Synergistic	No information available
Products	
Delayed and immediate effects as	well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
2-Propen-1-amine, N,N-dimethyl-	2155-94-4	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effect	ts	No information available.				
Developmental Effe	cts	No information available.				
Teratogenicity		No information available.				
STOT - single exposure STOT - repeated exposure		None known None known				
Aspiration hazard		No information available				
Symptoms / effects,both acute and delayed		tiredness, nausea emesis is contrain	and vomiting: Proc dicated. Possible	duct is a corrosive perforation of stor	material. Use of g nach or esophagus	astric lavage or should be
Endocrine Disruptor Information		No information available				
Other Adverse Effects		The toxicological p	properties have not	been fully investig	gated.	

## 12. Ecological information

### **Ecotoxicity**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

Persistence and Degradability	Persistence is unlikely based on information available.
<b>Bioaccumulation/ Accumulation</b>	No information available.
Mobility	Will likely be mobile in the environment due to its volatility.

Wast

	13. Disposal considerations
te Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a
	bazardous waste. Chemical waste generators must also consult local regional and

national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN2733
Proper Shipping Name	AMINES, FLAMMABLE, CORROSIVE, N.O.S.
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II
TDG	
UN-No	UN2733
Proper Shipping Name	AMINES, FLAMMABLE, CORROSIVE, N.O.S.
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II
ΙΑΤΑ	
UN-No	UN2733
Proper Shipping Name	AMINES, FLAMMABLE, CORROSIVE, N.O.S.*
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN2733
Proper Shipping Name	AMINES, FLAMMABLE, CORROSIVE, N.O.S.
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II
	15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
2-Propen-1-amine,	Х	-	Х	218-458-7	-		Х	Х	Х	Х	-
N,N-dimethyl-											

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

<b>U.S</b> .	Federal	Regulations	

TSCA 12(b)	Not applicable
SARA 313	Not applicable

SARA 311/312 Hazard Categories	See section 2 for more information	
CWA (Clean Water Act)	Not applicable	
Clean Air Act	Not applicable	
<b>OSHA</b> Occupational Safety and Healt Not applicable	h Administration	
CERCLA	Not applicable	
California Proposition 65	This product does not contain any Proposition 65 chemicals	
U.S. State Right-to-Know Regulations	Not applicable	
U.S. Department of Transportation		
Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N	
U.S. Department of Homeland Security		

This product does not contain any DHS chemicals.

### Other International Regulations

#### Mexico - Grade

Serious risk, Grade 3

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Revision Date Print Date Revision Summary	23-Jan-2018 23-Jan-2018 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of SDS