

Creation Date 26-Jan-2010

Revision Date 15-Jul-2015

Revision Number 6

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Description: Cat No. : Synonyms CAS-No	<u>Sulfamic acid</u> 222070000; 222070010; 222070025; 222070050; 222071000; 222072500; 222070100 Amidosulfonic acid 5329-14-6
EC-No.	226-218-8
Molecular Formula	H3 N O3 S
Reach Registration Number	01-2119488633-28
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available
1.3. Details of the supplier of the sa	afety data sheet
Company	Acros Organics BVBA
	Janssen Pharmaceuticalaan 3a
	2440 Geel, Belgium
E-mail address	begel.sdsdesk@thermofisher.com
1.4. Emergency telephone number	

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008	
Physical hazards_ Based on available data, the classification criteria are not met	
Health hazards	
Skin Corrosion/irritation Serious Eye Damage/Eye Irritation	Category 2 Category 2
Environmental hazards	
Chronic aquatic toxicity	Category 3

2.2. Label elements

Sulfamic acid



Signal Word

Warning

Hazard Statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water

P273 - Avoid release to the environment

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Sulfamic acid	5329-14-6	226-218-8	>95	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)

Reach Registration Number	ach	Registratio	on Number
---------------------------	-----	-------------	-----------

01-2119488633-28

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.		
Ingestion	Do not induce vomiting. Obtain medical attention.		
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.		
Protection of First-aiders	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.		
4.2. Most important symptoms and effects, both acute and delayed			

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Sulfamic acid

Revision Date 15-Jul-2015

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Sulfur oxides, Nitrogen oxides (NOx).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Sulfamic acid

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL)	Workers			
Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				10 mg/kg
Inhalation				

Predicted No Effect Concentration See values below.

(PNEC)	
Fresh water	0.048 mg/L
Fresh water sediment	0.176 mg/kg
Marine water	0.0048 mg/L
Marine water sediment	0.0173 mg/kg
Water Intermittent	0.48 mg/L
Microorganisms in sewage treatment	2 mg/L
Soil (Agriculture)	0.00638 mg/kg

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Hand Protection	Goggles (European standard - EN 166) Protective gloves	
-----------------------------------	---	--

	Glove material Butyl rubber Nitrile rubber	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
-	Skin and body prot	tection Wear ap	propriate protective	gloves and clothing to	prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

Sulfamic acid

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Small scale/Laboratory use	Recommended Filter type: Particulates filter conforming to EN 143 Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Prevent product from entering drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Physical State	White Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate	Odorless No data available 1.2 200 - 208 °C / 392 - 406.4 °F No data available No information available No information available Not applicable	1% aq.sol Method - No information available Solid
Flammability (solid,gas) Explosion Limits	No information available No data available	
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wate Component Sulfamic acid	0.78 Pa @ 25 °C Not applicable 2.15 1.300 kg/m ³ 146.8 g/l (20°C) No information available er) log Pow 0.1	Solid
Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	205 °C Not applicable No information available Not oxidising	Solid
9.2. Other information		
Molecular Formula Molecular Weight	H3 N O3 S 97.09	

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.		
10.4. Conditions to avoid	Incompatible products. Excess heat. Exposure to moist air or water.		
10.5. Incompatible materials			

Strong oxidizing agents. Strong bases. Chlorine. Nitric acid.

10.6. Hazardous decomposition products

Sulfur oxides. Nitrogen oxides (NOx).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met Dermal Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfamic acid	3160 mg/kg (Rat)	>2000 mg/kg (Rat)	

	(c) serious e	ye damage/irritation;	Category 2
--	---------------	-----------------------	------------

(d) respiratory or skin sensitization;

Respiratory Skin	Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met
(e) germ cell mutagenicity;	Based on available data, the classification criteria are not met
(f) carcinogenicity;	Not mutagenic in AMES Test Based on available data, the classification criteria are not met
	There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	Based on available data, the classification criteria are not met
(h) STOT-single exposure;	Based on available data, the classification criteria are not met
(i) STOT-repeated exposure;	Based on available data, the classification criteria are not met
Target Organs	No information available.
(j) aspiration hazard;	Not applicable Solid

Sulfamic acid

Other Adverse Effects

The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and No information available delayed

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sulfamic acid	LC50: 70.3 mg/L/96h	-	-	-
	(Pimephales promelas)			

 12.2. Persistence and degradability
 Not readily biodegradable

 Degradation in sewage
 Contains substances know

 treatment plant
 water treatment plants.

ability Not readily biodegradable Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential	Bioaccumulation is unlikely	
Component	log Pow	Bioconcentration factor (BCF)
Sulfamic acid	0.1	No data available

12.4. Mobility in soil	The product is water soluble, and may spread in water systems . Will likely be mobile in the
	environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB No data available for assessment.

assessment

12.6. Other adverse effects Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Other Information	Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Solutions with low pH-value must be neutralized before discharge. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number	UN2967
14.2. UN proper shipping name	SULPHAMIC ACID
14.3. Transport hazard class(es)	8
14.4. Packing group	III

<u>ADR</u>

Sulfamic acid

14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	UN2967 SULPHAMIC ACID 8 III
IATA	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	UN2967 SULPHAMIC ACID 8 III

<u>14.5. Environmental hazards</u> No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories		X = listed									
Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Sulfamic acid	226-218-8	-		Х	Х	-	Х	Х	Х	Х	Х

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Sulfamic acid	WGK 1	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full Text of H-/EUH-Statements Referred to Under Section 3

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H412 Harmful to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

DNEL - Derived No Effect Level	PNEC - Predicted No Effect Concentration	
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%	
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%	
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water	
PBT - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative	
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association	
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code	MARPOL - International Convention for the Prevention of Pollution from Ships	
OECD - Organisation for Economic Co-operation and Development	ATE - Acute Toxicity Estimate	
BCF - Bioconcentration factor	VOC - Volatile Organic Compounds	
Key literature references and sources for data Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS		

Training Advice

Sulfamic acid

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

Creation Date	26-Jan-2010
Revision Date	15-Jul-2015
Revision Summary	Update to Format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet