

Creation Date 12-Oct-2010 Revision Date 24-May-2016 Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Description: <u>Aluminium, shot (2-10 mm)</u>

Cat No. : 300210000; 300210010; 300210250; 300212500

 CAS-No
 7429-90-5

 EC-No.
 231-072-3

 Molecular Formula
 Al

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

2.2. Label elements

Hazard Statements

Precautionary Statements

Revision Date 24-May-2016

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Aluminum	7429-90-5	EEC No. 231-072-3	99	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Protection of First-aiders No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Fumes of aluminum or aluminum oxide.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

Aluminium, shot (2-10 mm)

and the stire and

protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

	Component	European Union	The United Kingdom	France	Belgium	Spain
Γ	Aluminum		STEL: 30 mg/m ³ 15 min	TWA / VME: 10 mg/m ³	TWA: 1 mg/m ³ 8 uren	TWA / VLA-ED: 10
-			STEL: 12 mg/m ³ 15 min	(8 heures). metal	_	mg/m³ (8 horas) TWA /
-			TWA: 10 mg/m ³ 8 hr	TWA / VME: 5 mg/m ³ (8		VLA-ED: 5 mg/m³ (8
			TWA: 4 mg/m ³ 8 hr	heures).		horas)

	Component	Italy	Germany	Portugal	The Netherlands	Finland
Ī	Aluminum		TWA: 4 mg/m ³ (8	TWA: 10 mg/m ³ 8 horas		
			Stunden). MAK	TWA: 5 mg/m ³ 8 horas		
			TWA: 1.5 mg/m ³ (8			
			Stunden). MAK			

ACR30021

Revision Date 24-May-2016

Aluminium, shot (2-10 mm)

Revision Date 24-May-2016

Component	Austria	Denmark	Switzerland	Poland	Norway
Aluminum	MAK-KZW: 20 mg/m ³ 15	TWA: 5 mg/m ³ 8 timer	TWA: 3 mg/m ³ 8	TWA: 2.5 mg/m ³ 8	TWA: 5 mg/m ³ 8 timer
	Minuten	TWA: 2 mg/m ³ 8 timer	Stunden	godzinach	STEL: 5 mg/m ³ 15
	MAK-TMW: 10 mg/m ³ 8	_		TWA: 1.2 mg/m ³ 8	minutter. pyrotechnical
	Stunden			godzinach	powder

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Aluminum	TWA: 10.0 mg/m ³	TWA-GVI: 10 mg/m ³ 8	TWA: 1 mg/m ³ 8 hr.		TWA: 10.0 mg/m ³ 8
	TWA: 1.5 mg/m ³	satima. total dust	respirable dust		hodinách. dust
	_	TWA-GVI: 4 mg/m ³ 8	STEL: 3 mg/m ³ 15 min		
		satima. respirable dust			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Aluminum	TWA: 10 mg/m³ 8 tundides. total dust TWA: 4 mg/m³ 8 tundides. respirable dust		TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 6 mg/m³ 8 órában. AK	STEL: 5 mg/m³ dust and powder TWA: 10 mg/m³ 8 klukkustundum. dust and powder TWA: 2 mg/m³ 8 klukkustundum. Ceiling: 20 mg/m³ dust and powder Ceiling: 4 mg/m³

I	Component	Latvia	Lithuania	Luxembourg	Malta	Romania
	Aluminum	TWA: 2 mg/m ³	TWA: 5 mg/m³ inhalable fraction IPRD			TWA: 3 mg/m ³ 8 ore TWA: 1 mg/m ³ 8 ore
			TWA: 2 mg/m ³			STEL: 10 mg/m ³ 15
		respir TW/				minute STEL: 3 mg/m ³ 15
L			· ·			minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Aluminum	TWA: 2 mg/m ³	TWA: 1.5 mg/m ³ metal		LLV: 5 mg/m ³ 8 timmar.	
	STEL: 6 mg/m ³ aerosol	TWA: 6 mg/m³ total		total dust	
		aerosol		LLV: 2 mg/m ³ 8 timmar.	
				respirable dust	

Biological limit values

List source(s):

Comp	onent	Italy	Finland	Denmark	Bulgaria	Romania
Alum	ninum					Aluminum: 200 μg/L
						urine end of shift

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
Aluminum			Aluminum: 60 μg/g		
			creatinine urine not		
			critical		

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL)	No information availabl	e		
Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

Predicted No Effect Concentration No information available. **(PNEC)**

Aluminium, shot (2-10 mm)

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Safety glasses with side-shields (European standard - EN 166)

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness EU standard Glove comments

Natural rubber See manufacturers - EN 374 (minimum requirement)

Nitrile rubber recommendations

Neoprene
PVC

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Silver / Grey
Physical State Solid; Various Form

Odor Odorless

Odor Threshold
pHNo data available
Not applicableMelting Point/Range660 °C / 1220 °FSoftening PointNo data available

Boiling Point/Range 2327 °C / 4220.6 °F @ 760 mmHg

Flash Point Not applicable Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas) No information available

Explosion Limits No data available

Vapor Pressure No data available Vapor Density Not applicable

Specific Gravity / Density 2.700

Bulk Density No data available

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

ACR30021

Solid

Revision Date 24-May-2016

Aluminium, shot (2-10 mm) Revision Date 24-May-2016

Autoignition Temperature Not applicable

Decomposition Temperature No data available

Viscosity No data available

No data available

No data available

Explosive Properties No information available Oxidizing Properties No information available

9.2. Other information

Molecular Formula Al Molecular Weight 26.97

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Avoid dust formation. Exposure to air. Exposure to

Solid

moist air or water.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Fumes of aluminum or aluminum oxide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

OralNo data availableDermalNo data availableInhalationNo data available

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

Aluminium, shot (2-10 mm) Revision Date 24-May-2016

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and No information available

delayed

12.1. Toxicity
Ecotoxicity effects

SECTION 12: ECOLOGICAL INFORMATION

12.2. Persistence and degradability
Persistence Insoluble in water.

Degradability Not relevant for inorganic substances.

12.3. Bioaccumulative potential May have some potential to bioaccumulate

12.4. Mobility in soil Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

solubility.

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to

ensure complete and accurate classification.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

European Waste Catalogue (EWC) According to the E

According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Aluminium, shot (2-10 mm)

Revision Date 24-May-2016

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

No special precautions required 14.6. Special precautions for user

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories		X = listed									
Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Aluminum	231-072-3	-		Х	Х	-	Χ	-	Х	Χ	Х

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Aluminum	nwg - nicht wassergefährdend (non-hazardous to	
	waters)	

Component	France - INRS (Tables of occupational diseases)	
Aluminum	Tableaux des maladies professionnelles (TMP) - RG 32	
	Tableaux des maladies professionnelles (TMP) - RG 16,RG 16bis	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full Text of H-/EUH-Statements Referred to Under Section 3

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances Substances List

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

Transport Association

ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

PNEC - Predicted No Effect Concentration

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

Aluminium, shot (2-10 mm)

Revision Date 24-May-2016

PICCS - Philippines Inventory of Chemicals and Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Ships

Creation Date 12-Oct-2010 **Revision Date** 24-May-2016 Update to Format. **Revision Summary**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet