

Creation Date 03-Jul-2014

Revision Date 08-Aug-2016

Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

-

1.1. Product identification

. . .

. ..

Product Description:	Potassium bisulfate
Cat No. :	447610000; 447610025; 447610100; 447615000
Synonyms	Acid potassium sulfate; Potassium hydrogen sulphate; Sulfuric acid, monopotassium salt
CAS-No	7646-93-7
EC-No.	231-594-1
Molecular Formula	H K O4 S
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available
1.3. Details of the supplier of th	e safety data sheet
	<u>e safety data sheet</u> Acros Organics BVBA
<u>1.3. Details of the supplier of th</u> Company	
	Acros Organics BVBA
	Acros Organics BVBA Janssen Pharmaceuticalaan 3a
Company	Acros Organics BVBA Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium begel.sdsdesk@thermofisher.com
Company E-mail address	Acros Organics BVBA Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium begel.sdsdesk@thermofisher.com

CHEMTREC Tel. No.US:001-800-424-9300 / Europe: 001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Skin Corrosion/irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity - (single exposure) Category 1 B (H314) Category 1 (H318) Category 3 (H335)

<u>Environmental hazards</u> Based on available data, the classification criteria are not met

2.2. Label elements

Revision Date 08-Aug-2016

Potassium bisulfate



Signal Word

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

Precautionary Statements

P310 - Immediately call a POISON CENTER or doctor/ physician

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Potassium hydrogen sulfate	7646-93-7	EEC No. 231-594-1	>95	Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.
Ingestion	Immediate medical attention is required. Do not induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Protection of First-aidersEnsure that medical personnel are aware of the material(s) involved, take precautions to
protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Sulfur oxides, Potassium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Evacuate personnel to safe areas. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL)	No information availabl	е		
Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

Potassium bisulfate

Hand Protection	Protectiv	ve gloves		
Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
Skin and body prot	ection Long sle	eved clothing		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
	To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Physical State	White Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	Odorless No data available 1 214 °C / 417.2 °F No data available No information available No information available Not applicable No information available No data available	Method - No information available Solid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents	No data available Not applicable 2.24 No data available 490 g/L (20°C) No information available	Solid
Partition Coefficient (n-octanol/wat Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	er) Not applicable No data available Not applicable No information available No information available	Solid

9.2. Other information

Molecular Formula	H K O4 S
Molecular Weight	136.16

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Hygroscopic.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationHazardous polymerization does not occur.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

10.5. Incompatible materials

Avoid dust formation. Incompatible products. Excess heat. Exposure to moisture.

Strong oxidizing agents. Strong bases. Alcohols.

10.6. Hazardous decomposition products

Sulfur oxides. Potassium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

No acute toxicity information is available for this product

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalNo data availableInhalationNo data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium hydrogen sulfate	LD50 = 2340 mg/kg (Rat)		

- (b) skin corrosion/irritation; Category 1 B
- (c) serious eye damage/irritation; Category 1
- (d) respiratory or skin sensitization; Respiratory No data available Skin No data available No data available (e) germ cell mutagenicity; (f) carcinogenicity; No data available There are no known carcinogenic chemicals in this product (g) reproductive toxicity; No data available (h) STOT-single exposure; Category 3 **Results / Target organs** Respiratory system.

(i) STOT-repeated exposure;	No data available
Target Organs	None known.
(j) aspiration hazard;	Not applicable Solid
Symptoms / effects,both acute and delayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

SECTION 12: ECOLOGICAL INFORMATION		
12.1. Toxicity Ecotoxicity effects	Do not empty into drains	
<u>12.2. Persistence and degradability</u> Persistence Degradability	Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances.	
12.3. Bioaccumulative potential	Bioaccumulation is unlikely	
12.4. Mobility in soil	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils	
<u>12.5. Results of PBT and vPvB</u> assessment	No data available for assessment.	
<u>12.6. Other adverse effects</u> Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance	

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Potassium bisulfate

Waste from Residues / Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not dispose of waste into sewer. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

<u>14.1. UN number</u> 14.2. UN proper shipping name	UN2509 POTASSIUM HYDROGEN SULPHATE
14.3. Transport hazard class(es)	8
14.4. Packing group	II

<u>ADR</u>

<u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	2509 POTASSIUM HYDROGEN SULPHATE 8 II
IATA	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	UN2509 POTASSIUM HYDROGEN SULPHATE 8 II
14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories		X = listed									
Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Potassium hydrogen sulfate	231-594-1	-		Х	Х	-	Х	Х	Х	Х	Х

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Potassium hydrogen sulfate	WGK 1	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16:	OTHER INF	ORMATION
-------------	-----------	----------

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b)
	Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical	DSL/NDSL - Canadian Domestic Substances List/Non-Domestic
Substances/EU List of Notified Chemical Substances	Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances	ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances	AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals

Potassium bisulfate

WEL - Workplace Exposure Limit	TWA - Time Weighted Average			
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer			
DNEL - Derived No Effect Level	PNEC - Predicted No Effect Concentration			
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%			
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%			
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water			
PBT - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative			
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association			
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code	MARPOL - International Convention for the Prevention of Pollution from Ships			
OECD - Organisation for Economic Co-operation and Development	ATE - Acute Toxicity Estimate			
BCF - Bioconcentration factor	VOC - Volatile Organic Compounds			
Key literature references and sources for data				
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS				

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date	03-Jul-2014
Revision Date	08-Aug-2016
Revision Summary	Update to Format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet