

Revision Date 03-May-2012

Revision Number 2

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Description: Chromium(III) trifluoride

Cat No. 383740000; 383740010; 383740050

Synonyms Chromic fluoride

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals
Uses advised against No Information available

Details of the supplier of the safety data sheet

Company

Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

Emergency Telephone Number

For information in the US, call: 001-800-ACROS-01 For information in Europe, call: +32 14 57 52 11

Emergency Number, Europe: +32 14 57 52 99 Emergency Number, US: 001-201-796-7100

CHEMTREC Phone Number, US: 001-800-424-9300 CHEMTREC Phone Number, Europe: 001-703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

REGULATION (EC) No 1272/2008

| Acute oral toxicity | Category 4 |
|---|--------------|
| Acute dermal toxicity | Category 4 |
| Acute Inhalation Toxicity - Dusts and Mists | Category 4 |
| Skin Corrosion/irritation | Category 1 B |

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16

Symbol(s) C - Corrosive

R-phrase(s) R31 - Contact with acids liberates toxic gas

R34 - Causes burns

Risk Combination Phrases R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed



Chromium(III) trifluoride

Revision Date 03-May-2012

SECTION 2. HAZARDS IDENTIFICATION

Label Elements



Signal Word

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

EUH031 - Contact with acids liberates toxic gas

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P233 - Keep container tightly closed

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Other Hazards

No information available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | EC-No. | Weight % | CAS-No | 67/548/EEC Classification | CLP Classification - Regulation (EC) No 1272/2008 | REACH No. |
|-------------------------------|-------------------|----------|-----------|--------------------------------|---|-----------|
| Chromic fluoride 7788-97-8 | EEC No. 232-137-9 | 100 | 7788-97-8 | Xn; R20/21/22 R31 C; R34 | Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) (EUH031) | - |



Chromium(III) trifluoride

Revision Date 03-May-2012

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16

SECTION 4. FIRST AID MEASURES

Description of first aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician immediately.

Inhalation Remove from exposure, lie down. Move to fresh air. If breathing is difficult, give oxygen. If not

breathing, give artificial respiration. Immediate medical attention is required.

Notes to Physician Treat symptomatically

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. chemical foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Environmental precautions

Prevent further leakage or spillage if safe to do so



Chromium(III) trifluoride

Revision Date 03-May-2012

Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Do not let this chemical enter the environment.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not breathe dust. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest. Use only in area provided with appropriate exhaust ventilation.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from acids. Corrosives area. Keep under nitrogen.

Specific End Uses

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits Component

Chromic fluoride

| European Union | The United Kingdom | France | Belgium | Spain |
|-------------------------------|---------------------------------|----------------------------|---------|-------------------------------|
| TWA: 2 mg/m ³ 8 hr | STEL: 1.5 mg/m ³ 15 | VME: 2 mg/m ³ 8 | | VLA-ED: 2 mg/m ³ 8 |
| | min | heures. indicative limit | | horas |
| | TWA: 0.5 mg/m ³ 8 hr | | | |

Component

| | . | |
|------|--------|--------|
| Chrc | mic fl | uoride |

| Italy | Germany | Portugal | The Netherlands | Finland |
|-------|----------------------------|------------------------------|-----------------|---------|
| | TWA: 1 mg/m ³ 8 | TWA: 0.5 mg/m ³ 8 | | |
| | Stunden. F inhalable | horas | | |
| | fraction exposure factor | TWA: 2.5 mg/m ³ 8 | | |
| | 4 | horas | | |

Component Chromic fluoride

| Austria | Denmark | Switzerland | Poland | Norway |
|---------|---------|------------------------------|--------|------------------------------------|
| | | MAK: 0.5 mg/m ³ 8 | | TWA: 0.5 mg/m ³ 8 timer |
| | | Stunden | | TWA: 0.6 mg/m ³ 8 timer |

ComponentChromic fluoride

| Russia - TWA | Slovak Republic | Slovenia | Sweden | Turkey |
|------------------------------|-----------------|----------|--------|--------|
| TWA: 0.5 mg/m ³ F | | | | |
| STEL: 2.5 mg/m ³ | | | | |
| aerosol | | | | |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(DNEC)

No information available. No information available.

(PNEC)

AOD00074



Chromium(III) trifluoride

Revision Date 03-May-2012

Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas Ensure that eyewash stations and

safety showers are close to the workstation location

Personal protective equipment

Eye Protection Hand Protection

Skin and body protection **Respiratory Protection**

Goggles Protective gloves

Wear appropriate protective gloves and clothing to prevent skin exposure

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Hygiene Measures

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice

No information available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid **Appearance** Green

Boiling Point/Range No information available. **Melting Point/Range** 1000°C / 1832°F

Flash Point No information available. **Autoignition Temperature** No information available.

Water Solubility Insoluble Molecular Formula Cr F3 **Molecular Weight** 108.99

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Chemical Stability

Stable under normal conditions. Hygroscopic.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous polymerization does not occur. Hazardous Reactions. No information available.

Conditions to Avoid

Incompatible products, Exposure to moist air or water.

Incompatible Materials

Acids, Strong oxidizing agents.

Hazardous Decomposition Products

Gaseous hydrogen fluoride (HF).



Chromium(III) trifluoride

Revision Date 03-May-2012

SECTION 11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity

Product InformationNo acute toxicity information is available for this product

Component Information

Chronic Toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product

SensitizationNo information available.Mutagenic EffectsNo information availableReproductive EffectsNo information available.Developmental EffectsNo information available.Target OrgansNo information available.

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information

Endocrine Disruptor Information None known

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Ecotoxicity effects Do not empty into drains

Persistence and degradability

No information available

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Results of PBT and vPvB assessment

Other adverse effects



Chromium(III) trifluoride

Revision Date 03-May-2012

No information available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues / Unused

ea

Products

Dispose of in accordance with local regulations

Contaminated Packaging

Empty containers should be taken to local recyclers for disposal

SECTION 14. TRANSPORT INFORMATION

IMDG/IMO

UN-No 1756 Hazard Class 8 Packing Group II

Proper Shipping Name

CHROMIC FLUORIDE, SOLID

ADR

UN-No 1756 Hazard Class 8 Packing Group II

Proper Shipping Name

CHROMIC FLUORIDE, SOLID

IATA

UN-No 1756 Hazard Class 8 Packing Group II

Packing Group Proper Shipping Name

me CHROMIC FLUORIDE, SOLID

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

| Component | EINECS | ELINCS | NLP | TSCA | DSL | NDSL | PICCS | ENCS | CHINA | AICS | KECL |
|------------------|---------------|--------|-----|------|-----|------|-------|------|-------|------|------|
| Chromic fluoride | 232-137-9 | - | | X | Χ | - | X | X | X | Χ | X |

Legend



Chromium(III) trifluoride

Revision Date 03-May-2012

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

AICS - Inventory of Chemical Substances

KECL - Existing and Evaluated Chemical Substances

Chemical Safety Assessment

SECTION 16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R31 - Contact with acids liberates toxic gas

R34 - Causes burns

R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed

Revision Date 03-May-2012

Revision Summary

Reason for revision Not applicable

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet