

## 1 Identification

### Product identifier

**Product name:** Potassium tetrachloroplatinate(II)

**Stock number:** 11048

**CAS Number:**

10025-99-7

**EC number:**

233-050-9

**Index number:**

078-004-00-7

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Met. Corr. 1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

#### Hazard pictograms



GHS05 GHS06 GHS08

### Signal word

**Danger**

### Hazard statements

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

### Precautionary statements

P284 [In case of inadequate ventilation] wear respiratory protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects



**Product name:** Potassium tetrachloroplatinate(II)

**Classification system**  
**HMIS ratings (scale 0-4)**  
**(Hazardous Materials Identification System)**

HEALTH	2	Health (acute effects) = 2
FIRE	0	Flammability = 0
REACTIVITY	1	Physical Hazard = 1

**Other hazards**  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.

(Contd. of page 1)

**3 Composition/information on ingredients**

**Chemical characterization: Substances**  
**CAS# Description:**  
10025-99-7 Potassium tetrachloroplatinate(II)  
**Concentration:** ≤100%  
**Identification number(s):**  
**EC number:** 233-050-9  
**Index number:** 078-004-00-7

**4 First-aid measures**

**Description of first aid measures**  
**General information**  
Immediately remove any clothing soiled by the product.  
In case of irregular breathing or respiratory arrest provide artificial respiration.  
**After inhalation**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.  
**After skin contact**  
Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.  
**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.  
**After swallowing** Do not induce vomiting; immediately call for medical help.  
**Information for doctor**  
**Most important symptoms and effects, both acute and delayed**  
Causes skin irritation.  
Toxic if swallowed.  
Causes serious eye damage.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.  
**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

**Extinguishing media**  
**Suitable extinguishing agents** Product is not flammable. Use fire-fighting measures that suit the surrounding fire.  
**Special hazards arising from the substance or mixture**  
If this product is involved in a fire, the following can be released:  
Hydrogen chloride (HCl)  
Potassium oxide  
Platinum oxide  
**Advice for firefighters**  
**Protective equipment:**  
Wear self-contained respirator.  
Wear fully protective impervious suit.

**6 Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
**Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits.  
**Methods and material for containment and cleaning up:** Dispose of contaminated material as waste according to section 13.  
**Prevention of secondary hazards:** No special measures required.  
**Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.  
**Protective Action Criteria for Chemicals**  
**PAC-1:** Substance is not listed.  
**PAC-2:** Substance is not listed.  
**PAC-3:** Substance is not listed.

**7 Handling and storage**

**Handling**  
**Precautions for safe handling**  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.  
Prevent formation of dust.  
**Information about protection against explosions and fires:** The product is not flammable  
**Conditions for safe storage, including any incompatibilities**  
**Storage**  
**Requirements to be met by storerooms and receptacles:** No special requirements.  
**Information about storage in one common storage facility:**  
Do not store together with acids.  
Store away from oxidizing agents.  
Store away from metals.

(Contd. on page 3)

Product name: **Potassium tetrachloroplatinate(II)**

**Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed containers.  
**Specific end use(s)** No further relevant information available.

(Contd. of page 2)

8 Exposure controls/personal protection

**Additional information about design of technical systems:**  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

10025-99-7 Potassium tetrachloroplatinate(II) (100.0%)

PEL (USA)	Long-term value: 0.002 mg/m³ as Pt
REL (USA)	Long-term value: 0.002 mg/m³ as Pt
TLV (USA)	Long-term value: 0.002 mg/m³ as Pt
EL (Canada)	Long-term value: 0.002 mg/m³ as Pt; S
EV (Canada)	Long-term value: 0.002 mg/m³ as Pt

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Remove all soiled and contaminated clothing immediately.  
Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

**Breathing equipment:** Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

**Material of gloves** Nitrile rubber, NBR

**Penetration time of glove material (in minutes)** 480

**Glove thickness:** 0.11 mm

Eye protection:

Tightly sealed goggles

Safety glasses with side shields / NIOSH (US) or EN 166(EU)

**Body protection:** Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Crystalline
Odor:	Odorless
Odor threshold:	Not determined.

**pH-value:** Not applicable.

Change in condition

Melting point/Melting range:	Decomposes
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.

**Danger of explosion:** Not determined.

Explosion limits:

Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	3.38 g/cm³ (28.206 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water at 16 °C (61 °F):	9.3 g/l
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

**Reactivity** No information known.

**Chemical stability** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions** Reacts with strong oxidizing agents

(Contd. on page 4)  
USA

Product name: **Potassium tetrachloroplatinate(II)**

**Conditions to avoid** No further relevant information available.  
**Incompatible materials:**  
Acids  
Oxidizing agents  
Metals  
**Hazardous decomposition products:**  
Hydrogen chloride (HCl)  
Potassium oxide  
Platinum oxide

(Contd. of page 3)

11 Toxicological information

**Information on toxicological effects**  
**Acute toxicity:**  
Toxic if swallowed.  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.  
**LD/LC50 values that are relevant for classification:** No data  
**Skin irritation or corrosion:** Causes skin irritation.  
**Eye irritation or corrosion:** Causes serious eye damage.  
**Sensitization:**  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.  
**Germ cell mutagenicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.  
**Carcinogenicity:** No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.  
**Reproductive toxicity:** No effects known.  
**Specific target organ system toxicity - repeated exposure:** No effects known.  
**Specific target organ system toxicity - single exposure:** No effects known.  
**Aspiration hazard:** No effects known.  
**Subacute to chronic toxicity:** No effects known.  
**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.




12 Ecological information

**Toxicity**  
**Aquatic toxicity:** No further relevant information available.  
**Persistence and degradability** No further relevant information available.  
**Bioaccumulative potential** No further relevant information available.  
**Mobility in soil** No further relevant information available.  
**Additional ecological information:**  
**General notes:**  
Do not allow material to be released to the environment without proper governmental permits.  
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.  
Avoid transfer into the environment.  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**Other adverse effects** No further relevant information available.

13 Disposal considerations




**Waste treatment methods**  
**Recommendation** Consult state, local or national regulations to ensure proper disposal.  
**Uncleaned packagings:**  
**Recommendation:** Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA	UN3288
UN proper shipping name DOT ADR IMDG, IATA	Toxic solid, inorganic, n.o.s. (Potassium tetrachloroplatinate(II)) 3288 Toxic solid, inorganic, n.o.s. (Potassium tetrachloroplatinate(II)) TOXIC SOLID, INORGANIC, N.O.S. (Potassium tetrachloroplatinate(II))
Transport hazard class(es) DOT	
	
Class Label ADR	6.1 Toxic substances 6.1
	
Class Label IMDG, IATA	6.1 (T5) Toxic substances 6.1
	
Class Label	6.1 Toxic substances 6.1
Packing group DOT, ADR, IMDG, IATA	III

(Contd. on page 5)  
USA

<b>Product name: Potassium tetrachloroplatinate(II)</b>	
(Contd. of page 4)	
<b>Environmental hazards:</b>	Not applicable.
<b>Special precautions for user</b> <b>EMS Number:</b> <b>Stowage Category</b>	Warning: Toxic substances F-A, S-A A
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> Not applicable.	
<b>Transport/Additional information:</b>	
<b>DOT</b> <b>Quantity limitations</b>	On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg
<b>Marine Pollutant (DOT):</b>	No
<b>IMDG</b> <b>Limited quantities (LQ)</b> <b>Excepted quantities (EQ)</b>	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
<b>UN "Model Regulation":</b>	UN 3288 TOXIC SOLID, INORGANIC, N.O.S. (POTASSIUM TETRACHLOROPLATINATE(II)), 6.1, III

<b>15 Regulatory information</b>	
<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b> <b>GHS label elements</b> The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) <b>Hazard pictograms</b>	
  	
GHS05 GHS06 GHS08	
<b>Signal word</b> Danger <b>Hazard statements</b> H290 May be corrosive to metals. H301 Toxic if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. <b>Precautionary statements</b> P284 [In case of inadequate ventilation] wear respiratory protection. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. <b>National regulations</b> All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). <b>SARA Section 313 (specific toxic chemical listings)</b> Substance is not listed. <b>California Proposition 65</b> <b>Prop 65 - Chemicals known to cause cancer</b> Substance is not listed. <b>Prop 65 - Developmental toxicity</b> Substance is not listed. <b>Prop 65 - Developmental toxicity, female</b> Substance is not listed. <b>Prop 65 - Developmental toxicity, male</b> Substance is not listed. <b>Information about limitation of use:</b> For use only by technically qualified individuals. <b>Other regulations, limitations and prohibitive regulations</b> <b>Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.</b> Substance is not listed. <b>The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.</b> Substance is not listed. <b>Annex XIV of the REACH Regulations (requiring Authorisation for use)</b> Substance is not listed. <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	

<b>16 Other information</b>	
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.	
<b>Department issuing SDS:</b> Global Marketing Department <b>Date of preparation/Revision:</b> Print date, revision date and version number are in the header of each page. <b>Abbreviations and acronyms:</b> ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LD50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Met. Corr. 1: Corrosive to metals – Category 1 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1	