Safety Data Sheet acc. to OSHA HCS



Page 1/5 Printing date 09/20/2016 Revision date 09/16/2016

1 Identification

Product identifier

Product name: Silicon(IV) chloride

Stock number: 40148 CAS Number:

10026-04-7 **EC** number: 233-054-0 Index number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS05 GHS07

Signal word Danger Hazard statements

Häzard statements
H314 Causes severe skin burns and eye damage.
H315 May cause respiratory irritation.

Precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P381 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 IF exposed or if you feel unwell:
| Immediately call a POISON CENTER or doctor/physician.
| Store in a dry place. Store in a closed container.
| WHMIS classification

WHMIS classification

D2B - Toxic material causing other toxic effects

E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 0
Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description:
10026-04-7 Silicon(IV) chloride Identification number(s):
EC number: 233-054-0

Index number: 014-002-00-4

(Contd. on page 2)

HSA

Product name: Silicon(IV) chloride

(Contd. of page 1)

4 First-aid measures

Description of first aid measures After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor
Meet important symptoms and effects, both acute and delayed.

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Causes serious eye irritation.
May cause respiratory irritation.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Special powder for metal fires. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture Reacts violently with water If this product is involved in a fire, the following can be released:

Silicon oxide

Advice for firefighters

Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against evalorious

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from water/moisture.

Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive.

This product is moisture sensitive. Protect from humidity and water. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: 10026-04-7 Silicon(IV) chloride (100.0%)

WEEL (USA) Ceiling limit value: 1 ppm

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

(Contd. on page 3)

Product name: Silicon(IV) chloride

(Contd. of page 2)

Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type AXBEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:
Impervious gloves

Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Material of gloves Nitrile rubber, NBR
Penetration time of glove material (in minutes) 480
Glove thickness 0.11 mm
Eye protection:
Safety glasses
Full face protection
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form: Color: Colorless Odor: Odor threshold: Acrid Not determined.

pH-value:

Not determined

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous) -70 °C (-94 °F) 57.6 °C (136 °F) Not determined Not determined Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined.

Not determined.

Danger of explosion: Explosion limits: Lower:

Not determined Not determined

Upper:

Not determined

Vapor pressure: Density at 20 °C (68 °F): Relative density

1.483 g/cm³ (12.376 lbs/gal) Not determined. Not determined

Vapor density Evaporation rate Solubility in / Miscibility with

Not determined.

Water

Reacts violently Partition coefficient (n-octanol/water): Not determined.

Viscositv: dynamic: kinematic:

Not determined.

Other information

Not determined. No further relevant information available

10 Stability and reactivity

Reactivity Reacts violently with water.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents

Reacts violently with water

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents Water/moisture

Hazardous decomposition products:

Silicon oxide Hydrogen chloride (HCI)

11 Toxicological information

Information on toxicological effects
Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes skin irritation.
Eye irritation or corrosion: Causes serious eye irritation.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA of ACC Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

Product name: Silicon(IV) chloride

Mobility in soil No further relevant information available.
Additional ecological information:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

1	4	Tra	nst	ort	info	rmatic	n

UN-Number DOT, IMDG, IATA	UN1818
UN proper shipping name DOT IMDG, IATA	Silicon tetrachloride SILICON TETRACHLORIDE

Transport hazard class(es)

DOT



Class 8 Corrosive substances. Label 8 8 (C1) Corrosive substances Class ĪMDG, IATA



Class 8 Corrosive substances

Packing group DOT, IMDG, IATA 11

Environmental hazards: Not applicable.

Special precautions for user EMS Number: Warning: Corrosive substances F-A,S-B Acids Segregation groups

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

Marine Pollutant (DOT): No

UN "Model Regulation": UN1818, Silicon tetrachloride, 8, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS07

Signal word Danger

Hazard statements
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
Precautionary statements
Wear protective gloves/protect

Precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER or doctor/physician.
P402+P404 Store in a dry place. Store in a closed container.

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

(Contd. on page 5)

(Contd. on page 5)

Printing date 09/20/2016 Revision date 09/16/2016

Product name: Silicon(IV) chloride

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 4)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 09/20/2016 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transportation Intra: International Maritime Code for Dangerous Goods DOT: US Department of Transportation Intra: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Workplace Hazardous Materials Information System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal doose, 50 percent

LD50: Lethal doose, 50 percent

LD50: Lethal doose, 50 percent

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

ARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

SKin Corr. IB: Skin corrosion/iritation, Hazard Category 1B

Eye Init. 2A: Serious eye damage/eye irritation, Hazard Category 3