


Safety Data Sheet per OSHA HazCom 2012



Product name: Strontium nitrate

Identification number(s): EC number: 233-131-9

4 First-aid measures

Description of first aid measures

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

Seek immediate medical advice. **After skin contact** Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor. **After swallowing** Seek medical treatment. **Information for doctor Most important symptoms and effects, both acute and delayed** No further relevant information available. **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Suitable extinguishing agents Carbon oloxide, extinguishing powder or water spray. Fight larger fires with water For safety reasons unsuitable extinguishing agents Halocarbon extinguisher Special hazards arising from the substance or mixture This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. If this product is involved in a fire, the following can be released: Nitrogen oxides (NOx) Strontium oxide Advice for firefighters Protective acquiment:

Protective equipment: Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Ensure adequate ventilation. **Prevention of secondary hazards:** Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Substance/product can reduce the ignition temperature of flammable substances. This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements.

Requirements to be met by storerooms and receptacies: IV Information about storage in one common storage facility: Store away from flammable substances. Store away from reducing agents. Do not store with organic materials. Store away from metal powders. Store away from water/moisture. Further information about storage conditions: Store under dw. inert nas Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

Exposure controls

Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Printing date 11/24/2015 Reviewed on 11/05/2015

(Contd. of page 1)

Page 2/5

vorking environment. spirator when high concentrations are present. term use: or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to de nly use equipment tested and approved under appropriate government standards. se for their proper condition. or depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. minutes) 480 ing.	(Contd. of page 2) etermine if air-
·	i
emical properties Crystalline or powder White	
Odorless	
570 °C (1058 °F) Not determined Not determined Contact with combustible material may cause fire. Not determined Not determined Not determined Not determined.	
Not determined. Not determined Not determined 0 hPa 2.99 g/cm ³ (24.952 lbs/gal) Not determined. Not applicable. Not applicable. Soluble : Not determined.	
Not applicable. Not applicable. No further relevant information available.	
mended storage conditions. to be avoided: Decomposition will not occur if used and stored according to specifications. t information available.	
al Substances (RTECS) contains acute toxicity data for components in this product. classification: rious eye irritation. own. own. on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. • repeated exposure: No effects known. • repeated exposure: May cause respiratory irritation. sts known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	USA
	term use: P3 LED 141 cartridges as a backup to angineering controls. Risk assessment should be performed to de we carter or their proper condition. e for their proper condition. g: e for their proper condition. g: emical properties Crystalline or powder Crystalline

(Context Toxicity 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information General notes: Do not allow undiluted product or large quantiles to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPVB assessment PBT: Not applicable. VPVB: Not applicable. VPVB: Not applicable. Waste of PBT and vPVB assessment PBT: Not applicable. Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents. 14 Transport information UN-Number UN1507 DOT, IMDG, IATA UN1507 UN proper shipping name Strontium nitrate DOT Strontium nitrate DOT Strontium n	of page 3)
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information available. Additional ecological information General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow material to be released to the environment. Results of PBT and vPVB assessment PBT: Not applicable. VPUB: Not applicable. VPUB: Not applicable. Other adverse effects No further relevant information available. If a Disposal considerations Waste treatment methods Recommendation: Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommendation: UN toter, if necessary with cleansing agents. 14 Transport information UN1507 UN-Number Dort, IMDG, IATA DOT, IMDG, IATA Strontium nitrate Dot Strontium nitrate Transport hazard class(es) Strontium nitrate	
Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPVB assessment PBT: Not applicable. vPVB: Not applicable. VPVB: Not applicable. Uhr adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation: Consult state, local or national regulations to ensure proper disposal. Uncleaned packagingg: Recommendation: Disposal must be made according to official regulations. Recommendation: Disposal must be made according to official regulations. Recommendation: Disposal must be made according to official regulations. Recommendation: Disposal must be made according to official regulations. Recommendation: Disposal must be made according to official regulations. Recommendation: Disposal must be made according to official regulations.	
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents. 14 Transport information UN-Number DOT, IMDG, IATA UN1507 UN proper shipping name DOT IMDG, IATA Strontium nitrate STRONTIUM NITRATE Transport hazard class(es) Transport hazard class(es)	
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents. 14 Transport information UN-Number DOT, IMDG, IATA UN1507 UN proper shipping name DOT IMDG, IATA Strontium nitrate STRONTIUM NITRATE Transport hazard class(es) Strontium NITRATE	
UN-Number UN1507 DOT, IMDG, IATA UN1507 UN proper shipping name Strontium nitrate DOT Strontium nitrate IMDG, IATA STRONTIUM NITRATE Transport hazard class(es) Strontium nitrate	
DOT, IMDG, IATA UN1507 UN proper shipping name Strontium nitrate DOT Strontium nitrate IMDG, IATA STRONTIUM NITRATE Transport hazard class(es) Strontium nitrate	
UN proper shipping name DOT IMDG, IATA Transport hazard class(es)	
DOT Strontium nitrate IMDG, IATA STRONTIUM NITRATE Transport hazard class(es) STRONTIUM NITRATE	
Transport hazard class(es)	
DOT	
Class 5.1 Oxidising substances. Label 5.1 Class 5.1 (O2) Oxidizing substances Label 5.1 IMDG, IATA 5.1	
Class 5.1 Oxidising substances. Label 5.1	
Packing group DOT, IMDG, IATA III	
Environmental hazards: Not applicable.	
Special precautions for user Warning: Oxidizing substances	
EMS Number: F-A,S-Q Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport in burk according to Annex in or MARY OLTS/To and the IBC code Not applicable.	
DOT	
Marine Pollutant (DOT): No UN "Model Regulation": UN1507, Strontium nitrate, 5.1, III	
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Comparison of the substance or mixture product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Image: Comparison of the substance or mixture product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Image: Comparison of the substance or mixture product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Image: Comparison of the substance or mixture product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Image: Comparison of the substance or mixture product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Image: Comparison of the substance or mixture product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Image: Comparison of the substance or mixture product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Image: Comparison of the substance or mixture product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Image: Comparison of the substance or mixture product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Image: Comparison of the accord mixing with combustibles. P210 False any procaution to avoid mixing with combustibles. P220 Keep away from heat/sparks/open flames/hot su	

 P220
 Keép/Stoře away from clothing/combustible materials.

 P305+P351+P388 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P405
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 National regulations
 All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

 All components of this product are listed on the Canadian Domestic Substances List (DSL).
 SARA Section 313 (specific toxic chemical listings) Substance is not listed.

Product name: Strontium nitrate

(Contd. of page 4)

USA

California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the us Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / -Abbreviations and acconyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances ELNECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (Division of the American Chemical Substances ELNECS: European Inventory of Existing Commercial Chemical Substances ELNECS: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Chemical Abstration and Very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: Mational Toxicology Program (USA) MTP: Mational Toxicology Program (USA) MARC: International Agercy for Research on Cancer EPA: Environmental Protection Agency (USA)