



Page 1/5 Printing date 02/02/2018 Revision date 01/31/2018 Version 1

Versio
1 Identification
Product identifier
Product name: Chromium(II) chloride, anhydrous
Stock number: 12335 CAS Number:
10049-05-5 EC number:
233-163-3
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Word Hill Min 04825 8000
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS05 Corrosion
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Acute Tox. 4 H302 Harmful if swallowed. Hazards not otherwise classified No information known.
Label elements
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS05 GHS07
Signal word Danger Hazard statements
H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage.
Precautionary statements D260
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification
D2B - Toxic material causing other toxic effects
E - Corrosive material
Classification system
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH Image: Imag
FIRE Image: Automatic field of the second
Other hazards
Results of PBT and vPvB assessment PBT: Not applicable.
vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterization: Substances CAS# Description:
10049-05-5 Chromium(II) chloride Concentration: ≤100%
Identification number(s): EC number: 233-163-3
Contained. 200-100-0 (Contd. on page
Conta. of page

Product name: Chromium(II) chloride, anhydrous

	(Contd. of page 1)
4 First-aid measures	
Description of first aid measures General information Immediately remove any clothing soiled by the product.	
After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact	
Immediately wash with water and soap and rinse thoroughly.	
Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor	
After swallowing Seek medical treatment. Information for doctor	
Causes severe skin burns.	
Harmful if swallowed. Causes serious eye damage.	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.	
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:	
Hyarogen chioride (HCI) Chromium oxides	
Advice for firefighters Protective equipment:	
Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation	
Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up:	
Use neutralizing agent. Dispose of contaminated material as waste according to section 13	
Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
Protective Action Uniteria for Unemicals	
PAC-1: 3.5 mg/m3 PAC-2: 62 mg/m3 PAC-2: 320 mg/m3	
PAC-3: 370 mg/m3	
7 Handling and storage Handling	
Precautions for safe handling	
Handle under dry protective gas. Keep container tightly sealed. Store in cool duy closed in tightly closed containers.	
Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable	
Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: No special requirements.	
Information about storage in one common storage facility:	
Store away from air. Store away from water/moisture. Store away from oxidizing agents.	
Further information about storage conditions:	
Store under dry inert gas. This product is moisture sensitive.	
This product is air sensitive. Keep container tightly sealed.	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water.	
Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters	
Components with limit values that require monitoring at the workplace: 10049-05-5 Chromium(II) chloride (100.0%)	
PEL (USA) Long-term value: 0.5 mg/m ³ as Cr	
REL (USA) Long-term value: 0.5 mg/m ³ as Cr; See Pocket Guide App. C	
Additional information: No data	
	(Contd. on page 3)

(Contd. on page 3) USA

Product name: Chromium(II) chloride, anhydrous

	s, annyurous	
Exposure controls Personal protective equipment General protective and hygienic meas The usual precautionary measures for he Keep away from foodstuffs, beverages a Remove all soiled and contaminated clot Wash hands before breaks and at the en Avoid contact with the eyes and skin. Maintain an ergonomically appropriate w Breathing equipment: Use suitable resp Recommended filter device for short t Use a respirator with type N95 (USA) or purfying respirators are appropriate. On Protection of hands: Impervious gloves Check protective gloves prior to each use The selection of suitable gloves not only Material of gloves Nitrile rubber, NBR Penetration time of glove material (in Glove thickness: 0.11 mm Eye protection: Tightly sealed goggles Full face protection Safety glasses with side shields / NIOSH	ures Indiing chemicals should be followed. hing immediately. d of work. orking environment. irrator when high concentrations are present. erm use: PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to de y use equipment tested and approved under appropriate government standards. e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. ninutes) 480 (US) or EN 166(EU)	(Contd. of page 2) etermine if air-
Bodý protection: Protective work clothin	ġ.	
9 Physical and chemical properties		
Information on basic physical and che General Information Appearance: Form: Odor:	Powder Odorless	
Odor threshold:	Not determined.	
pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable. 824 °C (1515 °F) Not determined Not determined Not determined Not determined Not determined Not determined	
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Not determined. Not determined Not applicable. 2.878 g/cm³ (24.017 lbs/gal) Not determined. Not determined. Not applicable. Not determined. Not determined. Not determined. Not applicable. Not applicable. Not applicable. Not applicable. No further relevant information available.	
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recomn Thermal decomposition / conditions to Possibility of hazardous reactions Rei Conditions to avoid No further relevant Incompatible materials: Air Oxidizing agents Water/moisture Hazardous decomposition products: Hydrogen chloride (HCI) Chromium oxides	be avoided: Decomposition will not occur if used and stored according to specifications. acts with strong oxidizing agents	
The Registry of Toxic Effects of Chemica LD/LC50 values that are relevant for co Oral LD50 1870 mg/kg (rat) Skin irritation or corrosion: Causes se Eye irritation or corrosion: Causes ser Sensitization: No sensitizing effects kno Germ cell mutagenicity: The Registry of State State	vere skin burns. ous eye damage.	(Contri on page 4)
		(Contd. on page 4)

	Version 1
roduct name: Chromium(II) chloride, anhydrous	
	(Contd. of page 3
Reproductive toxicity: No effects known.	
Specific target organ system toxicity - repeated exposure	
Specific target organ system toxicity - single exposure: N	o effects known.
Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known.	
Additional toxicological information: To the best of our kno	owledge the acute and chronic toxicity of this substance is not fully known.
2 Ecological information	
Toxicity	
Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant informatio	on available.
Bioaccumulative potential No further relevant information av Mobility in soil No further relevant information available.	vailable.
Additional ecological information:	
General notes: Do not allow undiluted product or large quantities to reach gro	ound water. water course or sewage system.
Do not allow undiluted product or large quantities to reach gro Avoid transfer into the environment. Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable. Other adverse effects No further relevant information availab	ble.
13 Disposal considerations	
Waste treatment methods	
Recommendation Consult state, local or national regulations	to ensure proper disposal.
Uncleaned packagings: Recommendation: Disposal must be made according to offic	ial regulations.
4 Transport information	
UN-Number DOT. IMDG. IATA	UN3260
UN proper shipping name	
DOT ADR	Corrosive solid, acidic, inorganic, n.o.s. (Chromium(II) chloride) 3260 Corrosive solid, acidic, inorganic, n.o.s. (Chromium(II) chloride)
IMDG, IATA	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Chromium(II) chloride)
Transport hazard class(es)	
DOT	
\checkmark	
Class Label	8 Corrosive substances 8
ADR	
Class Label	8 (C2) Corrosive substances 8
IMDG, IATA	
\checkmark	
Class Label	8 Corrosive substances 8
Label	8
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user	8 III Not applicable. Warning: Corrosive substances
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number:	8 III Not applicable. Warning: Corrosive substances F-A,S-B
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category	8 III Not applicable. Warning: Corrosive substances F-A,S-B Acids A
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78	8 III Not applicable. Warning: Corrosive substances F-A,S-B Acids A
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78 Transport/Additional information:	8 III Not applicable. Warning: Corrosive substances F-A,S-B Acids A
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78	8 III Not applicable. Warning: Corrosive substances F-A, S-B Acids A and the IBC Code Not applicable. On passenger aircraft/rail: 25 kg
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78 Transport/Additional information: DOT	8 III Not applicable. Warning: Corrosive substances F-A,S-B Acids A and the IBC Code Not applicable.
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78 Transport/Additional information: DOT Quantity limitations Hazardous substance: Marine Pollutant (DOT):	8 III Not applicable. Warning: Corrosive substances F-A,S-B Acids A and the IBC Code Not applicable. On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78 Transport/Additional information: DOT Quantity limitations Hazardous substance: Marine Pollutant (DOT): IMDG	8 III Not applicable. Warning: Corrosive substances F-A,S-B Acids A and the IBC Code Not applicable. On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg 1000 lbs, 454 kg No
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78 Transport/Additional information: DOT Quantity limitations Hazardous substance: Marine Pollutant (DOT):	8 III Not applicable. Warning: Corrosive substances F-A, S-B Acids A and the IBC Code Not applicable. On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg 1000 lbs, 454 kg No 5 kg Code: E1
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78 Transport/Additional information: DOT Quantity limitations Hazardous substance: Marine Pollutant (DOT): IMDG Limited quantities (LQ)	8 III Not applicable. Warning: Corrosive substances F-A,S-B Acids A and the IBC Code Not applicable. On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg 1000 lbs, 454 kg No 5 kg
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78 Transport/Additional information: DOT Quantity limitations Hazardous substance: Marine Pollutant (DOT): IMDG Limited quantities (LQ)	8 III Not applicable. Warning: Corrosive substances F-A,S-B Acids A and the IBC Code Not applicable. On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg 1000 lbs, 454 kg No 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g

Product name: Chromium(II) chloride, anhydrous

(Contd. of page 4)

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms (!) £₹ GHS05 GHS07 Signal word Danger Hazard statements H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H314 Causes severe skin purns and eye damage. Precautionary statements P260 Do not breathe dusts or mists. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P405 Store locked up Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. P405 P501 Alfonal regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) 10049-05-5 Chromium(II) chloride 10049-05-5 [Chromium(II) chionae California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
 Department issuing SDS: Global Marketing Department
 Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
 Abbreviations and acconyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transportation
 IMIG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMIG: International Air Transport Association
 IRIA: International Air Transport Association
 IRIA: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 HMIS: Horzardous Materials Information System (USA)
 WHMIS: Workplace Hazardous Materials Information System (Canada)
 LC50: Lethal concentration, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 VPR: very Persistent and very Bioaccumulative
 ACGIH: American Conference of Governmental Industrial Hygienists (USA)
 OSHA: Occupational Safety and Health Administration (USA)
 NTP: National Toxicology Program (USA)
 Acute Tox: 4: Acut