

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/03/2009

Reviewed on 06/03/2009

1 Identification of substance:

Product details:

Product name: Lanthanum nitrate solution

Stock number: 66237

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company
Johnson Matthey Catalog Company, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Emergency Phone: (978) 521-6300
CHEMTREC: (800) 424-9300
Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency information:

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:


Chemical characterization:

Description: (CAS#)

Lanthanum nitrate (CAS# 10099-59-9); 43-48%
Water (CAS# 7732-18-5), Balance

3 Hazards identification

Hazard description:



Xi Irritant
O Oxidizing

Information pertaining to particular dangers for man and environment

R 8 Contact with combustible material may cause fire.

R 36/37/38 Irritating to eyes, respiratory system and skin.

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH	1
FIRE	1
REACTIVITY	1

Health (acute effects) = 1
Flammability = 1
Reactivity = 1

GHS label elements



Danger

2.13/2 - May intensify fire; oxidizer.



Warning

3.2/2 - Causes skin irritation.

3.3/2A - Causes serious eye irritation.

3.8/3 - May cause respiratory irritation.

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Specific treatment (see label).

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/03/2009

Reviewed on 06/03/2009

Product name: Lanthanum nitrate solution

(Contd. of page 1)

If skin irritation occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 Take off contaminated clothing and wash before reuse.
 In case of fire: Use for extinction: CO2, powder or water spray.

Storage:

Store in a well-ventilated place. Keep container tightly closed.
 Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.
 Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
 Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

5 Fire fighting measures

Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards caused by the material, its products of combustion or resulting gases:

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Metal oxide fume

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Ensure adequate ventilation.

Absorb with liquid-binding material.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling**Information for safe handling:**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Aqueous solutions are incompatible with alkali and alkaline earth metals and many reactive organic and inorganic chemicals.

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/03/2009

Reviewed on 06/03/2009

Product name: Lanthanum nitrate solution

(Contd. of page 2)

Further information about storage conditions:

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace: Not required.

Additional information: No data

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands: Impervious gloves

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties:

General Information

Form:	Liquid
Odor:	Not determined

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point:	Not determined
---------------------	----------------

Ignition temperature:	Not determined
------------------------------	----------------

Decomposition temperature:	Not determined
-----------------------------------	----------------

Explosion limits:

Lower:	Not determined
Upper:	Not determined

Vapor pressure:	Not determined
------------------------	----------------

Density at 20°C (68°F):	1.54-1.60 g/cm ³
--------------------------------	-----------------------------

Solubility in / Miscibility with

Water:	Fully miscible
---------------	----------------

pH-value (1600 g/l) at 20°C (68°F):	2.5-3.5
--	---------

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided:

Reducing agents

Reducing agents, easily oxidized materials

Organic materials

Aqueous solutions are incompatible with alkali and alkaline earth metals and many reactive organic and inorganic chemicals.

Metal powders

Dangerous reactions

Reacts with alkali metals.

Reacts with reducing agents

Reacts with flammable substances

Reacts with alkaline earth metals.

Dangerous products of decomposition:

Nitrogen oxides

(Contd. on page 4)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/03/2009

Reviewed on 06/03/2009

Product name: Lanthanum nitrate solution

Metal oxide fume

(Contd. of page 3)

11 Toxicological information

Acute toxicity:

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Subacute to chronic toxicity:

Lanthanons can cause delayed blood clotting leading to hemorrhages. Exposure may also lead to sensitivity to heat, itching, increased awareness of odor and taste, and liver damage.

Small doses of nitrates may cause weakness, general depression, headache and mental impairment. Larger doses may cause dizziness, abdominal cramps, vomiting, bloody diarrhea, convulsions and collapse.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations

Product:

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

DOT regulations:



Hazard class:

5.1

Identification number:

UN3218

Packing group:

II

Proper shipping name (technical name): NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.

Label

5.1

Land transport ADR/RID (cross-border)



ADR/RID class:

5.1 (01) Oxidizing substances

Danger code (Kemler):

50

UN-Number:

3218

Packaging group:

II

Description of goods: 3218 NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
(Lanthanum nitrate solution)

(Contd. on page 5)

- USA -

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/03/2009

Reviewed on 06/03/2009

Product name: Lanthanum nitrate solution

(Contd. of page 4)

Maritime transport IMDG:

IMDG Class: 5.1
UN Number: 3218
Label: 5.1
Packaging group: II
Proper shipping name: NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 5.1
UN/ID Number: 3218
Label: 5.1
Packaging group: II
Proper shipping name: NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.

UN "Model Regulation": UN3218, NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S., 5.1, II

15 Regulations**Product related hazard informations:****Hazard symbols:**

Xi Irritant
 O Oxidizing

Risk phrases:

8 Contact with combustible material may cause fire.
 36/37/38 Irritating to eyes, respiratory system and skin.

Safety phrases:

17 Keep away from combustible material.
 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 37 Wear suitable gloves.
 60 This material and its container must be disposed of as hazardous waste.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

Information about limitation of use: For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 HMIS: Hazardous Materials Identification System (USA)

USA