

1 Identification

Product identifier

Product name: Silver sulfate, ACS

Stock number: 11417

CAS Number:

10294-26-5

EC number:

233-653-7

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com


Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

 GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS05

Signal word

Danger

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

WHMIS classification

D2B - Toxic material causing other toxic effects



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 2 Health (acute effects) = 2

FIRE 0 Flammability = 0

REACTIVITY 1 Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

10294-26-5 Silver sulfate

Concentration: ≤100%

Identification number(s):

EC number: 233-653-7

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes serious eye damage.

Product name: Silver sulfate, ACS

Indication of any immediate medical attention and special treatment needed No further relevant information available. (Contd. of page 1)

5 Fire-fighting measures
Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Sulfur oxides (SOx)
Silver oxides
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures
Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up: Pick up mechanically.
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
PAC-1: Substance is not listed.
PAC-2: Substance is not listed.
PAC-3: Substance is not listed.

7 Handling and storage
Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: The product is not flammable
Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store in the dark.
Store away from oxidizing agents.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from exposure to light.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection
Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Control parameters
Components with limit values that require monitoring at the workplace:
10294-26-5 Silver sulfate (100.0%)
PEL (USA) Long-term value: 0.01 mg/m³
soluble compounds, as Ag
TLV (USA) Long-term value: 0.01 mg/m³
soluble compounds, as Ag
EL (Canada) Short-term value: 0.03 mg/m³
Long-term value: 0.01 mg/m³
as Ag

Additional information: No data
Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Material of gloves Nitrile rubber, NBR
Penetration time of glove material (in minutes) 480
Glove thickness: 0.11 mm
Eye protection:
Tightly sealed goggles
Safety glasses with side shields / NIOSH (US) or EN 166(EU)

Product name: Silver sulfate, ACS

Body protection: Protective work clothing. (Contd. of page 2)

9 Physical and chemical properties

Information on basic physical and chemical properties	
General Information	
Appearance:	
Form:	Powder
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	
Not applicable.	
Change in condition	
Melting point/Melting range:	657 °C (1215 °F)
Boiling point/Boiling range:	ca 1085 °C (ca 1985 °F) (dec)
Sublimation temperature / start:	Not determined
Flash point:	
Not determined	
Flammability (solid, gaseous)	
Not determined.	
Ignition temperature:	
Not determined	
Decomposition temperature:	
Not determined.	
Auto igniting:	
Not determined.	
Danger of explosion:	
Not determined.	
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	
Not applicable.	
Density at 20 °C (68 °F):	
5.45 g/cm³ (45.48 lbs/gal)	
Relative density	
Not determined.	
Vapor density	
Not applicable.	
Evaporation rate	
Not applicable.	
Solubility in / Miscibility with	
Water at 25 °C (77 °F):	8 g/l
Partition coefficient (n-octanol/water):	
Not determined.	
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	
No further relevant information available.	

10 Stability and reactivity






Reactivity No information known.	
Chemical stability Stable under recommended storage conditions.	
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.	
Possibility of hazardous reactions Reacts with strong oxidizing agents	
Conditions to avoid No further relevant information available.	
Incompatible materials:	
Oxidizing agents	
Light	
Hazardous decomposition products:	
Sulfur oxides (SOx)	
Silver oxides	

11 Toxicological information

Information on toxicological effects	
Acute toxicity: No effects known.	
LD/LC50 values that are relevant for classification: No data	
Skin irritation or corrosion: May cause irritation	
Eye irritation or corrosion: Causes serious eye damage.	
Sensitization: No sensitizing effects known.	
Germ cell mutagenicity: No effects known.	
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.	
Reproductive toxicity: No effects known.	
Specific target organ system toxicity - repeated exposure: No effects known.	
Specific target organ system toxicity - single exposure: No effects known.	
Aspiration hazard: No effects known.	
Subacute to chronic toxicity: No effects known.	
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	

12 Ecological information

Toxicity	
Aquatic toxicity: No further relevant information available.	
Persistence and degradability No further relevant information available.	
Bioaccumulative potential No further relevant information available.	
Mobility in soil No further relevant information available.	
Ecotoxicological effects:	
Remark: Very toxic for aquatic organisms	
Additional ecological information:	
General notes:	
Do not allow product to reach ground water, water course or sewage system.	
Do not allow material to be released to the environment without proper governmental permits.	
Danger to drinking water if even small quantities leak into the ground.	
Also poisonous for fish and plankton in water bodies.	
May cause long lasting harmful effects to aquatic life.	
Avoid transfer into the environment.	
Very toxic for aquatic organisms	
Results of PBT and vPvB assessment	
PBT: Not applicable.	

Product name: Silver sulfate, ACS	
<div><div>vPvB: Not applicable.</div><div>Other adverse effects No further relevant information available.</div></div>	
(Contd. of page 3)	
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	
14 Transport information	
UN-Number DOT, IMDG, IATA	UN3077
UN proper shipping name DOT ADR IMDG IATA	Environmentally hazardous substances, solid, n.o.s. (Silver sulfate, ACS) 3077 Environmentally hazardous substances, solid, n.o.s. (Silver sulfate, ACS) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Silver sulfate, ACS), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Silver sulfate, ACS)
Transport hazard class(es) DOT, IMDG, IATA	
 	
Class Label ADR	9 Miscellaneous dangerous substances and articles 9
 	
Class Label	9 (M7) Miscellaneous dangerous substances and articles 9
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant (IMDG):	Yes (DOT) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
Special marking (ADR): Special marking (IATA):	
Special precautions for user EMS Number: Stowage Category Stowage Code	Warning: Miscellaneous dangerous substances and articles F-A, S-F A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: No limit On cargo aircraft only: No limit
Marine Pollutant (DOT): Remarks:	No Special marking with the symbol (fish and tree).
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (SILVER SULFATE, ACS), 9, III
15 Regulatory information	
Safety, health and environmental regulations/legislation specific for the substance or mixture	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)	
Hazard pictograms	
	
GHS05	
Signal word Danger	
Hazard statements	
H318 Causes serious eye damage.	
Precautionary statements	
P280 Wear eye protection / face protection.	
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310 Immediately call a POISON CENTER/doctor.	
National regulations	
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.	
All components of this product are listed on the Canadian Domestic Substances List (DSL).	
SARA Section 313 (specific toxic chemical listings)	
10294-26-5 Silver sulfate	
(Contd. on page 5) USA	

Product name: Silver sulfate, ACS

(Contd. of page 4)

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

USA