

Safety Data Sheet per OSHA HazCom 2012

| Reviewed on 09/30/2 |
|--|
| 1 Identification Product identifier |
| Product identifier Product name: 3-Bromo-2-fluoro-5-(trifluoromethyl)pyridine |
| Stock number: H64748 CAS Number: 1031929-01-7 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development |
| Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. |
| 2 Hazard(s) identification |
| Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) |
| GHS02 Flame |
| Flam. Liq. 3 H226 Flammable liquid and vapour. |
| GHS06 Skull and crossbones |
| Acute Tox. 3 H301 Toxic if swallowed. |
| GHS07 |
| Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known. |
| Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms |
| GHS02 GHS06 |
| Signal word Danger Hazard statements H226 Flammable liquid and vapour. H301 Toxic if swallowed. H315 Causes skin irritation. H315 Causes serious eye irritation. H315 Causes serious eye irritation. H315 Causes serious eye irritation. H316 Causes serious eye irritation. H317 Causes serious eye irritation. H318 Causes respiratory irritation. P303 May cause respiratory irritation. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P210 Keep away from heat/sparks/open flames/hot Surfaces. No smoking. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/ P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF_IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification B2 - Flammable liquid |
| D1A - Very toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects |
| Classification system |
| HMIS ratings (scale 0-4) (Hazardous Materials Identification System) |
| Fire Image: State of the st |
| Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. |
| U U (Contd. on pa |
| |

Product name: 3-Bromo-2-fluoro-5-(trifluoromethyl)pyridine

(Contd. of page 1)

| 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 1031929-01-7 3-Bromo-2-fluoro-5-(trifluoromethyl)pyridine | |
|--|-----------------------------|
| 4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediately remote and cload advice. After skin contact Immediately as with water and soap and rinse thoroughly. Seek immediate medical advice. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide | |
| Hydrogen fluoride (HF) Nitrogen oxides (NOx) Hydrogen bromide (HBr) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. | |
| 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 13 for disposal information. | |
| 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. | |
| 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. | |
| | (Contd. on page 3) USA — |

Safety Data Sheet per OSHA HazCom 2012

Product name: 3-Bromo-2-fluoro-5-(trifluoromethyl)pyridine

(Contd. of page 2) Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Protection of nands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses Body protection: Protective work clothing.

9 Physical and chemical properties

| Information on basic physical and che | |
|---|---|
| General Information | |
| Appearance: Form: | Liquid |
| Odor: | Not determined |
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: | Not determined Not determined Not determined |
| Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: | 30 °C (86 °F) Not determined. Not determined Not determined |
| Auto igniting: | Not determined. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures is possible. |
| Explosion limits: Lower: | Not determined |
| Upper: | Not determined |
| Vapor pressure: | Not determined |
| Density at 20 °C (68 °F): | 1.774 g/cm³ (14.804 lbs/gal) Not determined. |
| Relative density Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Not determined |
| Partition coefficient (n-octanol/water): | : Not determined. |
| Viscosity: dynamic: | Not determined. |
| kinematic: | Not determined. |
| Other information | No further relevant information available. |
| | |

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen fluoride Hydrogen fluoride Nitrogen oxides Hydrogen bromide 11 Toxicological information Information on toxicological effects Information on toxicological effects Acute toxicity: Toxic if swallowed. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Percentation efforts the efforts known. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. **Subacute to chronic toxicity:** No effects known. **Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.

Additional ecological information: General notes: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

Product name: 3-Bromo-2-fluoro-5-(trifluoromethyl)pyridine

| Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations Uncleaned packagings: | to ensure proper disposal. |
|---|--|
| Recommendation: Disposal must be made according to office | ial regulations. |
| Transport information | |
| UN-Number DOT, IMDG, IATA | UN1992 |
| UN proper shipping name DOT | Elemmetria liquida taxia n.a.s. (2. Bromo-2. fluoro-5-(trifluoromethyl)nyridine) |
| IMDG, IATA | Flammable liquids, toxic, n.o.s. (3-Bromo-2-fluoro-5-(trifluoromethyl)pyridine) FLAMMABLE LIQUID, TOXIC, N.O.S. (3-Bromo-2-fluoro-5-(trifluoromethyl) pyridine) |
| Transport hazard class(es) DOT | |
| | |
| Class Label | 3 Flammable liquids. 3+6.1 |
| Class Label | 3 (FT1) Flammable liquids 3+6.1 |
| IMDG, IATA | 5.0.7 |
| | |
| Class Label | 3 Flammable liquids. 3+6.1 |
| Packing group DOT, IMDG, IATA | <i>III</i> |
| Environmental hazards: | Not applicable. |
| Special precautions for user EMS Number: | Warning: Flammable liquids F-E.S-D |
| Transport in bulk according to Annex II of MARPOL73/78 | |
| Transport/Additional information: | |
| DOT | |
| | No |
| Marine Pollutant (DOT): UN "Model Regulation": Regulatory information | UN1992, Flammable liquids, toxic, n.o.s. (3-Bromo-2-fluoro-5-(trifluoromethyl) pyridine), 3 (6.1), III |
| Marine Pollutant (DOT): UN "Model Regulation": | UN1992, Flammable liquids, toxic, n.o.s. (3-Bromo-2-fluoro-5-(trifluoromethyl) pyridine), 3 (6.1), III |
| Marine Pollutant (DOT): UN "Model Regulation": Barine Pollutant (DOT): UN "Model Regulation": F Regulatory information Safety, health and environmental regulations/legislation s GHS label elements The product is classified and labeled in a Hazard pictograms GHS02 GHS06 | UN1992, Flammable liquids, toxic, n.o.s. (3-Bromo-2-fluoro-5-(trifluoromethyl) pyridine), 3 (6.1), III |
| Marine Pollutant (DOT): UN "Model Regulation": UN "Model Regulation": Regulatory information Safety, health and environmental regulations/legislation s GHS label elements The product is classified and labeled in a Hazard pictograms Image: Comparison of the statements GHS02 GHS06 Signal word Danger Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H335 May cause respiratory irritation. H335 May cause respiratory irritation. P210 Keep away from heat/sparks/open flames/l P303+P361+P353 If on skin (or hair): Take off immediately all P305+P361+P353 IF on skin (or hair): Take off immediately all P305+P361+P353 IF IN EYES: Rinse cautiously with water for P405 Store locked up. P501 Dispose of contents/container in accordance National regulations | UN1992, Flammable liquids, toxic, n.o.s. (3-Bromo-2-fluoro-5-(trifluoromethyl) pyridine), 3 (6.1), III specific for the substance or mixture accordance with 29 CFR 1910 (OSHA HCS) accordance with 29 CFR 1910 (OSHA HCS) I contaminated clothing. Rinse skin with water/shower. I contaminated clothing. Rinse skin with water/shower. or several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. ce with local/regional/national/international regulations. |
| Marine Pollutant (DOT): UN "Model Regulation": Safety, health and environmental regulations/legislation s GHS label elements The product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H315 Causes skin irritation. H316 Causes skin irritation. H317 Causes skin irritation. H318 Causes skin irritation. P301+P310 IF SWALLOWED: Immediately call a POIS P301+P310 IF SWALLOWED: Immediately call a POIS P305+P351+P338 IF IN EYES: Rinse | UN1992, Flammable liquids, toxic, n.o.s. (3-Bromo-2-fluoro-5-(trifluoromethyl) pyridine), 3 (6.1), III specific for the substance or mixture accordance with 29 CFR 1910 (OSHA HCS) ON CENTER/ doctor/ or several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. ce with local/regional/national/international regulations. Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restrict by o directly under the supervision of a technically qualified individual as defined by TSCA. This usations for commercial purposes. res to this to the canadian Non-Domestic Substances List (NDSL). ance is not listed. Insted. li |

Product name: 3-Bromo-2-fluoro-5-(trifluoromethyl)pyridine

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / -Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chernical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Identification System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concentration and y Bioaccumulative ACGIH:: American Abstrait and very Bioaccumulative ACGIH:: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) MTP: National Toxicology Program (USA)

(Contd. of page 4)

USA