

Page 1/4 Printing date 10/18/2016 Revision date 10/17/2016

1 Identification

Product identifier

Product name: Lithium iodide, ultra dry

Stock number: 13600 CAS Number: 10377-51-2 EC number:

Relevant identified uses of the substance or mixture and uses advised against. No further relevant information available.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

Thermo Fisher Scientific S. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech @alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS07

Signal word Warning Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements

Precautionary statements
Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362 Take off contaminated clothing and wash before reuse.
P321 Specific treatment (see on this label).
If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P305+P352 IF ON SKIN: Wash with plenty of water.
WHMIS classification

WHMIS classification

D2B - Toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1 Flammability = 0

Flactivity | Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

# 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 10377-51-2 Lithium iodide

Identification number(s): EC number: 233-822-5

# 4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice. After skin contact

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Page 2/4 Printing date 10/18/2016 Revision date 10/17/2016

(Contd. of page 1)

# Product name: Lithium iodide, ultra dry

Seek immediate medical advice. **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor. **After swallowing** Seek medical treatment. **Information for doctor** 

Most important symptoms and effects, both acute and delayed
Causes skin irritation.
Causes serious eye irritation.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Hydrogen iodide (HI) Lithium oxide

Advice for firefighters

**Protective equipment:**Wear self-contained respirator.
Wear fully protective impervious suit.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Pick up mechanically.

Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas. Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:

Store in the dark.
Store away from water/moisture.

Do not store together with acids. Store away from oxidizing agents. Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Protect from exposure to light.

Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

10377-51-2 Lithium iodide (100.0%)

TLV (USA) Long-term value: 0.01\* ppm
\*as inhalable fraction and vapor

Additional information: No data

Exposure controls

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avaid contact with the over and skip.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious players

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Description of gloves in the minutes of the minutes

Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm

Eye protection: Safety glasses

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Page 3/4 Printing date 10/18/2016 Revision date 10/17/2016

Product name: Lithium iodide, ultra dry

Body protection: Protective work clothing.

(Contd. of page 2)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Various forms (powder/flake/crystalline/beads, etc.) Odor: Odor threshold:

Not determined. pH-value: Not applicable

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous) 449 °C (840 °F) 1170-1190 °C (2138-2174 °F) Not determined

Not determined. Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined

Danger of explosion: Not determined. Explosion limits: Lower:
Upper:
Vapor pressure:
Density at 20 °C (68 °F):
Relative density
Vapor density Not determined Not determined Not applicable.

4.076 g/cm³ (34.014 lbs/gal)

Not determined. Not applicable. Not applicable. Vapor density
Evaporation rate
Solubility in / Miscibility with
Water at 20 °C (68 °F):
Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic Not applicable. kinematic:

Not applicable.
No further relevant information available. Other information

### 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Acids

Water/moisture

Oxidizing agents

Hazardous decomposition products: Hydrogen iodide (HI) Lithium oxide

# 11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation.

Eye irritation or corrosion: Causes serious eye irritation.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicalogical information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

# 12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.
Other adverse effects No further relevant information available.

## 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

(Contd. on page 4)

Page 4/4 Printing date 10/18/2016 Revision date 10/17/2016

# Product name: Lithium iodide, ultra dry

Uncleaned packagings: Recommendation: Disposal must be made according to official regulations

(Contd. of page 3)

14 Transport information		
UN-Number DOT, ADN, IMDG, IATA	Not applicable	
UN proper shipping name DOT, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, IMDG, IATA	Not applicable	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport/Additional information:		
DOT		

No

# 15 Regulatory information

Marine Pollutant (DOT):

UN "Model Regulation":

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



# Signal word Warning

Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements P280 Wear pro

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash before reuse.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

P332+P313 If eye irritation persists: Get medical advice/attention.

If ON SKIN: Wash with plenty of water.

National regulations

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 10/18/2016 / -

Date of preparation / last revision 10/18/2016 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

DOT: US Department of Transportation

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Heazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

VPUB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2A