



Page 1/5 Printing date 01/20/2017 Revision date 12/27/2016

| Revision date 12/2   | 7/2016 |
|--|--------|
| 1 Identification<br>Product identifier<br>Product name: <b>Potassium phthalimide</b>   |        |
| Stock number: A11134, L02669<br>CAS Number:<br>1074-82-4<br>EC number:   |        |
| 214-046-6<br><b>Relevant identified uses of the substance or mixture and uses advised against.</b><br>Identified use: SU24 Scientific research and development   |        |
| Details of the supplier of the safety data sheet<br>Manufacturer/Supplier:<br>Alfa Aesar<br>Thermo Fisher Scientific Chemicals, Inc.   |        |
| 30 Bond Street<br>Ward Hill, MA 01835-8099<br>Tel: 800-343-0660<br>Fax: 800-322-4757<br>Email: tech@alfa.com   |        |
| www.alfa.com<br>Information Department: Health, Safety and Environmental Department<br>Emergency telephone number:<br>During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.   |        |
| 2 Hazard(s) identification   |        |
| Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)<br>GHS07  |        |
| Skin Irrit. 2 H315 Causes skin irritation.<br>Eve Irrit. 2A H319 Causes serious eve irritation.  |        |
| STOT SE 3 H335 May cause respiratory irritation.<br>Hazards not otherwise classified No information known.   |        |
| Label elements<br>GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)<br>Hazard pictograms  |        |
|  |        |
| GHS07         Signal word Warning<br>Hazard statements         H315 Causes skin irritation.         H315 Causes serious eye irritation.         H315 Causes serious eye irritation.         H335 May cause respiratory irritation.         Precautionary statements         P261       Avoid breathing dust/fume/gas/mist/vapours/spray.         P280       Wear protective gloves/protective clothing/eye protection/face protection.         P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P304+P340       IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.         P362       Take off contaminated clothing and wash before reuse.         P321       Specific treatment (see on this label).         P332+P313       If skin irritation occurs: Get medical advice/attention.         P403       Store locked up.         P403+P233       Store in a well-ventilated place. Keep container tightly closed.         P501       Dispose of contents/container in accordance with local/regional/national/international regulations.         WHMIS classification       D2B - Toxic material causing other toxic effects |        |
| $\bigcirc$   |        |
| Classification system<br>HMIS ratings (scale 0-4)<br>(Hazardous Materials Identification System)<br>HEALTH 1 Health (acute effects) = 1  |        |
| REACTIVITY 1 Physical Hazard = 1   |        |
| Other hazards<br>Results of PBT and vPvB assessment<br>PBT: Not applicable.<br>vPvB: Not applicable.   |        |
| 3 Composition/information on ingredients   | —      |
| Chemical characterization: Substances<br>CAS# Description:<br>1074-82-4 Potassium phthalimide<br>Concentration: ≤100%<br>Identification number(s):   |        |
| EC number: 214-046-6   | USA    |

(Contd. on page 2)

# Product name: Potassium phthalimide

(Contd. of page 1)

|  | (Contd. of page 1) |
|--|--------------------|
| 4 First-aid measures   |                    |
| Description of first aid measures<br>After inhalation  |                    |
| Supply fresh air. If required, provide artificial respiration, Keep patient warm,  |                    |
| Se'ek îmmediate medical advice.<br>After skin contact  |                    |
| Immediately wash with water and soap and rinse thoroughly.<br>Seek immediate medical advice.   |                    |
| After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.<br>After swallowing Seek medical treatment.   |                    |
| Information for doctor   |                    |
| Most important symptoms and effects, both acute and delayed<br>Causes skin irritation.   |                    |
| Causes serious eye irritation.<br>May cause respiratory irritation.  |                    |
| Indication of any immediate medical attention and special treatment needed No further relevant information available.  |                    |
| 5 Fire-fighting measures   |                    |
| Extinguishing media  |                    |
| Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.<br>Special hazards arising from the substance or mixture   |                    |
| If this product is involved in a fire, the following can be released:<br>Carbon monoxide and carbon dioxide  |                    |
| Nitrogen oxides (NOx)  |                    |
| Potassium oxide<br>Advice for firefighters   |                    |
| Protective equipment:<br>Wear self-contained respirator.   |                    |
| Wear fully protective impervious suit.   |                    |
| Accidental release measures  |                    |
| Personal precautions, protective equipment and emergency procedures  |                    |
| Wear protective equipment. Keep unprotected persons away.  |                    |
| Environmental precautions: Do not allow product to reach sewage system or any water course.<br>Methods and material for containment and cleaning up: Ensure adequate ventilation.  |                    |
| Prevention of secondary hazards: No special measures required.   |                    |
| Reference to other sections<br>See Section 7 for information on safe handling  |                    |
| See Section 8 for information on personal protection equipment.<br>See Section 13 for disposal information.  |                    |
| Handling and storage   |                    |
| Handling   |                    |
| Precautions for safe handling<br>Handle under dry protective gas.  |                    |
| Keep container tightly sealed.   |                    |
| Store in cool, dry place in tightly closed containers.<br>Ensure good ventilation at the workplace.  |                    |
| Information about protection against explosions and fires: No information known.   |                    |
| Conditions for safe storage, including any incompatibilities<br>Storage  |                    |
| Requirements to be met by storerooms and receptacles: No special requirements.   |                    |
| Information about storage in one common storage facility:<br>Store away from water/moisture.   |                    |
| Store away from oxidizing agents. Further information about storage conditions:  |                    |
| Store under dry inert gas.<br>This product is moisture sensitive.  |                    |
| Keep container tightly sealed.   |                    |
| Keep container tightly sealed.<br>Store in cool, dry conditions in well sealed containers.<br>Protect from humidity and water.   |                    |
| Specific end use(s) No further relevant information available.   |                    |
| Exposure controls/personal protection  |                    |
| Additional information about design of technical systems:<br>Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.   |                    |
| Control parameters   |                    |
| <b>Components with limit values that require monitoring at the workplace:</b><br>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.  |                    |
| Additional information: No data  |                    |
| Exposure controls  |                    |
| Personal protective equipment<br>General protective and hygienic measures  |                    |
| The usual precautionary measures for handling chemicals should be followed.<br>Keep away from foodstuffs, beverages and feed.  |                    |
| Remove all solled and contaminated clothing immediately.<br>Wash hands before breaks and at the end of work.   |                    |
| Avoid contact with the eves and skin   |                    |
| Maintain an ergonomically appropriate working environment.<br>Breathing equipment: Use suitable respirator when high concentrations are present.<br>Recommended filter device for short term use:<br>Use suitable with two NOF (USA) and CEN (10) and ridges as a backup to apprivation controls. Disk assessment should be performed to det   |                    |
| Recommended filter device for short term use:  | ormino if air      |
| I log a requirator with type NO5 (LISA) or DE (EN 112) contridees as a healing to ancine controls. Disk accomment should be used to use the second se |                    |
| purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.  |                    |
| Dise a respirator with type N95 (USA) of PE (EN 143) caltridges as a backup to engineering controls. Risk assessment should be performed to det<br>purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.<br><b>Protection of hands:</b><br>Impervious gloves   |                    |
| Dise a respirator with type N95 (USA) of PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to det<br>purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.<br><b>Protection of hands:</b><br>Impervious gloves<br>Check protective gloves prior to each use for their proper condition.  |                    |
| purifying respirator with type russ (USA) of PE (EN 143) cannages as a backup to engineering controls. Risk assessment should be performed to det<br>purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.<br><b>Protection of hands:</b><br>Impervious gloves   | (Contd. on page 3  |

Penetration time of glove material (in minutes) 480 Glove thickness 0,11 mm Eye protection: Safety glasses Body protection: Protective work clothing.

### 9 Physical and chemical properties

| Information on basic physical and che<br>General Information<br>Appearance:   | emical properties  |
|---|--|
| Form:   | Powder   |
| Odor:   | Not determined   |
| Odor threshold:   | Not determined.  |
| pH-value:   | Not applicable.  |
| Change in condition<br>Melting point/Melting range:<br>Boiling point/Boiling range:<br>Sublimation temperature / start:<br>Flammability (solid, gaseous)<br>Ignition temperature:<br>Decomposition temperature:<br>Auto igniting: | >300 °C (>572 °F)<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined. |
| Danger of explosion:  | Not determined.  |
| Explosion limits:<br>Lower:   | Not determined   |
| Upper:  | Not determined   |
| Vapor pressure:   | Not applicable.  |
| Density at 20 °C (68 °F):<br>Relative density   | 1.63 g/cm³ (13.602 lbs/gal)<br>Not determined  |
| Vapor density   | Not apellicable.   |
| Evaporation rate  | Not applicable.  |
| Solubility in / Miscibility with<br>Water:  |  |
|   | Not determined   |
| Partition coefficient (n-octanol/water):  | Not determined.  |
| Viscosity:<br>dvnamic:  | Not applicable.  |
| kinematic:  | Not applicable.  |
| Other information   | No further relevant information available.   |
|   |  |
|   |  |

## 10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Water/moisture Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Potassium oxide 11 Toxicological information I oxicological information Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

# 12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. **VPVB:** Not applicable. **Other adverse effects** No further relevant information available.

(Contd. of page 2)

USA (Contd. on page 4)

(Contd. of page 3)

## 13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Recommendation: Disposal must be made according to official regulations. 14 Transport information **UN-Number** DOT, ADN, IMDG, IATA Not applicable UN proper shipping name DOT, ADN, IMDG, IATA Not applicable Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Class Not applicable Packing group DOT, IMDG, IATA Not applicable Environmental hazards: Not applicable. Special precautions for user Not applicable Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": \_

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Warning

Hazard statements

Hazaro statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statements

 Precautionary statements

 P261
 Avoid breathing dust/fume/gas/mist/vapours/spray.

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P305+P351+P338
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P304+P340
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

 P302
 Take off contaminated clothing and wash before reuse.

 P321
 Specific treatment (see on this label).

 P332+P313
 If skin irritation occurs: Get medical advice/attention.

 P405
 Store locked un

Store locked up. Store in a well-ventilated place. Keep container tightly closed. P403+P233

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

## National regulations

National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, temale Substance is not listed. Prop 65 - Developmental toxicity, and the Substance is not listed. Prop 65 - Developmental toxicity, and the Substance is not listed. Prop 65 - Developmental toxicity, and the Substance is not listed. Prop 65 - Developmental toxicity, and the Substance is not listed. Prop 65 - Developmental toxicity, and the Substance is not listed. Prop 65 - Developmental toxicity, and the Substance is not listed. Prop 65 - Developmental toxicity, and the Substance is not listed. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not liste

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department
Date of preparation / last revision 01/20/2017 / Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
DOT: US Department of Transportation
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (Canada)
LC50: Lethal concentration, 50 percent
VPUB: Very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
HTP: National Toxicology Program (USA)
HTP: National Toxicology Program (USA)
HTP: National Toxicology Program (USA)

(Contd. on page 5)

# Product name: Potassium phthalimide

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 (Contd. of page 4)

USA -