

# Safety Data Sheet per OSHA HazCom 2012

	wed 011 12/10/2014
1 Identification	
Product identifier Product name: <u>N-Boc-bis(2-chloroethyl)amine</u>	
Stock number: H64413	
CAS Number: 118753-70-1	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.	
30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660	
Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com Dependences the state of Empiremental Dependences to the state of the state	
Information Department: Health, Safety and Environmental Department Emergency telephone number: During nermal business have a Manday Eriday, Sam Zam EST, and (200) 242.0660. After nermal business have nell Carachem 24 of (266) 028.	0790
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-	0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS06 Skull and crossbones	
Acute Tox. 3 H331 Toxic if inhaled.	
GHS08 Health hazard	
Muta. 1A H340 May cause genetic defects. Carc. 1A H350 May cause cancer.	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. <b>Hazards not otherwise classified</b> No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05 GHS06 GHS08	
Signal word Danger	
Hăzard statements H302 Harmful if swallowed. H331 Toxic if inhaled.	
H314 Causes severe skin burns and eye damage. H314 Causes genetic defects.	
H350 May cause cancer. Precautionary statements	
P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsin	
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	g.
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification	
D1A - Very toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects E - Corrosive material	
Classification system HMIS ratings (scale 0-4)	
(Hazardouš Materials Identification System)	
FIRE     Flammability = 1       REACTIVITY     Physical Hazard = 1	
Other hazards	
Results of PBT and vPvB assessment PBT: Not applicable.	(Contd. on page 2)
	USA USA

Product name: N-Boc-bis(2-chloroethyl)amine

(Contd. of page 1)

vPvB: Not applicable.

## 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 118753-70-1 N-Boc-bis(2-chloroethyl)amine 4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. Seek immediate medical advice. **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor. **After swallowing** Seek medical treatment. **Information for doctor Most important symptoms and effects, both acute and delayed** Causes series series eye damage. **Ludication of any immediate modical attention and especial fractions treatments**. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Hydrogen chloride (HCI) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Prevention of secondary hazards: No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Precations for sale manufing Keep container tightly sealed. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility: Protect from heat. Do not store together with acids. Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Refrigerate Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. **Control parameters** Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.

#### F

page 2)

Product name: N-Boc-bis(2-chloroet	thyl)amine
Use a respirator with organic vapor/acia respirators are appropriate. Only use eq <b>Protection of hands:</b> Impervious gloves Check protective gloves prior to each us	vorking environment. term use: gas cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying juipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). te for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
9 Physical and chemical properties	
Information on basic physical and che General Information Appearance: Form: Color: Odor:	emical properties Liquid Red-brown Not determined
Odor threshold: pH-value:	Not determined. Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Not determined Not determined Not determined Not determined Not determined Not determined. Not determined.
Possibility of hazardous reactions Re Conditions to avoid No further relevant Incompatible materials: Acids Oxidizing agents Heat Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Hydrogen chloride (HCI)	<b>o be avoided</b> : Decomposition will not occur if used and stored according to specifications. acts with strong oxidizing agents
11 Toxicological information Information on toxicological effects	

Information on toxicological effects
Acute toxicity:
Harmful if swallowed.
Toxic if inhaled.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes severe skin burns.
Germ cell mutagenicity:
May cause genetic defects.
Carcinogenicity:
May cause cancer.
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Subacute to chronic toxicity: No effects known.
To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

(Contd. on page 4)

### Product name: N-Boc-bis(2-chloroethyl)amine

Species handling required. The societ should be considered a single species the investe species.          212 Ecological information         212 Ecological information         213 Disposed considered and species the investes in practice and provide and species.         214 Configure         215 Ecological information         215 Ecological information and the investes information and the investes and degraduation in the investes in the investes information and the investes information and the investes information and the investes in the investes information and the investes information and the investes information and the investes in the investes information and the investes in the investes information and the investes in the investes investes investes in the investes in the investes in the investes in the investes investes in the investes investes investes in the investes investes in the investes in the investes in the investes investes investes in the investes in			
Totality advants         Control by the function prevent information available.           Break commutative protential to further relevant information available.           Disposed consisterations           Break commutative protential to further relevant information available.           Disposed consisterations           Break consisteratinstreak consinterations           Break			
Waste treatment methods Recommed patch Crossil state, local or national regulations to ensure proper disposal. Recommed patch Crossil state, local or national regulations.         11 Transport Information UM-Number DOT, MIOG, IATA       UN2922         OT       CORROSIVE LIQUID, TOXIC, N.O.S. (N-Boc-bist2-chloroethyljamine)         Transport hard case(s)       CORROSIVE LIQUID, TOXIC, N.O.S. (N-Boc-bist2-chloroethyljamine)         Transport hard case(s)       CORROSIVE LIQUID, TOXIC, N.O.S. (N-Boc-bist2-chloroethyljamine)         Transport hard case(s)       CORROSIVE LIQUID, TOXIC, N.O.S. (N-Boc-bist2-chloroethyljamine)         Class       8 Corrosive substances. 8 + 6 1         Class       8 Corrosive substances. 9 + 6 1         Class       8 Corrosive substances. 9 + 6 1         Class       8 Corrosive substances. 9 + 6 1         POOT       W         Class       8 Corrosive substances. 9 + 6 1         POOT, IMBOC, IATA       11         Environment hazards:       Not applicable.         Special precautions for user       Warming: Corrosive substances. 9 + 6 1         POOT, IMBOC, IATA       11         DOT       Warming: Corrosive substances. 9 + 6 1         POOT, IMBOC, IATA       11         DOT       10         Transport habard taszards:       Not applicable. 100 + 10 + 10 + 10 + 10 + 10 + 10 + 10	Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.		
UN-Number DOT, IMDG, IATA     UN2922       UP proper shipping name DOG, IATA     Corrosive liquids, toxic, n.o.s. (N-Boc-bis[2-chloroethyl]amine) CORROSIVE LIQUID, TOXIC, N.O.S. (N-Boc-bis[2-chloroethyl]amine)       Transport hazard class(es)     CORROSIVE LIQUID, TOXIC, N.O.S. (N-Boc-bis[2-chloroethyl]amine)       DOT     Image: Corrosive substances. B+0       Class     8 Corrosive substances. B+0       Class     9 Corrosive substances. B+0       Corrosive substances     10       Corrosive substances     10       Poot, Information     10       Dor     10       Mode Regulation*:     10       UN*Mode Regulation*:     10 <th colspan="3"><b>Recommendation</b> Consult state, local or national regulations to ensure proper disposal. <b>Uncleaned packagings:</b></th>	<b>Recommendation</b> Consult state, local or national regulations to ensure proper disposal. <b>Uncleaned packagings:</b>		
DOT.     IMPC propersistipping name       DOT     Corrosive liquids, toxic, n.o.s. (N-Boc-bis(2-chloroethy))amine)       Transport hazard class(es)     DOT       Image: State of the state of th			
DOT       Corrosive liquids, toxic, n.o.s. (N-Boc-bis(2-chloroethyl)amine)         Transport hazard class(es)       CORROSIVE LIQUID, TOXIC, N.O.S. (N-Boc-bis(2-chloroethyl)amine)         OT       Image: Corrosive substances.         Class       8 Corrosive substances.         Class       8 (CT) Corrosive substances.         Label       8+6.1         Pocking group.       10         DOT       8+6.1         DoT, IMDG, IATA       10         Special precautions for user       8         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         EMS Number:       -74.5-8         Transport in bulk according to Annex II of MARPOLT3778 and the IBC Code Not applicable.         Transport in bulk according to Annex II of MARPOLT3778 and the IBC Code Not applicable.         Transport in bulk according to Annex II of MarPOLT3778 and the IBC Code Not applicable.         Transport in bulk according to annot intor		UN2922	
DOT       W         W       W         Class       8 Corrosive substances.         Label       8 (C11) Corrosive substances         Class       8 (C11) Corrosive substances         Label       8 (C11) Corrosive substances         Class       8 (C11) Corrosive substances.         Label       8 (C11) Corrosive substances.         Class       8 (C11) Corrosive substances.         Label       9+6.1         Dot.IMDG, IATA       I/         Dot.IMDG, IATA       I/         Environmental hazards:       Not applicable.         Special precautions for user       FA.3-9         Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code Not applicable.         Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code Not applicable.         Transport Additional information:       DOT         DOT       No         UN "Woode Regulation":       UN2222, Corrosive liquids, toxic, n.o.s. (N-Boc-bis(2-chloroethyl)amine), 8 (6.1), II         11 Regulatory information       Special product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)         Signal wore substances       Spinal wore substances         Signal wore substances       Spinal wore substances         Signal wore substence       Spinal wore substance	DOT	Corrosive liquids, toxic, n.o.s. (N-Boc-bis(2-chloroethyl)amine) CORROSIVE LIQUID, TOXIC, N.O.S. (N-Boc-bis(2-chloroethyl)amine)	
Label       8+6.1         Packing group DOT, MBG, LATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances F-A,S-B         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.         DOT         Marine Pollutant (DOT):         No         UN "Model Regulation":	DOT Class Label Class Label	8+6.1 8 (CT1) Corrosive substances	
DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         EMS Number:       F-A,S-B         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.       Transport/Additional information:         DOT       Marine Pollutant (DOT):       No         UN "Model Regulation":       UN2922, Corrosive liquids, toxic, n.o.s. (N-Boc-bis(2-chloroethyl)amine), 8 (6.1), II         15 Regulatory information       Safety, health and environmental regulations/legislation specific for the substance or mixture         GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)       Hazard pictograms         Vev       Vev       Sofe         GHS 05 GHS 06 GHS 08       Signal word Danger         Hazard statements       Havelowed.         H314 Causes severe skin burns and eye damage.       H3440 May cause genetic defects.         H340 May cause genetic defects.       The other statements         H340 May cause genetic defects.       The other statements.         H3440 May cause genetic defects. <th></th> <th></th>			
Special precautions for user       Warning: Corrosive substances         EMS Number:       F-A_S-B         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.         Transport/Additional information:         DOT         Marine Pollutant (DOT):         No         UN "Model Regulation":         UN Work Regulation":         UN 2922, Corrosive liquids, toxic, n.o.s. (N-Boc-bis(2-chloroethyl)amine), 8 (6.1), II         15 Regulatory information         Safety, health and environmental regulations/legislation specific for the substance or mixture         GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)         Hazard statements         Hazard statements         H314 Causes severe skin burns and eye damage.         H314 Causes severe skin burns and eye damage.         H314 May cause genetic defects.         H330 May cause genetic defects.         H330 May cause genetic defects.         H330 May cause genetic methers.         H3440 May cause genetic defects.         H330 Harmilul if swallowed.         H331 For Skin (or hair): Take of immediately all contaminated clothing. Rinse skin with water/shower.         P303+P331 For Skin (or hair): Take of immediately all contaminated clothing. Rinse skin with water/shower.         P304+P331 FOR Skin (or hai	Packing group DOT, IMDG, IATA	П	
EMS Number:       F-A,S-B         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.         Transport/Additional information:         DOT         Marine Pollutant (DOT):         No         UN "Model Regulation":         UN "Model Regulation":         UN "Model Regulation":         UN "Model Regulatory information         Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms         Image: Comparison of the substance or mixture for the provements for the substance or mixture for the substance the substance or mixture for the substanc	Environmental hazards:	Not applicable.	
Transport/Additional information:         DOT         Marine Pollutant (DOT):       No         UN "Model Regulation":       UN2922, Corrosive liquids, toxic, n.o.s. (N-Boc-bis(2-chloroethyl)amine), 8 (6.1), 11         15 Regulatory information       Safety, health and environmental regulations/legislation specific for the substance or mixture         GHS label elements       The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)         Hazard pictograms       Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)         Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)       Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)         Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)       Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)         Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)       Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)         Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)       Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)         Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (Image: Construct on the product is classified and labeled in accordance with 29 CFR 1910 (Image: Constru	Special precautions for user EMS Number:	Warning: Corrosive substances F-A,S-B	
UN "Model Regulation":       UN2922, Corrosive liquids, toxic, n.o.s. (N-Boc-bis(2-chloroethyl)amine), 8 (6.1), II         15 Regulatory information         Safety, health and environmental regulations/legislation specific for the substance or mixture         GHS 1abel elements         The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)         Hazard pictograms         WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	Transport/Additional information: DOT		
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms         Image: Image			
H302 Harmful if swallowed. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage. H340 May cause genetic defects. H350 May cause cancer. <b>Precautionary statements</b> P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	Hazard pictograms		
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	Signal word Danger Hazard statements H302 Harmful if swallowed. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage. H340 May cause genetic defects. H350 May cause cancer. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated cl P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes: P301+P330 +P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	othing. Rinse skin with water/shower. s. Remove contact lenses, if present and easy to do. Continue rinsing.	
		onal/national/international regulations. (Contd. on page 5) USA	

#### Product name: N-Boc-bis(2-chloroethyl)amine

(Contd. of page 4)

National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes. This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity qualified individuals. Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the us Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Carthal dose, 50 percent LD50: Carthal dose, 50 percent LD50: Carthal dose, 50 percent VPWE very Persistent and very Bioaccumulative ACGIH: American Conterration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concentration and the administration (USA) WTP: National Toxicology Program (USA) MTP: Material Concentration Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

USA