

Safety Data Sheet per OSHA HazCom 2012

Reviewed on 05/23/2011
1 Identification Product identifier
Product identifier Product name: Zinc arsenide
Stock number: A17623 CAS Number: 12006-40-5 EC number: 234-486-2 Index number: 033-002-00-5
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com www.alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS06 Skull and crossbones
Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS06
Signal word Danger Hazard statements H301+H331 Toxic if swallowed or if inhaled. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/ P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P31 Call a POISON CENTER/doctor/ P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D1A - Very toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects D2A - Very toxic material causing other toxic effects
T
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH I Health (acute effects) = 3 Flammability = 0 Physical Hazard = 1
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 12006-40-5 Zinc arsenide Identification number(s): EC number: 234-486-2 Index number: 033-002-00-5
4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. (Contd. on page 2)
USA →

Safety Data Sheet per OSHA HazCom 2012

Product name: Zinc arsenide (Contd. of page 1) After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Provention of concenter to be section to be section to be released to the environment without proper governmental permits. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Store away from halogens. Store away inon nalogens. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Arsenic, elemental, and inorganic compounds (except arsine), as As

 ACGIH TLV
 0.01; Confirmed human carcinogen Belgium TWA
 0.2

 Denmark TWA
 0.05

 Finland TWA
 Carcinogen

 France VME
 0.2

 Hungary
 0.5-STEL; Carcinogen

 Korea TWA
 0.01; Confirmed human carcinogen

 Norway
 0.002

 Poland TWA
 0.01; Confirmed human carcinogen

 Norway
 0.02

 Poland TWA
 0.01

 Sweden NGV
 0.03; Carcinogen

 United Kingdom TWA
 0.1; Carcinogen

 USA PEL
 0.01

 12006-40-5 Zinc arsenide (100.0%)

 PEL (USA)
 Long-term value: 0.01 mg/m³

 as As: 29CFR1910.10118

1 22 (00,1)	as As; 29CFR1910.1018
REL (USA)	as As; 29CFR1910.1018 Ceiling limit value: 0.002 mg/m³ as As; 15min; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.01 mg/m³ as As; BEI
EL (Canada)	Long-term value: 0.01 mg/m³ as As; ACIGH A1, IARC1

(Contd. on page 3)

Product name: Zinc arsenide

(Contd. of page 2)

EV (Canada) Short-term value: 0.05 mg/m³ Long-term value: 0.01 mg/m³ as As Ingredients with biological limit values: 12006-40-5 Zinc arsenide (100.0%) BEI (USA) 35 µg As/L Medium: urine Time: end of workweek Parameter: Inorganic arsenic plus methylated metabolites Additional information: No data Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Maintain an ergonomically appropriate working environment. Breathing equipment: Refer to 29CFR1910.1018 for regulations on respiratory protection required during exposure to inorganic arsenic. Use self-contained respiratory protective device in emergency situations. Protection of hands: Impervious gloves Impervious gloves Impervious gioves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses **Body protection:** Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Chunks Color: Silver grey Odorless Odor: Odor threshold: Not determined. pH-value: Not applicable. Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 1015 °C (1859 °F) Not determined Not determined Flash point: Flammability (solid, gaseous) Not applicable Not determined Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined Danger of explosion: Explosion limits: Lower: Product does not present an explosion hazard. Not determined Upper: Not determined Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Not applicable. 5.528 g/cm³ (46.131 lbs/gal) Not determined. Not applicable. Not applicable. Solubility in / Miscibility with Insoluble Water Partition coefficient (n-octanol/water): Not determined.

10 Stability and reactivity

Other information

Viscosity: dynamic: kinematic:

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Halogens Halocarbons Hazardous decomposition products: Toxic metal oxide fume

Not applicable.

Not applicable. No further relevant information available

11 Toxicological information

Information on toxicological effects Information on toxicological errects Acute toxicity: Toxic if inhaled. Toxic if swallowed. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Irritant to skin and mucous membranes. Eye irritation or corrosion: Irritating effect. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

(Contd. on page 4)

Product name: Zinc arsenide				
(Contd. of page 3)				
Carcinogenicity: EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer. IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity. ACGIH A1: Contirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans. Carcinogen as defined by OSHA. NTP-K: Known to be carcinogenic: sufficient evidence from human studies. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Specific target organ system toxicity: Acute arsenic poisoning from ingestion results in marked irritation of the stomach and intestines with nausea, vomiting and diarrhea. In severe cases, the vomitus and stools are bloody and the patient goes into collapse and shock with weak, rapid pulse, cold sweats, coma and death. Chronic arsenic poisoning may cause disturbances of the digestive system such as loss of appetite, cramps, nausea, constipation or diarrhea. Zinc fumes may cause metal fume fever. Effects include dry throat, metallic taste, chest pain, dyspnea, rales and dry cough. Several hours later, chills may occur with lassitude, malaise, fatigue, headache, back pain, muscle cramps, blurred vision, nausea, fever, perspiration, vomiting and leukocytosis. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.				
12 Ecological information				
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Bioaccumulative potential No further relevant information available. Bioaccumulative potential No further relevant information available. Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information available.				
13 Disposal considerations				
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.				
14 Transport information				
UN-Number	1114557			
DOT, IMDG, IATA UN proper shipping name	UN1557			
DOT IMDG. IATA	Arsenic compounds, solid, n.o.s. (Zinc arsenide) ARSENIC COMPOUND, SOLID, N.O.S. (Zinc arsenide)			
Transport hazard class(es) DOT Class Label Class Label IMDG, IATA	6.1 Toxic substances. 6.1 6.1 (T5) Toxic substances 6.1			
Class	6.1 Toxic substances.			
Label Packing group	6.1			
Packing group DOT, IMDG, IATA	11			
Environmental hazards:	Environmentally hazardous substance, solid			
Special precautions for user Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Warning: Toxic substances			
Transport/Additional information:				
DOT Marine Pollutant (DOT):	Νο			
UN "Model Regulation":	UN1557, Arsenic compounds, solid, n.o.s. (Zinc arsenide), 6.1, II			
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture				

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5) USA

Page 4/5 Printing date 11/24/2015 Reviewed on 05/23/2011

Safety Data Sheet per OSHA HazCom 2012

Pr

Product name: Zinc arsenide

(Contd. of page 4) Hazard pictograms R GHS06 Signal word Danger Hazard statements H301+H331 Toxic if swallowed or if inhaled.

 Precautionary statements

 P261
 Avoid breathing dust/fume/gas/mist/vapours/spray.

 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

 P311
 Call a POISON CENTER/doctor/...

 P405
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 National regulations
 All components of this product are listed in the U.S. Environment to the transmitted prior to the transmitted priore to the transmitted prior to the transmitt Precautionary statements All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) 12006-40-5 Zinc arsenide California Proposition 65 Prop 65 - Chemicals known to cause cancer 12006-40-5 Zinc arsenide Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. This product contains arsenic and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372. This product contains zinc and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372. Other regulations, limitations and prohibitive regulations Refer to 29CFR1910.1018 for regulations concerning inorganic arsenic. Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:
RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: International Civil Aviation Organization
ICAO: International Maritime Code for Dangerous Goods by Road
IMDC: International Maritime Code for Dangerous Goods
DT: US Department of Transport Association
IATA: International Air Transport Association
IATA: International Civil Aviation Organization
IATA: International Air Transport Association
IATA USA