

*A*lfa *A*esar

Page 1/5 Printing date 11/24/2015 Reviewed on 02/22/2007

1 Identification

Product identifier

Product name: Chromium carbide

Stock number: 11547 **CAS Number:** 12012-35-0 EC number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.walfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Sol. 2 H228 Flammable solid

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02

Signal word Warning Hazard statements H228 Flammable solid.

H228 Frammable solid.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

WHMMS classification

WHMIS classification B4 - Flammable solid



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1 Flammability = 2

| Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 12012-35-0 Chromium carbide

Identification number(s): EC number: 234-576-1

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice. After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information as

Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)

Product name: Chromium carbide

Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. of page 1)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. Special hazards arising from the substance or mixture Contact with water releases flammable gases If this product is involved in a fire, the following can be released:

Toxic metal oxide fume

Flammable gases flammable gases

Flammable gases/vapors

Advice for firefighters

Protective equipment:Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Keep away from ignition sources. Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Information about protection against explosions and fires: Protect from humidity and water.
Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: No information known.

Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Chromium (II) compounds, as Cr

mg/m3
Belgium TWA
Denmark TWA
Finland TWA

0.5

0.5 0.01 0.5 0.5 France TWA Ireland TWA

0.5

Usa PEL 0.5

Additional information: No data

Exposure controls

Personal protective equipment General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:

Breatning equipment: Use suitable respirator when high concentrations are present.

Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form: Color.

Powder Grev

Product name: Chromium carbide

	(Contd. of page 2)
Odor: Odor threshold:	Odorless Not determined.
pH-value:	Not applicable.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	1890 °C (3434 °F) 3800 °C (6872 °F) Not determined
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable Highly flammable. Not determined Not determined Not determined.
Danger of explosion: Explosion limits:	Not determined.
	Not determined Not determined Not applicable. 6.68 g/cm³ (55.745 lbs/gal) Not determined.
Vapor density Evaporation rate Solubility in / Miscibility with	Not applicable. Not applicable.
Water: Partition coefficient (n-octanol/water): Viscosity:	
dynamic: kinematic: Other information	Not applicable. Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Incompatible materials:

Bases

No information known.

Hazardous decomposition products:

Methane

Toxic metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritating effect.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.

Aspiration hazard. No effects known.

Subacute to chronic toxicity:
Chromium powder, chromium (II) and chromium (III) compounds may cause nausea, diarrhea, vomiting, skin and eye irritation and pneumoconiosis. Although less likely than Cr(VI) compounds, the NTP considers all chromium to be potentially carcinogenic.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

USA

Page 4/5 Printing date 11/24/2015 Reviewed on 02/22/2007

Product name: Chromium carbide

(Contd. of page 3)

	(Conta. or page 3,	
14 Transport information		
UN-Number DOT, IMDG, IATA	UN3178	
UN proper shipping name DOT IMDG, IATA	Flammable solid, inorganic, n.o.s. (chromium carbide) FLAMMABLE SOLID, INORGANIC, N.O.S. (chromium carbide)	
Transport hazard class(es)		
DOT		
⊕		
Çlass	4.1 Flammable solids, self-reactive substances and solid desensitised explosives.	
Label Class	4.1 4.1 (F3) Flammable solids, self-reactive substances and solid desensitised	
	explosíves 4.1	
Label IMDG, IATA	4 . I	
⊕		
Class Label	4.1 Flammable solids, self-reactive substances and solid desensitised explosives. 4.1	
Packing group DOT, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Flammable solids, self-reactive substances and solid desensitised explosives	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport/Additional information:		
DOT Marina Pallutant (DOT):	No	
Marine Pollutant (DOT):	No	
UN "Model Regulation":	UN3178, Flammable solid, inorganic, n.o.s. (chromium carbide), 4.1, III	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS02

Signal word Warning Hazard statements
H228 Flammable solid.
Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

National regulations

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

12012-35-0 Chromium carbide

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
This product contains chromium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations limitations and prohibitive regulations

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transport Association

IATA: International Air Transport Association

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 5)

Safety Data Sheet per OSHA HazCom 2012

Page 5/5 Printing date 11/24/2015 Reviewed on 02/22/2007

Product name: Chromium carbide

CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

(Contd. of page 4)

USA