

Safety Data Sheet per OSHA HazCom 2012

	viewed on 05/25/2011
1 Identification Product identifier Product name: Zinc arsenide	
Stock number: 36189 CAS Number: 12044-55-2 EC number: 234-956-7 Index number: 033-002-00-5 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 9.	28-0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS06 Skull and crossbones	
Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS06	
Signal word Danger Hazard statements H301+H331 Toxic if swallowed or if inhaled. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/ P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P311 Call a POISON CENTER/doctor/ P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D1A - Very toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects	
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH I HEALTH I HE	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 12044-55-2 Zinc arsenide Identification number(s): EC number: 234-956-7 Index number: 033-002-00-5	
4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.	(Contd. on page 2)
	USA

Safety Data Sheet per OSHA HazCom 2012

(Contd. of page 1)

Product name: Zinc arsenide After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Toxic metal oxide fume Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: No information known. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace:

Arsenic, elemental, and inorganic compounds (except arsine), as As mg/m3 ACGIH TLV 0.01; Confirmed human carcinogen Belgium TWA 0.2 Denmark TMA 0.2 0.01; Confirmed human carcinogen 0.2 _0.05 Denmark TWA Finland TWA France VME Carcinogen 0.2 0.5-STEL; Carcinogen 0.01; Confirmed human carcinogen Hungary Korea TWA Norway Poland TWA Sweden NGV Switzerland TWA 0.02 Sweden NGV 0.03; Carcinogen Switzerland TWA 0.1; Carcinogen United Kingdom TWA 0.1; Carcinogen USA PEL 0.01 Additional information: M Exposure controls

Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Maintain an ergonomically appropriate working environment. Breathing equipment: **Breathing equipment:** Refer to 29CFR1910.1018 for regulations on respiratory protection required during exposure to inorganic arsenic. Use self-contained respiratory protective device in emergency situations.

Protection of hands: Impervious gloves

(Contd. on page 3)

Pr

per OSHA HazCom 2012		Printing date 11/24/2015 Reviewed on 05/25/2011
Product name: Zinc arsenide		
Check protective gloves prior to each u The selection of suitable gloves not only Eye protection : Safety glasses Body protection: Protective work cloth	y depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	(Contd. of page 2)
9 Physical and chemical properties	S	
Information on basic physical and ch General Information Appearance: Form:	nemical properties	
Color: Odor: Odor threshold:	Silvér grey Odorless Not determined.	
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined Not determined	
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable Not determined Not determined Not determined Not determined.	
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water) Viscosity: dynamic: kinematic: Other information	Product does not present an explosion hazard. Not determined Not determined S.08 g/cm³ (42.393 lbs/gal) Not determined. Not applicable. Insoluble Not applicable. Not applicable.	
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recom Thermal decomposition / conditions Possibility of hazardous reactions No Conditions to avoid No further relevant Incompatible materials: None known. No information known. Hazardous decomposition products:	to be avoided : Decomposition will not occur if used and stored according to specifications. o dangerous reactions known t information available.	
11 Toxicological information Information on toxicological effects Acute toxicity: Toxic if inhaled. Toxic if swallowed. LD/LC50 values that are relevant for Skin irritation or corrosion: Irritant to Eye irritation or corrosion: Irritating effects kin Sensitization: No sensitizing effects kin	skin and mucous membranes. ffect.	

Germ cell mutagenicity: No effects known.

Sensitization: No sensitizing enecits known. Gern cell mutagenicity: No effects known. Carcinogenicity: EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer. IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity. ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans. ACGIH A1: Confirmed human carcinogenic: sufficient evidence from human studies. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: Acute arsenic poisoning from ingestion results in marked irritation of the stomach and intestines with nausea, vomiting and diarrhea. In severe cases, the vomitus and stools are bloody and the patient goes into collapse and shock with weak, rapid pulse, cold sweats, coma and death. Chronic arsenic poisoning may cause disturbances of the digestive system such as loss of appetite, cramps, nausea, constipation or diarrhea. Zinc fumes may cause metal fume fever. Effects include dry throat, metallic taste, chest pain, dyspnea, rales and dry cough. Several hours later, chills may occur with lassitude, malaise, fatigue, headache, back pain, muscle cramps, blurred vision, nausea, fever, perspiration, vomiting and leukocytosis. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Very toxic for aquatic organisms

	Review	ved on 05/25/2011
Product name: Zinc arsenide		
Additional ecological information: General notes: Do not allow material to be released to the environment without proper govern Do not allow product to reach ground water, water course or sewage system, Danger to drinking water if even extremely small quantities leak into the grour Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	nmental permits. even in small quantities. nd.	(Contd. of page 3)
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure prope Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	er disposal.	
14 Transport information		
UN-Number	UN1557	
DOT, IMDG, IATA UN proper shipping name	UN1557	
DOT IMDG, IATA	Arsenic compounds, solid, n.o.s. (Zinc arsenide) ARSENIC COMPOUND, SOLID, N.O.S. (Zinc arsenide)	
Transport hazard class(es)		
DOT		
1000		
Class Label	6.1 Toxic substances. 6.1	
Class Label	6.1 (T5) Toxic substances 6.1	
ĪMDĞ, IATA	0.7	
*		
Class Label	6.1 Toxic substances. 6.1	
Packing group DOT, IMDG, IATA		
DOT, IMDG, IATA Environmental hazards:	II Environmentally hazardous substance, solid	
Special precautions for user	Warning: Toxic substances	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Co		
Transport/Additional information:		
DOT Marine Pollutant (DOT):	No	
UN "Model Regulation":	UN1557, Arsenic compounds, solid, n.o.s. (Zinc arsenide), 6.1, II	
15 Regulatory information Safety, health and environmental regulations/legislation specific for the GHS label elements The product is classified and labeled in accordance with Hazard pictograms GHS06	substance or mixture a 29 CFR 1910 (OSHA HCS)	
Signal word Danger Hazard statements H301+H331 Toxic if swallowed or if inhaled. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for P311 Call a POISON CENTER/doctor/ P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/n National regulations All components of this product are listed in the U.S. Environmental Protection SARA Section 313 (specific toxic chemical listings)	or breathing. national/international regulations.	
12044-55-2 Zinc arsenide California Proposition 65		
Prop 65 - Chemicals known to cause cancer		
12044-55-2 Zinc arsenide Prop 65 - Developmental toxicity Substance is not listed		
Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed.		
Prop 65 - Developmental toxicity, male Substance is not listed.		(Contd. on page 5
		USA -

Product name: Zinc arsenide

(Contd. of page 4)

USA

Information about limitation of use:

For use only by technically qualified individuals. This product contains arsenic and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains zinc and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

40CFR372. Other regulations, limitations and prohibitive regulations Refer to 29CFR1910.1018 for regulations concerning inorganic arsenic. Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 /
Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAC: International Civil Aviation Organization
ICAC-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Carriage of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Air Transport Association
IATA: International Agency for greent
LD50: Lethal concentration,