Page 1/4 Printing date 06/21/2016 Revision date 06/20/2016

1 Identification

Product identifier

Product name: Titanium carbide

Stock number: 40178 **CAS Number:** 12070-08-5 EC number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.walfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Sol. 2 H228 Flammable solid

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS02

Signal word Warning Hazard statements H228 Flammable solid.

H228 Frammable solid.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing powder.

WHMIS classification B4 - Flammable solid



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1 Flammability = 2

| Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

## 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 12070-08-5 Titanium carbide Identification number(s): EC number: 235-120-4

#### 4 First-aid measures

#### Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice. After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information as

Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)

Page 2/4 Printing date 06/21/2016 Revision date 06/20/2016

#### Product name: Titanium carbide

Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. of page 1)

#### 5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents
In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Tantalum oxide

Advice for firefighters Protective equipment:

Wear self-contained respirator. Wear fully protective impervious suit.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:
Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

Handling

Precautions for safe handling

Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.

Information about protection against explosions and fires: Protect against electrostatic charges.

## Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidizing agents.
Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. **Specific end use(s)** No further relevant information available.

#### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

Exposure controls

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

Within the precapation of the properties working position and the services are services are services and the services are services and the services are services are services and the services are s

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Protection of names:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Material of gloves Nitrile rubber, NBR
Penetration time of glove material (in minutes) 480
Glove thickness 0.11 mm
Eye protection: Safety glasses
Body protection: Protective work clothing.

#### 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Powder

Odor: Not determined Odor threshold: Not determined

pH-value: Not applicable.

(Contd. on page 3)

Page 3/4 Printing date 06/21/2016 Revision date 06/20/2016

(Contd. of page 2)

Product name: Titanium carbide

Not applicable.

Change in condition Melting point/Melting range: Boiling point/Boiling range: ca 3140 °C (ca 5684 °F) 4820 °C (8708 °F) Not determined Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Highly flammable. Not determined Not determined

Auto igniting: Not determined Danger of explosion: Not determined. Explosion limits: Lower: Not determined Not determined Upper:

Not applicable. 4.93 g/cm³ (41.141 lbs/gal) Not determined. Vapor pressure: Density at 20 °C (68 °F): Relative density

Evaporation rate Solubility in / Miscibility with Not applicable. Water: Not determined Partition coefficient (n-octanol/water): Not determined. Viscosity:

dynamic: kinematic: Not applicable. Not applicable. No further relevant information available. Other information

#### 10 Stability and reactivity

Vapor density

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents

Hazardous decomposition products: Carbon monoxide and carbon dioxide Tantalum oxide

#### 11 Toxicological information

Information on toxicological effects

Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation

Skill Irritation of corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

#### 12 Ecological information

**Toxicity** 

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.
Other adverse effects No further relevant information available.

## 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations

# 14 Transport information

UN-Number DOT, IMDG, IATA

UN3178

UN proper shipping name

Flammable solid, inorganic, n.o.s. (Titanium carbide) FLAMMABLE SOLID, INORGANIC, N.O.S. (Titanium carbide) ĬMDG, IATA

(Contd. on page 4)

# Product name: Titanium carbide (Contd. of page 3) Transport hazard class(es) DOT Class Label 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. 4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosíves I ahel ĪMDG, IATA Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Packing group DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised EMS Number: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3178, Flammable solid, inorganic, n.o.s. (Titanium carbide), 4.1, III

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS02

Signal word Warning Hazard statements H228 Flammable solid

H228 Flammable solid.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing powder.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity, Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 06/21/2016 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) DT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal doncentration, 50 percent

LD50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Flam. Sol. 2: Flammable solids, Hazard Category 2