

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 11/27/2006

1 Identification

Product identifier

Product name: Cyclopentadienylmanganese tricarbonyl

Stock number: 38606 **CAS Number:** 12079-65-1

EC number: 235-142-4

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed. Acute Tox. 2 H330 Fatal if inhaled.

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS06

Signal word Danger

Signal word Danger
Hazard statements
H300+H330 Fatal if swallowed or if inhaled.
Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P284 [In case of inadequate ventilation] wear respiratory protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P320 Specific treatment is urgent (see on this label).
Store locked up.
P501 Dispose of contents/container in accordance with local/regional/nal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. **WHMIS classification**

D1A - Very toxic material causing immediate and serious toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



EALTH 2 Health (acute effects) = 2
RE 2 Flammability = 2
EACTIVITY 2 Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 12079-65-1 Cyclopentadienylmanganese tricarbonyl Identification number(s): EC number: 235-142-4

4 First-aid measures

Description of first aid measures

Description of first and measures
General information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

(Contd. on page 2)

(Contd. of page 1)

Product name: Cyclopentadienylmanganese tricarbonyl

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice. **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Do not induce vomiting; immediately call for medical help

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide (CO)
Metal oxide fume

Metal oxide fame Advice for firefighters Protective equipment: Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements

Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Components with limit values that require monitoring at the workplace:

Manganese cyclopentadienyl tricarbonyl

mg/m3
ACGIH TLV 0.1 (skin)
Belgium TWA 0.1 (skin)
Denmark TWA 0.1 (skin)
Finland TWA 0.1 (skin)
France TWA 0.1 (skin)
Germany TWA 0.5
Ireland TWA 0.5 (skin)
Russia TWA 0.1, 0.3-STEL (skin)
Russia TWA 0.1 (skin)
Switzerland TWA 0.1 (skin)
USA PEL 5.0-STEL mg/m3_{_}

Control parameters

Components with limit values that require monitoring at the workplace:

12079-65-1 Cyclopentadienylmanganese tricarbonyl (100.0%)

PEL (USA) Ceiling limit value: 5 mg/m³ Long-term value: 0.1 mg/m³ Skin REL (USA) TLV (USA) Long-term value: 0.1 mg/m3 EL (Canada) Long-term value: 0.1 mg/m3 Skiň Long-term value: 0.1 mg/m³ as manganese, Skin EV (Canada)

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.

(Contd. on page 3)

(Contd. of page 2)

Product name: Cyclopentadienylmanganese tricarbonyl

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.

Protection of hands: Impervious gloves

Inspersions gioves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Color:

Odor:

Odor threshold: pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Flash point: Flammability (solid, gaseous)

Ignition temperature: Decomposition temperature: Auto igniting:

Danger of explosion: Explosion limits: Lower:

Upper: Vapor pressure: Density: Relative density Vapor density

vapor density Evaporation rate Solubility in / Miscibility with Water Partition coefficient (n-octanol/water): Not determined. Viscosity:

dynamic: kinematic: Other information

Powder Yellow

Not determined Not determined Not applicable

72-76 °C (162-169 °F) Not determined Not determined

Not applicable Not determined Not determined Not determined Not determined

Product does not present an explosion hazard.

Not determined Not applicable. Not determined Not determined. Not applicable. Not applicable. Insoluble

Not determined

Not applicable.

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products:

Carbon monoxide

Carbon monoxide Toxic metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity: Fatal if inhaled. Fatal if swallowed.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritating effect.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific tarret oxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:

Subacute to chronic toxicity:

Chronic exposure to manganese may cause impairment to the central nervous system. Symptoms include sluggishness, sleepiness, muscle weakness, loss of facial muscle control, edema, emotional disturbances, spastic gait and falling. Chronic manganese poisoning may develop after as little as three months of heavy exposure but usually cases develop after one to three years of exposure,

Carbonyl compounds are toxic due to decomposition yielding carbon monoxide. Symptoms include asphyxia, headache, mental confusion, dizziness, impairment of vision and hearing, and fainting. High exposures can result in unconsciousness and death due to the inability of hemoglobin to carry oxygen to the tissues.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

Product name: Cyclopentadienylmanganese tricarbonyl

Mobility in soil No further relevant information available. Additional ecological information:

Denotallow material to be released to the environment without proper governmental permits. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

VPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation: Onsult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

	14	Trans	port ii	nformation
--	----	-------	---------	------------

UN-Number DOT, IMDG, IATA	UN3466
UN proper shipping name DOT IMDG, IATA	Metal carbonyls, solid, n.o.s. (Cyclopentadienylmanganese tricarbonyl) METAL CARBONYLS, SOLID, N.O.S. (Cyclopentadienylmanganese tricarbonyl)

Transport hazard class(es)

DOT



6.1 Toxic substances. Class 6.1 (T3) Toxic substances 6.1 Class Label IMDG, IATA



Class 6.1 Toxic substances

Packing group DOT, IMDG, IATA

Environmental hazards: Not applicable.

Warning: Toxic substances Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

Marine Pollutant (DOT): No

UN "Model Regulation": UN3466, Metal carbonyls, solid, n.o.s. (Cyclopentadienylmanganese tricarbonyl), 6.1, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS06

Signal word Danger

Hazard statements H300+H330 Fatal if swallowed or if inhaled.

H300+H330 Fatal if swallowed of it initiated.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P364 [In case of inadequate ventilation] wear respiratory protection.
P370 Fatal Fat

P405 P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

All components of this product are listed in the Canadian Non-Domestic Substances List (NDSL).

All components of this product are listed in the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

12079-65-1 Cyclopentadienylmanganese tricarbony

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.

(Contd. on page 5)

Product name: Cyclopentadienylmanganese tricarbonyl

(Contd. of page 4)

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department Issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPVB: very Persistent and very Bioaccumulative
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
ARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA