Safety Data Sheet acc. to OSHA HCS



Page 1/5 Printing date 06/15/2018 Revision date 06/14/2018 Version 1

1 Identification

Product identifier

Product name: Bis(1,5-cyclooctadiene)nickel(0)

Stock number: 39234 **CAS Number:** 1295-35-8

EC number: 215-072-0

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H350 May cause cancer. Carc. 1B



Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS08

Signal word Danger

Hazard statements
H228 Flammable solid.
H334 May cause allergic skin reaction.
H317 May cause an allergic skin reaction.

H350 May cause cancer.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P284 [In case of inadequate ventilation] wear respiratory protection. P201 Obtain special instructions before use. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification

B4 - Flammable solid D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2 Flammability = 3

ACTIVITY Physical Hazard = 1

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

(Contd. on page 2)

USA

Product name: Bis(1,5-cyclooctadiene)nickel(0)

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances

Chemical characterization: Substances CAS# Description: 1295-35-8 Bis(1,5-cyclooctadiene)nickel(0) Concentration: ≤100% Identification number(s): EC number: 215-072-0

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

May cause cancer. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Nickel oxides
Advise for firefighters

Advice for firefighters
Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
PAC-1: Substance is not listed.
PAC-2: Substance is not listed.
PAC-3: Substance is not listed.

PAC-3: Substance is not listed

7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.

Information about protection against explosions and fires: Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility:

Store away from air.
Store in the dark.
Store away from oxidizing agents.
Further information about storage conditions:

Store under dry inert gas.
This product is air sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from exposure to light.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

(Contd. of page 2)

Product name: Bis(1,5-cyclooctadiene)nickel(0)

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Impervious gloves

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR
Penetration time of glove material (in minutes) 480

Glove thickness: 0.11 mm Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Crystalline

Odor: Odor threshold:

Not determined.

pH-value:

Not applicable.

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting:

60 °C (140 °F) (dec) Not determined Not determined

Highly flammable. Not determined

Auto igniting:

Not determined Not determined

Danger of explosion:

Not determined.

Explosion limits:
Lower:
Lower:
Upper:
Vapor pressure:
Density:
Relative density

Not determined

Not determined Not applicable. Not determined Not determined.

Not applicable.

Vapor density
Evaporation rate
Solubility in / Miscibility with
Water:

Not applicable. Not determined

Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic:

Not applicable.

Other information

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Reacts with strong oxidizing agents
Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents

Hazardous decomposition products: Carbon monoxide and carbon dioxide Nickel oxides

11 Toxicological information

Information on toxicological effects

Information on toxicological effects
Acute toxicity: No effects known.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Eye irritation: May cause an allergic skin reaction.
Sensitization: May cause an allergic skin reaction.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinogenicity:

Carcinogenicity: May cause cancer

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

(Contd. on page 4)

Product name: Bis(1,5-cyclooctadiene)nickel(0)

(Contd. of page 3)

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes: Additional ecological information:
General notes:
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

, ,	
14 Transport information	
UN-Number DOT, IMDG, IATA	UN1325
UN proper shipping name DOT ADR IMDG, IATA	Flammable solids, organic, n.o.s. (Bis(1,5-cyclooctadiene)nickel(0)) 1325 Flammable solids, organic, n.o.s. (Bis(1,5-cyclooctadiene)nickel(0)) FLAMMABLE SOLID, ORGANIC, N.O.S. (Bis(1,5-cyclooctadiene)nickel(0))
Transport hazard class(es)	
DOT	
Class Label ADR	4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1
Class Label IMDG, IATA	4.1 (F1) Flammable solids, self-reactive substances and solid desensitised explosives 4.1
Class Label	4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1
Packing group DOT, ADR, IMDG, IATA	7.1
	II
Environmental hazards:	Not applicable.
Special precautions for user EMS Number: Stowage Category	Warning: Flammable solids, self-reactive substances and solid desensitised explosives F-A,S-G B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	·
DOT Quantity limitations	On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg
Marine Pollutant (DOT):	No
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 1325 FLAMMABLE SOLIDS, ORGANIC, N.O.S. (BIS(1,5-CYCLOOCTADIENE)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)

UN 1325 FLAMMABLE SOLIDS, ORGANIC, N.O.S. (BIS(1,5-CYCLOOCTADIENE) NICKEL(0)), 4.1, II

(Contd. of page 4)

Product name: Bis(1,5-cyclooctadiene)nickel(0)

Hazard pictograms



GHS02 GHS08

Signal word Danger Hazard statements

Hazard statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard Statements
Hazard State

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P284 [In case of inadequate ventilation] wear respiratory protection.
P201 Obtain special instructions before use.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P405 Store locked up

P261 Avoid breathing dust/tume/gas/mist/vapors/spray
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.
This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

1295-35-8 Bis(1,5-cyclooctadiene)nickel(0)

California Proposition 65

Prop 65 - Chemicals known to cause cancer

1295-35-8 Bis(1,5-cyclooctadiene)nickel(0)

1295-35-8 | Bis(1,5-cyclooctadlene)nickel(U)

Prop 65 - Developmental toxicity, Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
PVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Flam. Sol. 1: Flammable solids – Category 1
Skin Sens. 1: Skin sensitisation — Category 1
Skin Sens. 1: Skin sensitisation — Category 1
Skin Sens. 1: Skin sensitisation — Category 1
Carc. 1B: Carcinogenicity — Category 1B

USA