

## Safety Data Sheet per OSHA HazCom 2012



## Product name: Cerium (IV) nitrate, 1N solution (Contd. of page 1) After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eve damage. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. For safety reasons unsuitable extinguishing agents Halocarbon extinguisher Special hazards arising from the substance or mixture This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. If this product is involved in a fire, the following can be released: Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Absorb with liquid-binding material. **Prevention of secondary hazards:** Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material. **Reference to other sections** See Section 7 for information on safe handling See Section 7 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Substance/product can reduce the ignition temperature of flammable substances. This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from flammable substances. Store away from reducing agents. Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals. Do not store with organic materials. Store away from metal powders. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Nitric acid ррт ACGIH TLV 2; **4-**STEL 2 Austria MAK Belgium TWA Denmark TWA 2; 4-STEL 2; 5-STEL (skin) 2; 5-VLE 2 Finland TWA France VME

France VME 2; 5-VLE Germany MAK 2 Japan OEL 2 Korea TLV 2; 4-STEL Norway TWA 2 Poland TWA 5 mg/m3; 10 mg/m3-STEL Russia TWA 2; 2 mg/m3-STEL (skin) Sweden NGV 2; 5-KTV United Kingdom LTEL 2; 4-STEL USA PEL 2 Additional information: No data

Additional information: No data

(Contd. on page 3)

Product name: Cerium (IV) nitrate, 1N solution

		(Contd. of page 2)	
Exposure controls			
Personal protective equipment General protective and hygienic measures			
The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.			
Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.			
Mach handa hafara hradia and at the a	nd of work		
Avoid contact with the eyes and skin.	undring an vice month		
maintain an eigenomicaily appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present			
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands:			
Impervious gloves Check protective gloves prior to each us			
The selection of suitable gloves not only depends on the material, but also on guality. Quality will vary from manufacturer to manufacturer			
Eye protection: Tightly sealed goggles			
Full fáce protection			
Body protection: Protective work cloth	ing.		
9 Physical and chemical properties			
Information on basic physical and chemical properties			
General Information			
Appearance: Form:	Solution		
Color:	Colorless		
Odor: Odor threshold:	Odorless Not dotermined		
	Not determined.		
pH-value: Change in condition	Not determined.		
Melting point/Melting range:	Not determined		
Boiling point/Boiling range:	Not determined		
Sublimation temperature / start:	Not determined		
Flash point:	Not applicable Not determined		
Flammability (solid, gaseous)	Not determined.		
Ignition temperature: Decomposition temperature:	Not determined Not determined		
Auto igniting:	Not determined.		
Danger of explosion:	Not determined.		
Explosion limits:	Not determined		
Lower: Upper:	Not determined Not determined		
Vapor pressure:	Not determined		
Density at 20 °C (68 °F): Relative density	1.35 g/cm³ (11.266 lbs/gal) Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with Water:	Fully miscible		
Partition coefficient (n-octanol/water)	: Not determined.		
Viscosity: dynamic:	Not determined.		
kinematic:	Not determined.		
Other information	No further relevant information available.		
10 Stability and reactivity			
<b>Reactivity</b> May intensify fire; oxidizer.			
Chemical stability Stable under recom	mended storage conditions.		
Thermal decomposition / conditions to Possibility of hazardous reactions	to be avoided: Decomposition will not occur if used and stored according to specifications.		
Water reacts violently with alkali metals.			
Reacts with alkaline earth metals.			
Reacts with reducing agents	nydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.		
Reacts with flammable substances			
Conditions to avoid No further relevan Incompatible materials:	t information available.		
Flammable substances			
Reducing agents			
Reducing agents Organic materials Metal powders			
Hazardous decomposition products:	Nitrogen oxides		
11 Toxicological information			
Information on toxicological effects			
Acute toxicity: Swallowing will lead to a	a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.		
LD/LC50 values that are relevant for o	LD/LC50 values that are relevant for classification:		
Oral: LDLo: 430 mg/kg (hmn)(HNO3) Unreported: LDLo: 110 mg/kg (man)(HNO3)			
Skin irritation or corrosion: Causes se	evere skin burns.		
Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known.			
Germ cell mutagenicity: No effects known.			
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known.			
Specific target organ system toxicity - repeated exposure: No effects known			
Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.			
Aspiration nazaru. No enecis kilowii.		(Contd. on page 4)	

Subacute to chronic toxicity:

(Contd. of page 3)

## Product name: Cerium (IV) nitrate, 1N solution

Nitric acid is a corrosive oxidizing acid. The liquid causes burns on co irritation which may be severe. Corrosive to the teeth and digestive to Cerium salts increase the blood coagulation rate. Exposure to ceriun animals have caused writhing, ataxia, labored respiration, sedation, h Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge	ontact. Eye contact may cause blindness. Vapors are irritating and cause upper respiratory ract on ingestion. Dilute solutions have reduced effects. n salts may increase sensitivity to heat, itching and skin lesions. Large doses to experimental nypotension and death by cardiovascular collapse. the acute and chronic toxicity of this substance is not fully known.
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper Do not allow undiluted product or large quantities to reach ground wa Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	er governmental permits.
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensu Uncleaned packagings: Recommendation: Disposal must be made according to official regu Recommended cleansing agent: Water, if necessary with cleansing	lations.
14 Transport information	
UN-Number DOT, IMDG, IATA	UN3218
UN proper shipping name DOT IMDG, IATA	Nitrates, inorganic, aqueous solution, n.o.s. NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
Transport hazard class(es) DOT Class Label Class Label IMDG, IATA	5.1 Oxidising substances. 5.1 5.1 (O1) Oxidizing substances 5.1
Class Label	5.1 Oxidising substances. 5.1
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Oxidizing substances
Transport in bulk according to Annex II of MARPOL73/78 and the	BC Code Not applicable.
Transport/Additional information:	
DOT Marine Pollutant (DOT):	No
UN "Model Regulation":	UN3218, Nitrates, inorganic, aqueous solution, n.o.s. (cerium (IV) nitrate solution), 5.1, III
15 Regulatory information Safety, health and environmental regulations/legislation specific GHS label elements The product is classified and labeled in accorda Hazard pictograms GHS03 GHS05 Signal word Danger Hazard statements	for the substance or mixture ance with 29 CFR 1910 (OSHA HCS)

 Signal word Danger

 Hazard statements

 H272 May intensify fire; oxidizer.

 H314 Causes severe skin burns and eye damage.

 Precautionary statements

 P221
 Take any precaution to avoid mixing with combustibles.

 P210
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P405
 Store locked up.

## Product name: Cerium (IV) nitrate, 1N solution

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of the product are listed on the Canadian Non-Domestic Substances Exist (NDSL).
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity, the Substance is not listed.
Information about limitation of use:
For use only by technically qualified Individuals.
The conditions of restrictions according to Article 67 and Annex XVII of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
Uther regulations, limitations and prohibitive regulations
Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No. 1907/2006, (REACH) for the manufacturing, placing on the
market and use must be observed.
Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No. 1907/2006, (REACH) for the manufacturing, placing on the
market and use must be observed.
Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation for Use of the product of the information is furnished without warranty, and use of the product of the information gathered by them, and should make independent judgement of suitability of this
nonformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department
Date of preparat