



Page 1/5 Printing date 07/11/2018 Revision date 07/10/2018 Version 1

1 Identification

Product identifier

Product name: Bromoacetic anhydride

Stock number: A11298 CAS Number: 13094-51-4

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com
Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS05

Signal word Danger Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
Do not breathe dusts or mists.
Do not breathe dusts or mists.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P405 Store locked up.

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects E - Corrosive material



Classification system

HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3 Flammability = 1

Flammability = 1

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 13094-51-4 Bromoacetic anhydride Concentration: ≤100%

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.

(Contd. on page 2)

(Contd. of page 1)

Product name: Bromoacetic anhydride

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Hydrogen bromide (HBr)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up:

Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: Substance is not listed. PAC-2: Substance is not listed. PAC-3: Substance is not listed.

7 Handling and storage

Handling Precautions for safe handling

Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:
Store away from strong bases.
Store away from oxidizing agents.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No datá

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment:

Breathing equipment:

Use suitable respirator when high concentrations are present.

Use suitable respiratory protective device in case of insufficient ventilation.

Recommended filter device for short term use:

Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:
Importance of the control of the contr

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

The selection of suitable gloves not only depends on the mate Eye protection:
Tightly sealed goggles
Full face protection
Safety glasses with side shields / NIOSH (US) or EN 166(EU)

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Product name: Bromoacetic anhydride Body protection: Protective work clothing.

(Contd. of page 2)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Solid Not determined Odor: Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto institue: Not determined Not determined Not determined Not determined. Not determined Not determined Auto igniting: Not determined.

Danger of explosion: Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: Density: Not applicable. Not determined Relative density Vapor density Not determined. Not applicable. Evaporation rate Solubility in / Miscibility with Not applicable.

Water: Not determined Partition coefficient (n-octanol/water): Not determined.

Viscosity dynamic: Not applicable. kinematic: Other information

Not applicable. No further relevant information available.

Not determined.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents

Hazardous decomposition products:

Carbon monoxide and carbon dioxide Hydrogen bromide

11 Toxicological information

Information on toxicological effects

Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal.

(Contd. on page 4)

Duraturat urania. Disama a a a tia a mbusiki da

Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. ### Transport information UN-Number	Product name: Bromoacetic anhydride	
14 Transport information UN-Number DOT, MNDG, IATA UN proper shipping name DOT and applicable. Class Label MNDG, IATA Class	Uncleaned packagings:	(Contd. of page 3)
UN-Number DOT, IMDG, IATA UN3261 UN proper shipping name DOT MDG, IATA UN3261 Corrosive solid, acidic, organic, n.o.s. (Bromoacetic anhydride) 3261 Corrosive solid, acidic, organic, n.o.s. (Bromoacetic anhydride) CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC) UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC) CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (B	Recommendation: Disposal must be made according to official regulations.	
DOT, IMDG, IATA UN proper shipping name DOT ADR MDG, IATA Corrosive solid, acidic, organic, n.o.s. (Bromoacetic anhydride) 3261 Corrosive solid, acidic, organic, n.o.s. (Bromoacetic anhydride) CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (Bromoacetic anhydride) Transport hazard class(es) DOT Class Label ADR Advinum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 500 g Maximum net quantity per ou	14 Transport information	
DOT ADR (Corrosive solid, acidic, organic, n. o. s. (Bromoacetic anhydride) ADR (CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (Bromoacetic anhydride) Transport hazard class(es) DOT Class Label 8 Class 8 (C4) Corrosive substances 8 Class 8 (C5) Corrosive substances 8 Class 8 (C6) Corrosive substances 8 Class 8 (C7) Corr		UN3261
Transport hazard class(es) DOT Class Label ADR Class Label ADR Class Label ADR Class Label MDG, IATA Class Label MDG, IATA Brivinonmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code Not applicable. On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Marine Pollutant (DOT): No Maximum net quantity per inner packaging: 30 g	DOT	Corrosive solid, acidic, organic, n.o.s. (Bromoacetic anhydride) 3261 Corrosive solid, acidic, organic, n.o.s. (Bromoacetic anhydride)
Class Label ADR Class Label MDG (ATA Class MDG	,	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (Bromoacetic anhydride)
Class Label ADR Class Label ADR Class Label IMDG, IATA Class Label IMDB, IATA Class Label IMDB, IATA Class Label IMDB, IATA Class Label IMDB, IATA II Environmental hazards: Not applicable. Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport linbulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport pollutant (DOT): On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Marine Pollutant (DOT): No Marine Pollutant (DOT): MDG Limited quantities (LQ) Excepted Quantities (LQ) Exce	•	
Label ADR Class Label IMDG, IATA Class Label IMDG, IATA Class Label Packing group DOT, ADR, IMDG, IATA II Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category I Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations Marine Pollutant (DOT): MDG Limited quantities (LQ) Excepted quantities (EQ) EXCEPTION OF CORPOSIVE SOLD, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC) UN "Model Regulation": UN SOLOROSIVE SOLD, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC)	DOT	
Label IMDG, IATA Class	Label	
Label 8 Packing group DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user EMS Number: Warning: Corrosive substances F-A,S-B Segregation groups Acids Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg No IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN "Model Regulation": UN 3261 CORROSIVE SOLID. ACIDIC. ORGANIC. N.O.S. (BROMOACETIC	Label	8 (C4) Corrosive substances 8
Environmental hazards: Special precautions for user EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Marine Pollutant (DOT): No IMDG Limited quantities (LQ) Excepted quantities (EQ) Tun sport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg No UN "Model Regulation": UN 3261 CORROSIVE SOLID. ACIDIC. ORGANIC. N.O.S. (BROMOACETIC		
Special precautions for user EMS Number: Segregation groups Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Marine Pollutant (DOT): No IMDG Limited quantities (LQ) Excepted quantities (EQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN "Model Regulation": Warning: Corrosive substances F-A, S-B Acids B On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg No Cargo aircraft only: 50 kg No Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN "Model Regulation": UN 3261 CORROSIVE SOLID. ACIDIC. ORGANIC. N.O.S. (BROMOACETIC	Packing group DOT, ADR, IMDG, IATA	II
EMS Number: Segregation groups Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Marine Pollutant (DOT): No IMDG Limited quantities (LQ) Excepted quantities (EQ) Excepted quantities (EQ) UN "Model Regulation": F-A, S-B Acids B Acids B B Transport/Additional On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg No Limited quantities (LQ) Excepted quantities (EQ) UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC	Environmental hazards:	Not applicable.
Transport/Additional information: DOT Quantity limitations Marine Pollutant (DOT): IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN "Model Regulation": UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC	EMS Number: Segregation groups	F-A,S-B Acids
DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Marine Pollutant (DOT): No IMDG Limited quantities (LQ) Excepted quantities (EQ) Aximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN "Model Regulation": UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod	le Not applicable.
Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Marine Pollutant (DOT): No IMDG Limited quantities (LQ) Excepted quantities (EQ) Aximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN "Model Regulation": UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC	Transport/Additional information:	
Marine Pollutant (DOT): IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN "Model Regulation": UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC		On passenger aircraft/rail: 15 kg
Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN "Model Regulation": UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC	Marine Pollutant (DOT):	
UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC	Limited quantities (LQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
AINTIDRIDE), o, II	UN "Model Regulation":	UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BROMOACETIC ANHYDRIDE), 8, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Danger

Signal word Danger
Hazard statements
H314 Causes severe skin burns and eye damage.
Precautionary statements
P260
Do not breathe dusts or mists.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P405
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations
This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.
This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

(Contd. on page 5)

Product name: Bromoacetic anhydride

(Contd. of page 4)

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conceming the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
(AS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Skin Corr. 18: Skin corrosion/irritation – Category 18
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

USA