

## Safety Data Sheet per OSHA HazCom 2012



Safety Data Sheet per OSHA HazCom 2012

Severe immediate media and where and where and scape and rine theroughly. There dealers where can be added and where and scape and rine theroughly. There dealers where and where and scape and rine theroughly. There dealers important symptoms and effects, both acute and deleged No further relevant information available. There see allow of the media and there are added to the control of the mediation of the mediation available. There see allow of the mediation of the sector and deleged No further relevant information available. There see allow of the mediation of the sector and deleged No further relevant information available. There see allow of the further added allow of the added the sector and the sector of the sector		Reviewed on 08/13/2009
Severe immediate media and where and where and scape and rine theroughly. There dealers where can be added and where and scape and rine theroughly. There dealers where and where and scape and rine theroughly. There dealers important symptoms and effects, both acute and deleged No further relevant information available. There see allow of the media and there are added to the control of the mediation of the mediation available. There see allow of the mediation of the sector and deleged No further relevant information available. There see allow of the mediation of the sector and deleged No further relevant information available. There see allow of the further added allow of the added the sector and the sector of the sector	Product name: Fullerene	
Extension	After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor	(Contd. of page 1)
Personal precautions, protective equipment and emergency procedures.         Wear processor equipment, exponence of the proving exponence of the environment without proper governmental permits.         Methods and material for containment and cleaning up:         Methods and material for containment and cleaning up:         Prevention of secondary hazards: Keep away from ignition sources.         Prevention of secondary hazards: Keep away from ignition sources.         Prevention of secondary hazards: Keep away from ignition sources.         Prevention of secondary hazards: Keep away from ignition sources.         Prevention of secondary hazards: Keep away from ignition sources.         Prevention of secondary hazards: Keep away from ignition sources.         Reservement of the information on personal profection equipment.         See Section 15 for information on personal profection equipment.         See Section 15 for information and persona and fires. Protect against electrostatic charges.         Information about protection against explosions and fires. Protect against electrostatic charges.         Conditions       Section 18 for information against explosions and fires.         Presume good verificiation at the workplace.         Information about storage conditions:         Requirements to be met by verificiation adaptions:         Section 18 for information wallsheet.         8 Exposure controls/personal protection         Additional information adapti	Extinguishing media Suitable extinguishing agents Extinguishing powder. Do not use water. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide (CO) Advice for firefighters Protective equipment:	
Ensume adequate werhinten: Environmental precentions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition acoustics. Reference to other sections Section of secondary hazards: Keep away from ignition sources. Reference to other sections Section of perinformation on personal protection equipment. See Section of the information: See Section of the information. Free container tightly sealed Set for in cool, dry place in tightly closed container tightly sealed Streep and the workfloce. Streep and the information and the information. Information about streeg to workfloce. Information about streeg to workfloce. Streep and the information and the streep and the str	6 Accidental release measures	
Handling Precautions for safe handling Keep container lightly sealed.         Store in cool, dry place in lightly closed containers. Ensure good vehilation at the vorkplace.         Information about protection against explosions and fires: Protect against electrostatic charges.         Conditions for safe storage, including any incompatibilities         Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from halogens.         Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. <b>8 Exposure controls/personal protection</b> Additional information about design of technical systems: Properly operating chemical fume hold designed to hazardous chemicals and having an average face velocity of at least 100 feet per minute.         Control parameters Components with limit values that require monitoring at the workplace:         Carton black Meditional information: 3, Store classified as a human carcinogen Beiguin TWA: 3, 5, Tost classified as a human carcinogen Beiguin TWA: 3, 5, Tost classified as a human carcinogen Methorindins MAC-FiGG: 3, Store designed for hazardous chemicals Store weak 4.STEL Streage VME: 3, Store designed sea human carcinogen Methorinding MAC-FiGG: 3, Store a human carcinogen Methorinding MAC-F	Ensure adequate ventilation Keep away from ignition sources <b>Environmental precautions:</b> Do not allow material to be released to the environment without proper governmental permits. <b>Methods and material for containment and cleaning up:</b> Keep away from ignition sources. Ensure adequate ventilation. <b>Prevention of secondary hazards:</b> Keep away from ignition sources. <b>Reference to other sections</b>	
Store in cool, dry conditions in well sealed containers.         Specific end use(s) No further relevant information available.         8 Exposure controls/personal protection         Additional information about design of technical systems: Properly optimized lume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.         Control parameters Components with limit values that require monitoring at the workplace:         Carbon black mg/m3         ACGHT V         3.5: Not classified as a human carcinogen Beglum TWA         3.5: For Island TWA         3.5: Tot classified as a human carcinogen Beglum TWA         3.5: Not classified as a human carcinogen Netherlands MAC-TGG 3.5 Norway TWA         3.5: Not classified as a human carcinogen Netherlands MAC-TGG 3.5 Norway TWA         3.6         Specific WE         3.6         Russia         System Controls         Personal information: No data         Exposure controls         Personal protective equipment General protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.         Keep away from foodstuffs, beverages and field.         Remove all socied and contaminated coloning immediately.         Waith hands abording the proprivate working environment.         Breathing equipment: Use suitable respirator when high con	Handling         Precautions for safe handling         Keep container tightly sealed.         Store in cool, dry place in tightly closed containers.         Ensure good ventilation at the workplace.         Information about protection against explosions and fires: Protect against electrostatic charges.         Conditions for safe storage, including any incompatibilities         Storage         Requirements to be met by storerooms and receptacles: Store in a cool location.         Information about storage in one common storage facility:         Store away from oxidizing agents.         Store away from halogens.         Further information about storage conditions:         Keen container tightly sealed	
Additional information about design of technical systems: Properly operating chemical turne hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.         Control parameters Components with limit values that require monitoring at the workplace:         Carbon black mg/m3 ACGIH TLV       3.5 Not classified as a human carcinogen Belgium TWA         Belgium TWA       3.5         Permark TWA       3.5         Printend TWA       3.5         Vector       3.5         Permark TWA       3.5         Printend TWA       3.5         Printend TWA       3.5         Printend TWA       3.5         France VME       3.5         Roway TWA       3.5         Russia       4.STEL         Sweden NGV       3 (dust)         United Kingdom TWA       3.5, 7-STEL         Sweden NGV       3 (dust)         United Kingdom TWA       3.5, 7-STEL         Sweden NGV       3 (dust)         United Kingdom TWA       3.5, 7-STEL         Sweden NGV       3 (dust)         United Kingdom TWA       3.5, 7-STEL         Sweden NGV       3 (dust)         UNA       3.5, 7-STEL         Sweden NGV       3 (dust)         Wash hards before b	Store in cool, dry conditions in well sealed containers.	
General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Minimum NIOSH approved full-face respirator with P100 cartridge. Protection of hands:	Additional information about design of technical systems:         Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per mining components with limit values that require monitoring at the workplace:         Carbon black       mg/m3         ACGIH TLV       3.5; Not classified as a human carcinogen         Belgium TWA       3.5         Pranee VME       3.5; Tost classified as a human carcinogen         Belgium TWA       3.5; Tost classified as a human carcinogen         Belgium TWA       3.5; Tost classified as a human carcinogen         Belgium TWA       3.5; Tost classified as a human carcinogen         Netherlands MAC-TGG       3.5         Korea TLV       3.5; Not classified as a human carcinogen         Netherlands MAC-TGG       3.5         Norway TWA       3.5         Russia       4-STEL         Sweden NGV       3 (dust)         United Kingdom TWA       3.5; 7-STEL         USA PEL       3.5         Additional information: No data         Exposure controls	ute.
Check protective gloves prior to each use for their proper condition.	Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Minimum NIOSH approved full-face respirator with P100 cartridge. Protection of hands: Impervious gloves	(Contd. on page 3)

Safety Data Sheet per OSHA HazCom 2012		Page 3/5 Printing date 11/24/2015 Reviewed on 08/13/2009
Product name: Fullerene		Reviewed on 08/13/2009
The selection of suitable gloves not only <b>Eye protection</b> : Safety glasses <b>Body protection</b> : Impervious protective clothing Protective work clothing.	depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	(Contd. of page 2)
9 Physical and chemical properties		
Information on basic physical and che General Information Appearance: Form: Color:	Powder	
Odor:	Black Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined Not determined	
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable Highly flammable. Not determined Not determined Not determined.	
Danger of explosion: Explosion limits: Lower: Upper:	Not determined. Not determined Not determined	
Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density	Not applicable. 1.7-1.9 g/cm <sup>3</sup> (14.187-15.85 lbs/gal) Not determined. Not applicable.	
Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity:	Not applicable. Insoluble Not determined.	
dynamic: kinematic: Other information	Not applicable. Not applicable. No further relevant information available.	
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Halogens Hazardous decomposition products: Carbon monoxide and carbon dioxide		
11 Toxicological information Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes serious eye irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Germ cell mutagenicity: No effects known. Germ cell mutagenicity: No effects known. Sensitization data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: Elemental carbon/carbon black is mainly a nuisance dust. It is irritating to the eyes and may cause conjunctivitis, cornea damage, and inflammation of the eyelids. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.		
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Avoid transfer into the environment.		

Safety Data Sheet per OSHA HazCom 2012

Avoid transfer into the environment. **Results of PBT and vPvB assessment PBT:** Not applicable. **vPvB:** Not applicable. **Other adverse effects** No further relevant information available.

USA (Contd. on page 4)

Page 3/5

Product name: Fullerene		
	(Contd. of page 3)	
<b>13 Disposal considerations</b> Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	disposal.	
14 Transport information		
UN-Number DOT, IMDG, IATA	UN1325	
UN proper shipping name DOT IMDG, IATA	Flammable solids, organic, n.o.s. FLAMMABLE SOLID, ORGANIC, N.O.S.	
Transport hazard class(es)	TERMINABLE SOLID, ONDANIC, N.O.S.	
Class Label Class	<ul> <li>4.1 Flammable solids, self-reactive substances and solid desensitised explosives.</li> <li>4.1</li> <li>4.1 (F1) Flammable solids, self-reactive substances and solid desensitised explosives</li> </ul>	
Label IMDG, IATA	4.1	
Class Label	4.1 Flammable solids, self-reactive substances and solid desensitised explosives. 4.1	
Packing group DOT, IMDG, IATA	<i>III</i>	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Flammable solids, self-reactive substances and solid desensitised explosives	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod		
Transport/Additional information:		
DOT		
Marine Pollutant (DOT): UN "Model Regulation":	No UN1325, Flammable solids, organic, n.o.s., 4.1, III	
<b>15 Regulatory information</b> Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms		
GHS02 GHS07 Signal word Warning Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Brocutionparts to toments		
Precautionary statements         P210       Keep away from heat/sparks/open flames/hot surfaces. No s         P261       Avoid breathing dust/fume/gas/mist/vapours/spray.         P280       Wear protective gloves/protective clothing/eye protection/fac         P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes         P405       Store locked up.         P501       Dispose of contents/container in accordance with local/regio         National regulations       Significant New Leo Bulo: must follow REE requiremente	ce protection. . Remove contact lenses, if present and easy to do. Continue rinsing.	
P210       Keep away from heat/sparks/open flames/hot surfaces. No s         P261       Avoid breathing dust/fume/gas/mist/vapours/spray.         P280       Wear protective gloves/protective clothing/eye protection/fac         P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes         P405       Store locked up.         P501       Dispose of contents/container in accordance with local/regio         National regulations       Significant New Use Rule: must follow PPE requirements.         This product is not listed in the U.S. Environmental Protection Agency Toxic Su to research and development only. This product must be used by or directly unproduct must not be used for commercial purposes or in formulations for comme         SARA Section 313 (specific toxic chemical listings) Substance is not listed.         California Proposition 65       Prop 65 - Chemicals known to cause cancer Substance is not listed.	e protection. . Remove contact lenses, if present and easy to do. Continue rinsing. nal/national/international regulations. bstances Control Act Chemical Substance Inventory. Use of this product is restricted fer the supervision of a technically qualified individual as defined by TSCA. This	
P210       Keep away from heat/sparks/open flames/hot surfaces. No s         P261       Avoid breathing dust/fume/gas/mist/vapours/spray.         P280       Wear protective gloves/protective clothing/eye protection/fac         P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes         P405       Store locked up.         P501       Dispose of contents/container in accordance with local/regio         National regulations       Significant New Use Rule: must follow PPE requirements.         This product is not listed in the U.S. Environmental Protection Agency Toxic Su to research and development only. This product must be used by or directly und product must not be used for commercial purposes or in formulations for commercial purposes or properiod for the properiod for the purpose or product must not be used for commercial purposes or produc	riduals.	
P210       Keep away from heat/sparks/open flames/hot surfaces. No s         P261       Avoid breathing dust/fume/gas/mist/vapours/spray.         P280       Wear protective gloves/protective clothing/eye protection/fac         P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes         P405       Store locked up.         P501       Dispose of contents/container in accordance with local/regio         National regulations       Significant New Use Rule: must follow PPE requirements.         This product is not listed in the U.S. Environmental Protection Agency Toxic Su to research and development only. This product must be used by or directly und product must not be used for commercial purposes or in formulations for comme SARA Section 313 (specific toxic chemical listings) Substance is not listed.         Prop 65 - Chemicals known to cause cancer Substance is not listed.         Prop 65 - Developmental toxicity, substance is not listed.         Prop 65 - Developmental toxicity, male Substance is not listed.         Prop 65 - Developmental toxicity, male Substance is not listed.         Information about limitation of use: For use only by technically qualified indiv         Other regulations of restrictions according to Article 67 and Annex XVII of the market and use must be observed.	riduals. Wions (EC) No. 1907/2006. Substance is not listed. Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the	
P210       Keep away from heat/sparks/open flames/hot surfaces. No s         P261       Avoid breathing dust/fume/gas/mist/vapours/spray.         P280       Wear protective gloves/protective clothing/eye protection/fac         P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes         P405       Store locked up.         P501       Dispose of contents/container in accordance with local/regio         National regulations       Significant New Use Rule: must follow PPE requirements.         This product is not listed in the U.S. Environmental Protection Agency Toxic Su to research and development only. This product must be used by or directly und product must not be used for commercial purposes or in formulations for commers         SARA Section 313 (specific toxic chemical listings) Substance is not listed.         Prop 65 - Chemicals known to cause cancer Substance is not listed.         Prop 65 - Developmental toxicity, female Substance is not listed.         Prop 65 - Developmental toxicity, male Substance is not listed.         Prop 65 - Developmental toxicity, male Substance is not listed.         Prop 65 - Developmental toxicity, female Substance is not listed.         Prop 65 - Developmental toxicity, female Substance is not listed.         Prop 65 - Developmental toxicity, female Substance is not listed.         Prop 65 - Developmental toxicity, female Substance is not listed.         Prop 65 - Developmental toxicity, female Substance is not listed.	riduals. Wions (EC) No. 1907/2006. Substance is not listed. Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the	

(Contd. on page 5)

## Product name: Fullerene

(Contd. of page 4)

Printing date 11/24/2015 Reviewed on 08/13/2009

Page 5/5

## 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:
RiD: Rejelement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritume Code for Dangerous Goods
DOT: US Department of Transport Association
(ICAO)
IADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritume Code for Dangerous Goods
DOT: US Department of Transport Association
(ICAO)
IADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Air Transport Association
(ICAO)
IMDG: International Air Transport Association
(ICAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
USDA
VPHMIS: Workplace Hazardous Materials Information (USA)
IMP: National Concentration, 50 percent
USDA
UC50: Lethal concentration

USA