



Page 1/6 Printing date 06/01/2018 Revision date 05/31/2018 Version 1

1 Identification

Product identifier

Product name: Cesium fluoride

Stock number: 10019 CAS Number: 13400-13-0 EC number: 236-487-3

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage Hazards not otherwise classified No information known.

I abel elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS05 GHS06

Signal word Danger Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage.

Precautionary statements
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
Store locked up.
P405 Store locked up.
P501 Dispect for treatment is accordance with local/regional/national/interrectional regulations.

P320 P320 P405 P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
D1A - Very toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects

E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH Dealth (acute effects) = 3
RE DEALTH Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 13400-13-0 Cesium fluoride Concentration: ≤100%

(Contd. on page 2)

Product name: Cesium fluoride

Identification number(s): EC number: 236-487-3

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

General information

General Information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact

Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Fatal if inhaled.

Fatal in contact with skin. Fatal if swallowed.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Hydrogen fluoride (HF)
Cerium oxide

Cerium oxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up:

Methods and material for containment and cleaning up: Use neutralizing agent.
Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
PAC-1: 60 mg/m3

PAC-1: 60 mg/m3 PAC-2: 670 mg/m3 PAC-3: 4,000 mg/m3

7 Handling and storage

Handling

Precautions for safe handling

Precautions for sare nandling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:
Store away from water/moisture.
Store away from strong bases.
Store away from oxidizing agents.
Further information about storage conditions:

Store under dry inert gas.
This product is hygroscopic.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

(Contd. on page 3)

Product name: Cesium fluoride

(Contd. of page 2) Control parameters Components with limit values that require monitoring at the workplace: 13400-13-0 Cesium fluoride (100.0%) Long-term value: 2.5 mg/m³ as F PEL (USA) Long-term value: 2.5 mg/m³ as F REL (USA) Long-term value: 2.5 mg/m³ as F, BEI TLV (USA) EL (Canada) Long-term value: 2.5 mg/m³ Ingredients with biological limit values: 13400-13-0 Cesium fluoride (100.0%) BEI (USA) 2 mg/L Medium: urine Time: prior to shift Parameter: Fluoride (background, nonspecific) 3 mg/L Medium: urine Time: end of shift Parameter: Fluoride (background, nonspecific) Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use self-contained respiratory protective device in emergency situations. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Impervious gloves Exposure controls Impervious gloves Impervious groves. Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness: 0.11 mm Eye protection: Tightly sealed goggles Full face protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Various forms (powder/flake/crystalline/beads, etc.) Odorless Odor: Odor threshold: Not determined. pH-value (152 g/l) at 20 °C (68 °F): 6.5-7.5 Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto ignition: 682 °C (1260 °F) 1251 °C (2284 °F) Not determined Not determined. Not determined Not determined Auto igniting: Not determined Danger of explosion: Explosion limits: Not determined. Lower: Upper: Not determined Not determined Vapor pressure: Density: Relative density Not applicable. Not determined Not determined. Not applicable. Vapor density Evaporation rate Solubility in / Miscibility with Water at 18 °C (64 °F): Not applicable. 3670 g/l Soluble Partition coefficient (n-octanol/water): Not determined. . Viscosity: dynamic: kinematic: Not applicable. Not applicable. No further relevant information available. Other information

Product name: Cesium fluoride

(Contd. of page 3)

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Bases

Oxidizing agents Water/moisture

Hazardous decomposition products: Hydrogen fluoride Cerium oxide

11 Toxicological information

Information on toxicological effects

Acute toxicity Fatal if inhaled

Fatal if inhaled.
Fatal in contact with skin.
Fatal if swallowed.
Danger through skin absorption.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity:

Carcinogenicity:
ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General potes:

General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number

DOT, IMDG, IATA

UN proper shipping name DOT Corrosive solids, toxic, n.o.s. 2923 Corrosive solids, toxic, n.o.s. CORROSIVE SOLID, TOXIC, N.O.S. (Caesium fluoride) ADR IMDG, IATA

Transport hazard class(es)

DOT











8 (CT2) Corrosive substances 8+6.1

8 Corrosive substances

8, 6.1

UN2923

(Contd. on page 5)

Product name: Cesium fluoride (Contd. of page 4) IMDG Class 8 Corrosive substances 8/6.1 IATA Class 8 Corrosive substances Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Not applicable. Warning: Corrosive substances F-A,S-B Special precautions for user EMS Number: Stowage Category Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Quantity limitations Marine Pollutant (DOT): IMDG Limited quantities (LQ) Excepted quantities (EQ) 1 kg Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

UN 2923 CORROSIVE SOLIDS, TOXIC, N.O.S., 8 (6.1), II

UN "Model Regulation": 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS06

Signal word Danger Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage.

H314 Causes severe skin purns and eye damage.

Precautionary statements
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Air Transport action
IATA: International Air Transport association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent

(Contd. on page 6)

Page 6/6 Printing date 06/01/2018 Revision date 05/31/2018 Version 1

Product name: Cesium fluoride

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPuB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 2: Acute toxicity — Category 2
Skin Corr. 1B: Skin corrosion/irritation — Category 1
Eye Dam. 1: Serious eye damage/eye irritation — Category 1

(Contd. of page 5)