



1 Identification Product identifier Product name: Platinum (II) bromide Stock number: 12172 CAS Number: 13455-12-4 EC number: 236-648-8 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. Inerrito Fisher Scheman C. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) ! GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS07 Signal word Warning Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. P405 WHMIS classification D2B - Toxic material causing other toxic effects Ţ Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 10 Flammàbility = 0 TIVITY 0 Physical Hazard = 0Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 13455-12-4 Platinum (II) bromide Identification number(s): EC number: 236-648-8 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact

Immediately wash with water and soap and rinse thoroughly.

Product name: Platinum (II) bromide

(Contd. of page 1)

Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available. Danger

Danger Platinum compounds, especially platinum halogen complexes, are sensitizers. Sensitized persons, on re-exposure to platinum salts, will show the clinical features of a Type 1 allergy: asthma and/or rhinitis and/or conjunctivitis and/or urticaria. A contact dermatitis may also occur. The symptoms of the allergic reaction to platinum salts may include any of the following: itchy red eyes, watering of the eyes, sneezing, runny nose, chest tightness, wheezing, breathlessness, cough, eczematous or urticarial (nettle rash type) skin lesions. Exposure to platinum salts in exceedingly small amounts, even below the level of physico-chemical detection, will produce symptoms in sensitized persons. Continued exposure will give symptoms of increasing severity and can eventually lead to chronic asthma. There is a risk of anaphylactic shock occuring in sensitized persons re-encountering platinum salts. Therefore, if sensitization has developed, further exposure to platinum salts.

exposure to platinum compounds must not be permitted. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Toxic metal oxide fume Hydrogen bromide (HBr) Advice for firefighters Protective equipment:

Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters			
Components with limit values that require monitoring at the workplace:			
13455-12-4 Platinum (II) bromide (100.0%)			
PEL (USA)	Long-term value: 0.002 mg/m³ as Pt		
REL (USA)	Long-term value: 0.002 mg/m³ as Pt		
TLV (USA)	Long-term value: 0.002 mg/m³ as Pt		
EL (Canada)) Long-term value: 0.002 mg/m³ as Pt; S		
Additional information: No data			
Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Body protection: Protective work clothing.			

Product name: Platinum (II) bromide

Page 3/4 Printing date 11/24/2015 Reviewed on 02/07/2007

	·	(Contd. of page 2)	
9 Physical and chemical properties	3		
Information on basic physical and ch General Information Appearance: Form:	emical properties Crystalline		
Odor: Odor threshold:	Nót determined Not determined.		
pH-value:	Not applicable.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	250 °C (482 °F) (dec) Not determined Not determined		
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable Not determined. Not determined Not determined Not determined.		
Danger of explosion: Explosion limits: Lower: Upper:	Product does not present an explosion hazard. Not determined Not determined		
Vapor pressure:	Not applicable.		
Density: Relative density	Not determined Not determined.		
Vapor density	Not applicable.		
Evaporation rate Solubility in / Miscibility with	Not applicable.		
Water: Partition coefficient (n-octanol/water) Viscosity:			
dynamic: kinematic:	Not applicable. Not applicable.		
Other information	No further relevant information available.		
Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Toxic metal oxide fume Hydrogen bromide			
11 Toxicological information Information on toxicological effects			
Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: Platinum salts, especially ionic platinum halogeno complexes, may cause severe allergic reactions. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: Inorganic bromides may produce depression, emaciation and in severe cases, psychosis and mental deterioration. Bromoderma, a bromide rash, often occurs when bromide inhalation or administration is prolonged. This rash is usually found on the face and resembles acne and furunculosis. Exposure to platinum containing dusts or fumes may cause irritation, sensitization reactions and asthma. Effects include sneezing, coughing, tightness in the chest, dyspnea and wheezing. Cyanosis is possible. Chronic exposure may result in pulmonary fibrosis. Subacute to chronic toxicity: No effects known.			
12 Ecological information	, , ,		
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.			
13 Disposal considerations			
Waste treatment methods	or national regulations to ensure proper disposal.		
Neverine nation Consult State, 10641		(Contd. on page 4) USA	

USA

Product name: Platinum (II) bromide (Contd. of page 3) Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information Not a hazardous material for transportation. **UN-Number** DOT, IMDG, IATA None UN proper shipping name DOT, IMDG, IATA None Transport hazard class(es) DOT, ADR, IMDG, IATA Class None Packing group DOT, IMDG, IATA None Environmental hazards: Not applicable. Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not dangerous according to the above specifications. DOT Marine Pollutant (DOT): No 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS07 Signal word Warning Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in con-Department issuing SDS: Global Marketing Department Date of preparation / last revision 1/24/2015 / -Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent CACGHL: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) ARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)