Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2013 *Revision: 25.04.2005*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier
Trade name ***Deuterium bromide, 48% w/w in deuterium oxide***
Stock number: 42408
CAS Number: 13536-59-9
EC number: 236-894-6
1.2 Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier: Alfa Aesar GmbH & Co.KG
A Johnson Matthey Company
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com
Informing department: Product safety Tel + +049 (0) 7275 988687-0
1.4 Emergency telephone number: Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number)
Poison Information Center Mainz
www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008


GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.


GHS07

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive
R34: Causes burns.


Xi; Irritant
R37: Irritating to respiratory system.
Information concerning particular hazards for human and environment: Not applicable
Other hazards that do not result in classification No information known.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.
Hazard pictograms GHS05, GHS07
Signal word Danger
Hazard statements H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances
CAS# Designation: 13536-59-9 Deuterium bromide, 48% w/w in deuterium oxide
Identification number(s):
EC number: 236-894-6

SECTION 4: First aid measures

4.1 Description of first aid measures
General information Instantly remove any clothing soiled by the product.
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
Seek immediate medical advice.
After skin contact Instantly wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
After swallowing Seek medical treatment.
4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents Use fire fighting measures that suit the environment.
5.2 Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:
5.3 Advice for firefighters
Protective equipment: Wear self-contained breathing apparatus.
Wear full protective suit.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2013 Revision: 25.04.2005

Trade name *Deuterium bromide, 48% w/w in deuterium oxide*

(Contd. of page 1)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation

6.2 Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach sewage system or water bodies.
Do not allow to enter the ground/soil.

6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

6.4 Reference to other sections See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: The product is not flammable

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers: Suitable material for containers and conduit: glass.

Information about storage in one common storage facility: Store away from strong bases.
Store away from oxidizing agents.
Store away from metals.
Water reacts with many metals to give hydrogen, often violently. Water also reacts violently with many reactive organic and inorganic chemicals.

Further information about storage conditions: Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Store in a locked cabinet or with access restricted to technical experts or their assistants.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with critical values that require monitoring at the workplace:

Hydrogen bromide

	ppm
ACGIH TLV	2-CEILING
Austria MAK	3
Belgium TWA	2
Denmark TWA	3
Finland TWA	3
Germany MAK	2-STEL
Ireland TWA	3
Netherlands MAC-TGG	2
Norway TWA	3
Poland TWA	7, 21-STEL (mg/m3)
Russia TWA	2-STEL (mg/m3)
Sweden NGV	
Switzerland MAK-W	3; 6-KZG-W
United Kingdom TWA	3-STEL
USA PEL	3

8.1 Control parameters

Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.

Breathing equipment: Use breathing protection with high concentrations.

Protection of hands: Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves Impervious gloves

Penetration time of glove material Not determined

Eye protection: Tightly sealed safety glasses.
Full face protection

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Solution

Colour: Clear

Smell: Acidic

Odour threshold: Not determined.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2013 Revision: 25.04.2005

Trade name *Deuterium bromide, 48% w/w in deuterium oxide*

(Contd. of page 2)

pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	126 °C
Sublimation temperature / start:	Not determined
Flash point:	Not applicable Not determined
Inflammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Self-inflammability:	Not determined.
Danger of explosion:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined
Upper:	Not determined
Steam pressure:	Not determined
Density at 20 °C	1,537 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity	No information known.
10.2 Chemical stability	Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions	Reacts with various metals When diluting, always add acid to water, never vice versa Water reacts violently with alkali metals.
10.5 Incompatible materials:	Bases Aluminum and aluminum alloys. Oxidizing agents Ammonia Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.
10.6 Hazardous decomposition products:	Hydrogen Bromine

SECTION 11: Toxicological information

11.1 Information on toxicological effects	
Acute toxicity:	Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification:	Hydrogen bromide (CAS# 10035-10-6) Inhalative: LC50/1H: 814 ppm/1H (mus) LC50/1H: 2858 ppm/1H (rat)
Skin irritation or corrosion:	Causes severe skin burns.
Eye irritation or corrosion:	Irritant effect. Causes serious eye damage.
Sensitization:	No sensitizing effect known.
Germ cell mutagenicity:	No effects known.
Carcinogenicity:	No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity:	No effects known.
Specific target organ system toxicity - repeated exposure:	No effects known.
Specific target organ system toxicity - single exposure:	May cause respiratory irritation.
Aspiration hazard:	No effects known.
Additional toxicological information:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity	
Aquatic toxicity:	No further relevant information available.
12.2 Persistence and degradability	No further relevant information available.
12.3 Bioaccumulative potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
Additional ecological information:	
General notes:	Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Avoid transfer into the environment.
12.5 Results of PBT and vPvB assessment	
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Other adverse effects	No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Recommendation	Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.
Uncleaned packagings:	
Recommendation:	Disposal must be made according to official regulations.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2013 *Revision: 25.04.2005*

Trade name *Deuterium bromide, 48% w/w in deuterium oxide*

(Contd. of page 3)

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

UN-Number
ADR, IMDG, IATA UN1788

14.2 UN proper shipping name
ADR 1788 HYDROBROMIC ACID
IMDG, IATA HYDROBROMIC ACID

14.3 Transport hazard class(es)

ADR

Class 8 (C1) Corrosive substances.
Label 8

IMDG, IATA

Class 8 Corrosive substances.
Label 8

Packing group
ADR, IMDG, IATA II

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Warning: Corrosive substances.
Kemler Number: 80
Segregation groups Acids

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

ADR
Excepted quantities (EQ): E2
Limited quantities (LQ) 1L
Transport category 2
Tunnel restriction code E
Number/Letter:

UN "Model Regulation": UN1788, HYDROBROMIC ACID, 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Australian Inventory of Chemical Substances Substance is not listed.
Standard for the Uniform Scheduling of Drugs and Poisons Substance is not listed.
National regulations
Information about limitation of use: For use only by technically qualified individuals.
Employment restrictions concerning young persons must be observed.
Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
Other regulations, limitations and prohibitive regulations
ELINCS (European List of Notified Chemical Substances) Substance is not listed.
Substances of very high concern (SVHC) according to REACH, Article 57 Substance is not listed.
REACH - Pre-registered substances Substance is listed.
15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent