



Page 1/5 Printing date 07/06/2017 Revision date 07/05/2017 Version 1

1 Identification
Product identifier Product name: Ammonium perrhenate(VII)
Stock number: 10846
CAS Number: 13598-65-7 EC number: 237-075-6
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660
Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com
www.atra.com Information Department: Health, Safety and Environmental Department Emergency telephone number:
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS03 Flame over circle
Ox. Sol. 2 H272 May intensify fire; oxidizer. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS03
Signal word Danger Hazard statements
H272 May intensify fire; oxidizer. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat No smoking.
P210 Reep away from heat No shoking. P220 Keep/Store away from clothing/combustible materials. P280 Wear protective gloves / eye protection / face protection. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification C - Oxidizing materials
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH I Health (acute effects) = 1 FIRE I Flammability = 0 REACTIVITY I Physical Hazard = 2
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vBVB. Not environble
vPvB: Not applicable. 3 Composition/information on ingredients
Chemical characterization: Substances
CAS# Description: 13598-65-7 Ammonium perrhenate(VII) Concentration: ≤100%
Concentration: ≤100% Identification number(s): EC number: 237-075-6
4 First-aid measures
Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Supply nesh air. In required, provide artificial respiration. Reep patient warm. Seek immediate medical advice. After skin contact
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.
(Contd. on page 2) USA

Information for doctor

(Contd. of page 1) Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Exunguisning media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. For safety reasons unsuitable extinguishing agents Halocarbon extinguisher Special hazards arising from the substance or mixture This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. If this product is involved in a fire, the following can be released: Nitrogen oxides (NOx) Ammonia Rhenium oxides Advice for firefighters **Protective equipment:** Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Pick up mechanically. Prevention of secondary hazards: Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material. Reference to other sections See Section 7 for information on safe handling See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: Substance is not listed. **PAC-1:** Substance is not listed. **PAC-2:** Substance is not listed. PAC-3: Substance is not listed.

7 Handling and storage

Handling Precautions for safe handling Reep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Substance/product can reduce the ignition temperature of flammable substances. This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Conditions for safe storage, including any incompatibilities Storage Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from flammable substances. Store away from reducing agents. Do not store with organic materials. Store away from metal powders. Do not store together with acids. Further information about storage conditions: Keen container finithy sealed Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

Exposure controls Personal protective equipment

Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breathing equipment:

Maintain an ergonomically appropriate working environment. **Breathing equipment:** Use suitable respirator when high concentrations are present. Use suitable respiratory protective device in case of insufficient ventilation. **Recommended filter device for short term use:** Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. **Protection of hands:**

Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses with side shields / NIOSH (US) or EN 166(EU)

(Contd. on page 3)

		_
(Contd.	of page	2)

Body protection: Protective work cloth	ing. (Contd. of page			
9 Physical and chemical properties	S			
Information on basic physical and ch General Information Appearance:	emical properties			
Form: Odor:	Crystalline or powder Not determined			
Odor threshold: pH-value:	Not determined. Not applicable.			
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous)	Not determined Not determined Not determined			
Plammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Contact with combustible material may cause fire. Not determined Not determined Not determined.			
Danger of explosion: Explosion limits:	Not determined.			
Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density	Not determined Not applicable. 3.97 g/cm³ (33.13 lbs/gal) Not determined. Not applicable.			
Vaporation rate Evaporation rate Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water) Viscosity:	Not applicable. 58 q/l			
dynamic: kinematic: Other information	Not applicable. Not applicable. No further relevant information qualitable.			
	No further relevant information available.			
Reactivity May intensify fire; oxidizer. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with reducing agents Reacts with flammable substances Conditions to avoid No further relevant information available. Incompatible materials: Acids Flammable substances Reducing agents Organic materials Metal powders Hazardous decomposition products: Nitrogen oxides Ammonia Rhenium oxides				
11 Toxicological information Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/L C50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known.				
Specific target organ system toxicity - single exposure: No effects known.				
Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.				
12 Ecological information Toxicity Aquatic toxicity: No further relevant in Persistence and degradability No furt Bioaccumulative potential No further Mobility in soil No further relevant info Additional ecological information: General notes: Avoid transfer into the e Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant	relevant information available. rmation available. environment. t			

	(Co	ontd. of page 3)		
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure prope Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	r disposal.			
14 Transport information				
UN-Number DOT, IMDG, IATA	UN1479			
UN proper shipping name DOT	Oxidizing solid, n.o.s. (Ammonium perrhenate(VII))			
ADR IMDG, IATA	1479 Oxidizing solid, n.o.s. (Ammonium perrhenate(VII)) OXIDIZING SOLID, N.O.S. (Ammonium perrhenate(VII))			
Transport hazard class(es)				
Class Label ADR	5.1 Oxidizing substances 5.1			
Class	5.1 (O2) Oxidizing substances			
Label IMDG, IATA	5.1			
Class Label	5.1 Oxidizing substances 5.1			
Packing group DOT, ADR, IMDG, IATA	П			
Environmental hazards:	Not applicable.			
Special precautions for user EMS Number:	Warning: Oxidizing substances F_A,S-Q			
Stowage Category Segregation Code	B SG38 Stow "separated from" ammonium compounds. SG49 Stow "separated from" cyanides SG60 Stow "separated from" peroxides SG61 Stow "separated from" powdered metals			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Co	de Not applicable.			
Transport/Additional information: DOT				
Quantity limitations	On passenger aircraft/rail: 5 kg On cargo aircraft only: 25 kg			
Marine Pollutant (DOT):	No			
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g			
UN "Model Regulation":	UN 1479 OXIDIZING SOLID, N.O.S. (AMMONIUM PERRHENATE(VII)), 5.1, II		
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS03				
Signal word Danger Hazard statements HZ72 May intensify fire; oxidizer. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat No smoking. P220 Keep/Store away from clothing/combustible materials. P280 Wear protective gloves / eye protection / face protection. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P501 Dispose of contents/container in accordance with local/regional/na National regulations All components of this product are listed in the U.S. Environmental Protection.				
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65				
Prop 65 - Chemicals known to cause cancer Substance is not listed.	(Cor	ntd. on page 5 USA		

(Contd. of page 4)

USA

Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) if market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods
DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods
DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
IATA: International Air Transport Association
IATA: International Application System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
ID50: Lethal concentration, 50 percent
ID50: Subtances of Very High Concern
VPWE: very Persistent Air Very Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPWE: very Persistent