



Revision date 10/28/2
1 Identification
Product identifier Product name: (3-Aminopropyl)trimethoxysilane
Stock number: A11284, L04146
CAS Number: 13822-56-5
EC number: 237-511-5
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet
Manufacturer/Supplier: Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099 Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com
www.alfa.com Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS05 Corrosion
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
H227 Combustible liquid. Hazards not otherwise classified No information known.
Label elements
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS05
Signal word Danger
Hazard statements H227 Combustible liquid.
H314 Causes severe skin burns and eye damage. Precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection. P202+P261+P252 IF ON SKIN (or bair): Pamayo/Tako off immediately all contaminated elething. Pince skin with water/shower
P260 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310
WHMIS classification
B3 - Combustible liquid D2B - Toxic material causing other toxic effects
Classification system
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH Image: Health (acute effects) = 3 FIRE Image: Flammability = 2
REACTIVITY 1 Physical Hazard = 1
Other hazards Results of PBT and vPvB assessment
PBT: Not applicable. vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterization: Substances
CAS# Description: 13822-56-5 (3-Aminopropyl)trimethoxysilane
Identification number(s): EC number: 237-511-5
4 First-aid measures
Description of first aid measures General information Immediately remove any clothing soiled by the product.
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Suppy resman. In required, provide annicial respiration. Reep patient warm. Seek immediate medical advice. (Contd. on pa

Safety Data Sheet acc. to OSHA HCS

	5/1 date 10/20/2010
Product name: (3-Aminopropyl)trimethoxysilane	
After skin contact	(Contd. of page 1)
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delayed	
Causes severe skin burns. Causes serious eye damage.	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.	
Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:	
Carbo'n monoxide and carbon dióxide Silicon oxide	
Nitrogen oxides (NOx) Advice for firefighters	
Protective equipment: Wear self-contained respirator.	
Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Added with bird bird bird for the distance of the distance of the dama and bird and a second with the distance of the distance o	
ADSOLD WITH JIQUID-DINDING MATERIAL ISANG, DIATOMITE, ACID DINDERS, UNIVERSAL DINDERS, SAWQUSTI	
Use neutraling agent. Dispose of contaminated material as waste according to section 13.	
Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling	
Handle under dry protective gas. Keep container tightly sealed.	
Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.	
Information about protection against explosions and fires: Keep ignition sources away.	
Conditions for safe storage, including any incompatibilities Storage	
Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:	
Store away from air. Store away from water/moisture.	
Store away from oxidizing agents. Further information about storage conditions:	
Store under dry inert gas. This product is moisture sensitive.	
This product is air sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.	
Protect from humidity and water.	
Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems:	
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters Components with limit values that require monitoring at the workplace:	
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data	
Exposure controls Personal protective equipment	
General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.	
Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.	
Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist	
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present.	
Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use:	
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as l	performed to NIOSH (USA) or
CEN (EU). Protection of bands:	(,

CEN (EU). **Protection of hands:** Impervious gloves Check protective gloves prior to each use for their proper condition. Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Product name: (3-Aminopropyl)trimethoxysilane

(Contd. of page 2)

Material of gloves Butyl rubber, BR
Penetration time of glove material (in minutes) 480
Glove thickness 0.3 mm
Eye protection:
Tightly sealed goggles
Fŭll fáce protečtičň
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and che General Information Appearance:	emical properties
'Form: Odor:	Liquid Amine-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 194 °C (381 °F) Not determined
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	90 °C (194 °F) Not determined. 295 °C (563 °F) Not determined Not determined.
Danger of explosion:	Not determined.
Explosion limits: Lower:	Not determined
Upper: Vapor pressure:	Not determined Not determined
Density at 20 °C (68 °F):	1.02 g/cm ³ (8.512 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not determined
Partition coefficient (n-octanol/water):	
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Air Air Water/moisture Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Silicon oxide Nitrogen oxides 11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional accological information Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable.

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS	Page 4/5 Printing date 11/01/2016 Revision date 10/28/2016
Product name: (3-Aminopropyl)trimethoxysilane	
vPvB: Not applicable. Other adverse effects No further relevant information ava	(Contd. of page 3) vailable.
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulati Uncleaned packagings: Recommendation: Disposal must be made according to o	
14 Transport information	
UN-Number DOT, IMDG, IATA	UN2735
UN proper shipping name DOT IMDG, IATA	Amines, liquid, corrosive, n.o.s. ((3-Aminopropyl)trimethoxysilane) AMINES, LIQUID, CORROSIVE, N.O.S. ((3-Aminopropyl)trimethoxysilane)
Transport hazard class(es) DOT	
Class Label Class Label IMDG, IATA	8 Corrosive substances. 8 8 (C7) Corrosive substances 8
Class Label	8 Corrosive substances. 8
Packing group DOT, IMDG, IATA	
Environmental hazards:	Not applicable.
Special precautions for user EMS Number: Segregation groups	Warning: Corrosive substances F-A, S-B Alkalis
Transport in bulk according to Annex II of MARPOL73	
Transport/Additional information: DOT	
DOT Marine Pollutant (DOT):	No
UN "Model Regulation":	UN2735, Amines, liquid, corrosive, n.o.s. ((3-Aminopropyl)trimethoxysilane), 8, III
15 Regulatory information Safety, health and environmental regulations/legislatic GHS label elements The product is classified and labeled Hazard pictograms GHS05 Signal word Danger Hazard statements H227 Combustible liquid. H314 Causes severe skin burns and eye damage. Precautionary statements P280 Wear protective gloves/protective cloth P303+P361+P353 IF ON SKIN (or hair): Remove/Take off P305+P351+P338 IF IN EYES: Rinse cautiously with wate P310 Immediately call a POISON CENTER of National regulations	ion specific for the substance or mixture d in accordance with 29 CFR 1910 (OSHA HCS) hing/eye protection/face protection. ff immediately all contaminated clothing. Rinse skin with water/shower. ter for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. or doctor/physician.

P310 Immediately call a POISON CENTER or doctor/physician. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. (Contd. on page

Product name: (3-Aminopropyl)trimethoxysilane

(Contd. of page 4)

USA

Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/01/2016 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ENRECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (USA) WHMIS: Hazardous Materials Information System (Canada) LC50: Lethal concentration. 50 percent LD50: Lethal concentration. 50 percent MVB: Very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Agency for Research Concern EPA: Environmental Agency for Research and Category 1 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1