



Page 1/4 Printing date 10/23/2018 Revision date 10/22/2018 Version 1

	Version 1
1 Identification	
Product identifier Product name: Thulium(III) trifluoromethanesulfonate	
Stock number: 40313	
CAS Number: 141478-68-4	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099	
Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	700
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0	1789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)	
Hazard pictograms	
GHS07	
Signal word Warning	
Hazard statements H315 Causes skin irritation.	
H319 Causes serious eye irritation. H335 May cause respiratory irritation.	
Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/sprav	
P280 Wear protective gloves / eve protection / face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification DOB Tavia meterial equation offects	
D2B - Toxic material causing other toxic effects	
Classification system	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH I Health (acute effects) = 1 FIRE I Flammability = 0	
REACTIVITY D Physical Házard = 1 Other hazards	
Results of PBT and vPvB assessment PBT: Not applicable.	
vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
141478-68-4 Thulium(III) trifluoromethanesulfonate Concentration: ≤100%	
4 First-aid measures	
Description of first aid measures	
<b>After inhalation</b> Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.	
	(Contd. on page 2)

٦

## Product name: Thulium(III) trifluoromethanesulfonate

After swatterung Soon medical beatment.  (Control of page 1)  After swatterung Soon medical beatment.  Media Important symptoms and effects, both active and delayed  Control of any Immedian medical attention and special readment needed No further relevant information available.  Final patient of any Immedian medical attention and special readment needed No further relevant information available.  Final patient of any Immedian medical attention and special readment needed No further relevant information available.  Final patient and the patient of the pat	Product name: Thulium(III) trifluoromethanesulfonate	
Evinguishing media Subtiske error guishing ender the control doxide, evinguishing powder or water apray. Fight larger fires with water spray or alcohol resistant foam. The product is nerviced in a fire, the following can be released: Took media low form and the product is nerviced in a fire, the following Subtiske error form and the product is nerviced in a fire, the following and the product is nerviced in a fire, the following Subtiske error form and the product is nerviced in a fire, the following Arrise of in fireflyiter Personal proceedings in the product is nerviced in the product is nevery in the product is nerviced in	Information for doctor Most important symptoms and effects, both acute and delayed Causes skin irritation. Causes serious eye irritation.	(Contd. of page 1)
Personal precautions, projective sequeptions: Account of the sequeption of the sequeptions: Account of the sequeption of	Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Toxic metal oxide fume Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Hydrogen fluoride (HF) Thulium oxide Advice for firefighters Protective equipment: Wear self-contained respirator.	
Handling Precautions for safe handling Keep container tightly sealed.         Store in cool dry place in hightly closed containers.         Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities         Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage and thomation available. <b>8 Exposure controls/personal protection</b> Additional information about design of technical systems: Properly operating chemical lume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data         Exposure controls Personal protective and hygient (more all solied and containing the mediately). Wash hands before break and at the and to dow Keep away from footstifts, beverages and feed. Remove all solied and containing of dow of the down Mediately. Wash hands before breaks and at the and of work. More and protective agription the equipment General protective and hygient or mediately. Wash hands before breaks and at the and to work for one form the solid and approved under appropriate government standards. Recommended filter device for short term use: Use a respirator with hygie (SUM) or P(SUM) 100; carridges as a backup to engineering controls. Risk assessment should be performed to determine if ali- puffying respirators are appropriate. Ordor: Not determined	Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: Substance is not listed.	
Additional information about design of technical systems: Properly operaling chemical tume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain a regronmically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommeded filter device for short term use: Use a respirator with type N95 (USA) or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- punfying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervicus gloves prior to each use for their proper condition. The selection of suitable gloves not only dependent on the steel and approved under appropriate government standards. Protection is Settly glasses with side shields / NIOSH (US) or EN 166(EU) Body protective: Protective work clothing. <b>9 Physical and chemical properties</b> Information on basic physical and chemical properties General Information Appearance: Form: Powder Odor: Not determined	Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.	
Information on basic physical and chemical properties General Information Appearance: Form: Powder Odor: Not determined	<ul> <li>8 Exposure controls/personal protection</li> <li>Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.</li> <li>Control parameters</li> <li>Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>Additional information: No data</li> <li>Exposure controls</li> <li>Personal protective equipment</li> <li>General protective and hygienic measures</li> <li>The usual precaultionary measures for handling chemicals should be followed.</li> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Remove all solied and contaminated clothing immediately.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes and skin.</li> <li>Maintain an ergonomically appropriate working environment.</li> <li>Breating equipment: Use suitable respirator when high concentrations are present.</li> <li>Recommended filter device for short term use:</li> <li>Use a respirator with type N95 (USA) or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to dee purforment of hands:</li> <li>Impervious gloves</li> <li>Check protective gloves prior to each use for their proper condition.</li> <li>The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.</li> <li>Eye portection: Safety glasses with side shields / NIOSH (US) or EN 166(EU)</li> <li>Body protection: Protective vork clothing.</li> </ul>	termine if air-
	Information on basic physical and chemical properties General Information Appearance: Form: Powder	
		(Contd. on page 3)



## Product name: Thulium(III) trifluoromethanesulfonate

Product name: Inulium(III) trifluoror	
	(Contd. of page 2
Odor threshold:	Not determined.
pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not applicable. Not determined Not determined Not determined
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable Not determined Not determined Not determined Not determined Not determined.
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Product does not present an explosion hazard. Not determined Not applicable. Not determined Not determined. Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recomm Thermal decomposition / conditions to Possibility of hazardous reactions Rea Conditions to avoid No further relevant Incompatible materials: Oxidizing ager. Hazardous decomposition products: Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Hydrogen fluoride Toxic metal oxide fume Thulium oxide	information available.
Reproductive toxicity: No effects know Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: No effect	kin and mucous membranes. ect. wwn. wn. on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. n. <b>- repeated exposure:</b> No effects known. <b>- single exposure:</b> May cause respiratory irritation.
12 Ecological information Toxicity Aquatic toxicity: No further relevant infor Persistence and degradability No furth Bioaccumulative potential No further re Mobility in soil No further relevant inforn Additional ecological information: General notes: Do not allow material to be released to th Do not allow undiluted product or large q Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant	er relevant information available. elevant information available. mation available. he environment without proper governmental permits. uuantities to reach ground water, water course or sewage system.
13 Disposal considerations Waste treatment methods Recommendation Consult state, local o Uncleaned packagings: Recommendation: Disposal must be me	r national regulations to ensure proper disposal. ade according to official regulations.

(Contd. on page 4)

Product name: Thulium(III) trifluoromethanesulfonate

	(Contd. of page 3)	
14 Transport information		
UN-Number	Net	
DOT, ADN, IMDG, IATA UN proper shipping name	Not applicable	
DOT, ADR, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA		
	Not applicable	
Environmental hazards: Marine pollutant (IMDG):	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the	e IBC Code Not applicable.	
Transport/Additional information: DOT		
Marine Pollutant (DOT):	No	
UN "Model Regulation":	Not applicable	
15 Regulatory information         Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms         Wight         GHS07         Signal word Warning Hazard statements         H316 Causes skin Initiation. H315 Causes skin Initiation I		
conformance with this Safety Data Sheet, or in combination with any of Department issuing SDS: Global Marketing Department Date of preparation/Revision: Print date, revision date and version (		