

Safety Data Sheet per OSHA HazCom 2012



	(Contd. of page 1)
4 First-aid measures	
Description of first aid measures	
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.	
Seek îmmediate medical advice.	
After skin contact Immediately wash with water and soap and rinse thoroughly.	
Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor	
Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.	
Special hazards arising from the substance or mixture	
If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide	
Hydrogen chloride (HCI)	
Hydrogen chloride (HCI) Phosphorus oxides Nickel oxides	
Advice for firefighters	
Protective equipment: Wear self-contained respirator.	
Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course.	
Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling	
Handle under dry protective gas.	
Keep container tightly sealed. Store in cool, dry place in tightly closed containers.	
Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.	
Open and handle container with care. Information about protection against explosions and fires: No information known.	
Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: No special requirements.	
Information about storage in one common storage facility:	
Store away from water/moisture.	
Store away from oxidizing agents. Further information about storage conditions:	
Store under dry inert gas. This product is moisture sensitive.	
Keep container tightly sealed.	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water.	
Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water.	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace:	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(triphenylphosphine)nickel(II) (100.0%) PEL (USA) Long-term value: 1 mg/m ³	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(triphenylphosphine)nickel(II) (100.0%) PEL (USA) Long-term value: 1 mg/m³	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(triphenylphosphine)nickel(II) (100.0%) PEL (USA) Long-term value: 1 mg/m ³ as Ni REL (USA) Long-term value: 0.015 mg/m ³ as Ni; See Pocket Guide App. A	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(triphenylphosphine)nickel(II) (100.0%) PEL (USA) Long-term value: 1 mg/m³ as Ni REL (USA) Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.2 mg/m³	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(triphenylphosphine)nickel(II) (100.0%) PEL (USA) Long-term value: 1 mg/m³ as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.215 mg/m³ as Ni; inhalable fraction	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(triphenylphosphine)nickel(II) (100.0%) PEL (USA) Long-term value: 1 mg/m³ as Ni REL (USA) Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.2 mg/m³ as Ni; inhalable fraction EV (Canada) Long-term value: 0.1 mg/m³ Inhalable fraction, as Ni	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(triphenylphosphine)nickel(II) (100.0%) PEL (USA) Long-term value: 1 mg/m ³ as Ni REL (USA) Long-term value: 0.015 mg/m ³ as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.2 mg/m ³ as Ni; inhalable fraction EV (Canada) Long-term value: 0.1 mg/m ³ as Ni; EV (Canada) Long-term value: 0.1 mg/m ³ as Ni;	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(triphenylphosphine)nickel(II) (100.0%) PEL (USA) Long-term value: 1 mg/m ³ as Ni; REL (USA) Long-term value: 0.015 mg/m ³ as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.2 mg/m ³ as Ni; inhalable fraction EV (Canada) Long-term value: 0.1 mg/m ³ Inhalable fraction, as Ni Additional information: No data Exposure controls	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(tripheny/phosphine)nickel(ll) (100.0%) PEL (USA) Long-term value: 0.015 mg/m³ as Ni REL (USA) Long-term value: 0.2 mg/m³ as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.1 mg/m³ as Ni; inhalable fraction EV (Canada) EV (Canada) Long-term value: 0.1 mg/m³ as Ni Additional information: No data Exposure controls Personal protective equipment General protective equipment	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(tripheny/phosphine)nickel(ll) (100.0%) PEL (USA) Long-term value: 0.015 mg/m³ as Ni REL (USA) Long-term value: 0.2 mg/m³ as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.1 mg/m³ as Ni; inhalable fraction EV (Canada) EV (Canada) Long-term value: 0.1 mg/m³ as Ni Additional information: No data Exposure controls Personal protective equipment General protective equipment	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(triphenylphosphine)nickel(II) (100.0%) PEL (USA) Long-term value: 1 mg/m ³ as Ni REL (USA) Long-term value: 0.015 mg/m ³ as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.2 mg/m ³ as Ni; inhalable fraction EV (Canada) Long-term value: 0.1 mg/m ³ as Ni; inhalable fraction EV (Canada) Long-term value: 0.1 mg/m ³ Thatable fraction, as Ni Additional information: No data Exposure controls Personal protective equipment General protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 14264-16-5 Dichlorobis(triphenylphosphine)nickel(ll) (100.0%) PEL (USA) Long-term value: 0.015 mg/m³ as Ni REL (USA) Long-term value: 0.2 mg/m³ as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.1 mg/m³ as Ni; inhalable fraction EV (Canada) Long-term value: 0.1 mg/m³ phalable fraction, as Ni Additional information: No data Exposure controls Personal protective equipment General protective equipment	(Contd. on page 3)

Product name: Dichlorobis(triphenylphosphine)nickel(II)

Ctava avatastiva alathiran asasatah	(Contd. of page 2)	
Store protective clothing separately.	orking environment. pirator when high concentrations are present.	
Reathing equinment: Use suitable res	Uning Environment.	
Recommended filter device for short t	onator when high concentrations are present.	
Use a respirator with type P100 (USA) o	r P3 (FN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-	
purifying respirators are appropriate. Or	r P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- ly use equipment tested and approved under appropriate government standards.	
Protection of hands:		
Impervious aloves		
Check protective gloves prior to each us	e for their proper condition.	
Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm		
Material of gloves Nitrile rubber, NBR		
Penetration time of glove material (in	minutes) 480	
Glove thickness 0.11 mm		
Eve protection: Safety glasses		
Body protection: Protective work clothin	ng.	
9 Physical and chemical properties		
Information on basic physical and che	emical properties	
General Information		
Appearance:		
Form:	Crystalline powder	
Color: Odor:	Grey to green to black Odorless	
Odor: Odor threshold:		
	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	ca 225 °C (ca 437 °F) (dec)	
Boiling point/Boiling range:	Not determined	
_Sublimation temperature / start:	Not determined	
Flammability (solid, gaseous)	Not determined.	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Auto igniting:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Vapor pressure:	Not applicable. Not determined	
Density:		
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with	Inaclubia	
Water: Partition coofficient (n-octanol/water)	Insoluble Not dotermined	
Partition coefficient (n-octanol/water):	Not determined.	
Viscosity: dynamic:	Not applicable.	
kinematic:	Not applicable.	
Other information	Not applicable. No further relevant information available.	
10 Stability and reactivity		
•		

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Water/moisture Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen chloride (HCI) Phosphorus oxides (e.g. P2O5) Nickel oxides 11 Toxicological information Information on toxicological effects Acute toxicity: Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation Sensitization: May cause an allergic skin reaction. Germ cell mutagenicity: No effects known. Carcinogenicity: Carcinogenicity: May cause cancer. IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity. ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans. NTP-K: Known to be carcinogenic: sufficient evidence from human studies. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. (Contd on page

Product name: Dichlorobis(triphenylphosphine)nickel(II)

Page 4/5 Printing date 11/24/2015 Reviewed on 11/19/2014

Product name: Dichlorobis(triphenylphosphine)nickel(II)		
	(Contd. of page 3)	
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.		
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	disposal.	
14 Transport information		
UN-Number DOT, ADN, IMDG, IATA	Not applicable	
UN proper shipping name DOT, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, IMDG, IATA	Not applicable	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	> Not applicable.	
Transport/Additional information: DOT		
Marine Pollutant (DOT):	No	
UN "Model Regulation":		
Safety, health and environmental regulations/legislation specific for the su GHS label elements The product is classified and labeled in accordance with 2 Hazard pictograms GHS07 GHS08 Signal word Danger	ibstance or mixture 9 CFR 1910 (OSHA HCS)	
Hazard statements H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H350 May cause cancer. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P281 Use personal protective equipment as required. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor//if you feel unwell. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations Mational regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).		
SARA Section 313 (specific toxic chemical listings) 14264-16-5 Dichlorobis(triphenylphosphine)nickel(II)		
California Proposition 65 Prop 65 - Chemicals known to cause cancer		
14264-16-5 Dichlorobis(triphenylphosphine)nickel(II)		
 Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified indiv. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulati The conditions of restrictions according to Article 67 and Annex XVII of the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance safety assessment: A Chemical Safety Assessment has not been carbonal conditions of restrictions 	ions (EC) No. 1907/2006. Substance is not listed. e Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the	
16 Other information Employers should use this information only as a supplement to other information	n gathered by them, and should make independent judgement of suitability of this s. This information is furnished without warranty, and any use of the product not in ther product or process, is the responsibility of the user. (Contd. on page 5)	

Product name: Dichlorobis(triphenylphosphine)nickel(II)

(Contd. of page 4)

USA

Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal dose, 50 percent UPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MHIS: Mational Toxicology Program (USA)
NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)