

Safety Data Sheet per OSHA HazCom 2012

Reviewed on 05/14	4/2014
1 Identification	
Product identifier Product name: Lithium tetrafluoroborate	
Stock number: CAS Number: 14283-07-9 EC number: 238-178-9	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier	
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com	
www.alta.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05 GHS07	
Signal word Danger	
Hazard statements H302+H332 Harmful if swallowed or if inhaled. H314 Causes severe skin burns and eye damage.	
Precautionary statements	
P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D2B - Toxic material causing other toxic effects E - Corrosive material	
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH Image: Health (acute effects) = 3 FIRE Image: Flammability = 0 Image: Reactivity 1 Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
14283-07-9 Lithium tetrafluoroborate Identification number(s): EC number: 238-178-9	
	USA
(Contd. on)	page 2)

Product name: Lithium tetrafluoroborate

Product name: Lithium tetrafluoroborate	
	(Contd. of page 1)
4 First-aid measures	
Description of first aid measures	
General information Immediately remove any clothing soiled by the product. After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact Immediately wash with water and soap and rinse thoroughly.	
Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delayed	
Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage.	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media	
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture	
If this product is involved in a fire, the following can be released: Hydrogen fluoride (HF)	
Boron oxide	
Lithium oxide Advice for firefighters	
Protective equipment:	
Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions: Do not allow product to reach sewage system or any water course. Motheds and material for containment and cleaning up:	
Use neutralizing agent. Dispose of contaminated material as waste according to section 13.	
Prevention of secondary hazards: No special measures required. Reference to other sections	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling	
Precautions for safe handling Handle under dry protective gas.	
Keep container tightly sealed.	
Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.	
Information about protection against explosions and fires: The product is not flammable	
Conditions for safe storage, including any incompatibilities Storage	
Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:	
Store away from water/moisture.	
Do not store together with acids. Store away from strong bases. Store away from oxidizing agents.	
Further information about storage conditions:	
Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed.	
Keep container tigs sealed.	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.	
Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters	
Components with limit values that require monitoring at the workplace:	
14283-07-9 Lithium tetrafluoroborate (100.0%) PEL (USA) Long-term value: 2.5 mg/m³	
as F	
REL (USA) Long-term value: 2.5 mg/m³ as F	
TLV (USA) Long-term value: 2.5 mg/m ³	
EL (Canada) Long-term value: 2.5 mg/m³	
as F	(Contra on page 2)
	(Contd. on page 3)

(Contd. on page 3)

Product name: Lithium tetrafluoroborate

	(Contd. of page 2
Ingredients with biological limit valu	
14283-07-9 Lithium tetrafluoroborate	(100.0%)
BEI (USA) 2 mg/L Medium: urine	
Time: prior to shift	
Parameter: Fluoride (backg	around nonspecific)
i alameteri i aenae (baeng	
3 mg/L	
Medium: urine	
Time: end of shift	
Parameter: Fluoride (backg	round, nonspecific)
Additional information: No data	
Exposure controls	
Personal protective equipment	
General protective and hygienic mea	asures
The usual precautionary measures for	handling chemicals should be followed.
Keep away from foodstuffs, beverages Remove all soiled and contaminated cl	and feed.
Wash hands before breaks and at the	otning immediately.
Avoid contact with the eves and skin	
Maintain an ergonomically appropriate	working environment. spirator when high concentrations are present.
Breathing equipment: Use suitable re	spirator when high concentrations are present.
Recommended filter device for shore	t term use:
Use a respirator with type P100 (USA)	or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Dnly use equipment tested and approved under appropriate government standards.
purifying respirators are appropriate. C	Inly use equipment tested and approved under appropriate government standards.
Protection of hands:	
Impervious gloves	
Check protective gloves prior to each u	ise for their proper condition.
Material of aloves Nitrile rubber NPP	ise for their proper condition. Iy depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Penetration time of glove material (ii	n minutes) Not determined
Fve protection:	r minutes) Not determined
Eye protection: Tightly sealed goggles	
Full face protection	
Body protection: Protective work clotl	hing.
9 Physical and chemical propertie	is
Information on basic physical and cl	nemical properties
General Information Appearance:	
Form:	Powder
Color:	White to off-white
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	293-300 °C (559-572 °F) (dec)
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	
Sublimation temperature / start: Flammability (solid, gaseous)	Not determined Not determined Not determined.
Sublimation temperature / start: Flammability (solid, gaseous)	Not determined Not determined Not determined. Not determined
Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	Not determined Not determined Not determined Not determined Not determined
Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined Not determined. Not determined
Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion:	Not determined Not determined Not determined Not determined Not determined
Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits:	Not determined Not determined Not determined Not determined Not determined Not determined Not determined.
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower:	Not determined Not determined Not determined Not determined Not determined Not determined. Not determined. Not determined
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper:	Not determined Not determined Not determined Not determined Not determined Not determined. Not determined.
Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure:	Not determined Not determined Not determined Not determined Not determined Not determined. Not determined. Not determined Not determined Not determined Not determined Not determined
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density:	Not determined Not determined Not determined Not determined Not determined Not determined. Not determined Not determined Not determined Not determined Not determined Not determined
Sublimation temperature' start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density	Not determined Not determined Not determined Not determined Not determined Not determined. Not determined Not determined Not determined Not applicable. Not determined Not determined
Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density	Not determined Not determined
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Vapor ation rate	Not determined Not determined Not determined Not determined Not determined Not determined. Not determined Not determined Not determined Not applicable. Not determined Not determined
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with	Not determined Not determined
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water:	Not determined Not determined Soluble
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water	Not determined Not determined Soluble
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water Viscosity:	Not determined Not deplicable. Not deplicable. Not applicable. Not applicable.
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water Viscosity: dynamic:	Not determined Not deplicable. Not deplicable. Not applicable. Not applicable.
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water Viscosity:	Not determined Not applicable. Not applicable. Not applicable. Not applicable.
Sublimation temperature' start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water Viscosity: dynamic: kinematic:	Not determined Not deplicable. Not deplicable. Not applicable. Not applicable. Not applicable.
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water Viscosity: dynamic: kinematic: Other information	Not determined Not deplicable. Not deplicable. Not applicable. Not applicable. Not applicable.
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water Viscosity: dynamic: kinematic:	Not determined Not deplicable. Not deplicable. Not applicable. Not applicable. Not applicable.
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water Viscosity: dynamic: kinematic: Other information	Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not applicable. Not applicable. Soluble p: Not determined. Not applicable. Not applicable.
Sublimation temperature' / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water Viscosity: dynamic: kinematic: Other information 0 Stability and reactivity Reactivity No information known. Chemical stability Stable under recon	Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not applicable. Not applicable. Soluble p: Not determined. Not applicable. Not applicable.

Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Acids Water/moisture Bases Oxidizing agents Hazardous decomposition products: Hydrogen fluoride Boron oxide Lithium oxide

USA (Contd. on page 4)

(Contd. of page 3)

11 Toxicological information	
Information on toxicological effects Acute toxicity:	
Harmful if inhåled.	
Harmful if swallowed. Swallowing will lead to a strong corrosive effect on mouth and throat and to	o the danger of perforation of esophagus and stomach
Swallowing will lead to a strong corrosive effect on mouth and throat and to LD/LC50 values that are relevant for classification: No data	
Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage.	
Sonsitization: No sensitizing effects known	
Germ cell mutagenicity: No effects known. Carcinogenicity: EPA-I: Data are inadequate for an assessment of huma	n carcinogenic potential.
Reproductive foxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects I	
Specific target organ system toxicity - single exposure: No effects kno	own.
Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known.	
Additional toxicological information: To the best of our knowledge the a	acute and chronic toxicity of this substance is not fully known.
12 Ecological information	
Toxicity	
Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available.	
Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.	
Additional ecological information:	
General notes: Avoid transfer into the environment. Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable. Other adverse effects No further relevant information available.	
13 Disposal considerations	
Waste treatment methods	
Recommendation Consult state, local or national regulations to ensure pr	roper disposal.
Uncleaned packagings: Recommendation: Disposal must be made according to official regulation	18
Recommended cleansing agent: Water, if necessary with cleansing agent	nts.
14 Transport information	
UN-Number DOT, IMDG, IATA	UN3260
UN proper shipping name	0110200
DOT I III O IMDG, IATA	Corrosive solid, acidic, inorganic, n.o.s. (Lithium tetrafluoroborate) CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Lithium tetrafluoroborate)
Transport hazard class(es)	
DOT	
Class	8 Corrosive substances.
Label	8
Class Label	8 (C2) Corrosive substances 8
IMDG, IATA	
<u> </u>	
\checkmark	
Class Label	8 Corrosive substances. 8
Packing group DOT, IMDG, IATA	
DOT, IMDG, IATA Environmental hazards:	III Not applicable.
Special precautions for user	Warning: Corrosive substances
EMS Number: Segregation groups	F-A,S-B Acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC	
Transport in bulk according to Annex II of MARPOL/3//8 and the IBC Transport/Additional information:	
Transport/Additional information: DOT	No
Transport/Additional information: DOT Marine Pollutant (DOT):	No UN3260, Corrosive solid, acidic, inorganic, n.o.s. (Lithium tetrafluoroborate), 8, III
Transport/Additional information: DOT	No UN3260, Corrosive solid, acidic, inorganic, n.o.s. (Lithium tetrafluoroborate), 8, III

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



(Contd. on page 5)

USA

Product name: Lithium tetrafluoroborate

(Contd. of page 4) Signal word Danger Hazard statements H302+H332 Harmful if swallowed or if inhaled. H314 Causes severe skin burns and eye damage.

 H314
 Causes severe skin burns and eye damage.

 Precautionary statements

 P260
 Do not breathe dust/fume/gas/mist/vapours/spray.

 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

 P405
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, compared Substance is not listed. Prop 65 - Developmental toxicity, compared Substance is not listed. Prop 65 - Developmental toxicity, compared Substance is not listed. Prop 65 - Developmental toxicity, compared Substance is not listed. Prop 65 - Developmental toxicity, compared Substance is not listed. Prop 65 - Developmental toxicity, compared Substance is not listed. Prop 65 - Developmental toxicity of the Cancer of Substance is not listed. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. National regulations market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acromys: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMOG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances (CAS: Chemical Abstracts Service (division of the American Chemical Substances (CAS: Chemical Abstracts Service (division of the American Chemical Substances (CAS: Chemical Abstracts Service (division of the American Chemical Substances (CAS: Chemical Abstraction States and Health Administration (USA) MTP: National Toxicology Program (USA) MARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)