



Page 1/5 Printing date 10/16/2017 Revision date 10/13/2017 Version 2

1 Identification

Product identifier

Product name: Potassium orthovanadate

Stock number: 39502 CAS Number: 14293-78-8 EC number:

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation. **Hazards not otherwise classified** No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS06

Signal word Danger

Hazard statements H331 Toxic if inhaled. H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray
P260 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves / eye protection / face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INFALED: Remove person to fresh air and keep comfortable for breathing.
Store locked up.
P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. **WHMIS classification**

D1B - Toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 0
WIY 1 Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 14293-78-8 Potassium orthovanadate

Concentration: ≤100%

(Contd. on page 2)

Product name: Potassium orthovanadate

Identification number(s): EC number: 238-220-6

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed.

Most important symptoms and effects, both acute and delayed Causes skin irritation.
Causes serious eye irritation.

Toxic if inhaled.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Potassium oxide

Vanadium oxides
Advice for firefighters

Protective equipment:Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals
PAC-1: 0.021 mg/m3
PAC-2: 0.23 mg/m3
PAC-3: 160 mg/m3

7 Handling and storage

Handling Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Impervious gloves

Impervious gloves

(Contd. on page 3)

Product name: Potassium orthovanadate

(Contd. of page 2)

Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses with sides shields / NIOSH (US) or EN 166(EU)

Not applicable.

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Granules Odor: Odor threshold: Odorless Not determined

pH-value:

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start: Not determined Not determined Not determined Submination temperature / Si Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Not determined Not determined Not determined Not determined.

Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Not determined. Not determined Not determined Not applicable. Not determined Density: Relative density Not determined. Vapor density Evaporation rate Not applicable. Not applicable. Solubility in / Miscibility with

Water:

Partition coefficient (n-octanol/water): Not determined. Viscosity:

dynamic: kinematic:

Not applicable. Not applicable. No further relevant information available. Other information

Soluble

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.
Incompatible materials: Oxidizing agents
Hazardous decomposition products:

Potassium oxide Vanadium oxides

11 Toxicological information

Information on toxicological effects
Acute toxicity: Toxic if inhaled.

LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effects known.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

General notes:
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.
Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

(Contd. on page 4)

Product name: Potassium orthovanadate

(Contd. of page 3) Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents. 14 Transport information UN-Number DOT, IMDG, IATA UN3285 UN proper shipping name DOT ADR Vanadium compound, n.o.s. (Potassium orthovanadate) 3285 Vanadium compound, n.o.s. (Potassium orthovanadate) VANADIUM COMPOUND, N.O.S. (Potassium orthovanadate) IMDG, IATA Transport hazard class(es) DOT Class 6.1 Toxic substances Label ADR 6.1 (T5) Toxic substances 6.1 Class Label IMDG, IATA 6.1 Toxic substances 6.1 Label Packing group DOT, ADR, IMDG, IATA IIIEnvironmental hazards: Not applicable. Special precautions for user Warning: Toxic substances EMS Number F-A,S-À Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg Quantity limitations Marine Pollutant (DOT): **IMDG** 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Limited quantities (LQ) Excepted quantities (ÉQ) UN 3285 VANADIUM COMPOUND, N.O.S. (POTASSIUM ORTHOVANADATE), UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS06

Signal word Danger Hazard statements H331 Toxic if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves / eye protection / face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations National regulations.

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

14293-78-8 Potassium orthovanadate

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.

(Contd. on page 5)

(Contd. of page 4)

Product name: Potassium orthovanadate

Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doneentration, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal doneentration, 50 percent
LD50: Lethal doneentration, 50 percent
CAS: Very Persistent, Biosocumulative and Toxic
SVHC: Substances of Very High Concern
VP/B: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
MTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 3: Acute toxicity — Category 2
Eye Irit. 2A: Serious eye damage/eye irritation — Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) — Category 3

USA