

Safety Data Sheet per OSHA HazCom 2012

1 Identification Product identifier Product name: Chromium(III) sulfate hydrate Stock number: A16340 CAS Number: 15244-38-9 15244-38-9 EC number: Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. Inerrito Fisher Scheman C. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) ! GHS07 Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms 1 GHS07 Signal word Warning Hazard statements H302+H332 Harmful if swallowed or if inhaled. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. H315 H319 H317 Precautionary statements

 Precautionary statements

 P261
 Avoid breathing dust/fume/gas/mist/vapours/spray.

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P304+P340
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

 P362
 Take off contaminated clothing.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 WHMIS classification D2B - Toxic material causing other toxic effects T Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) 2 0 Health (acute effects) = 2**EXAMPLE 1** Flammability = 0 **EACTIVITY 1** Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 15244-38-9 Chromium(III) sulfate hydrate Identification number(s): EC number: 233-253-2 4 First-aid measures Description of first aid measures After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Safety Data Sheet per OSHA HazCom 2012

South or number and board on the first operation of south for coupling.	roduct name: Chromium(III) sulfate hydrate	
5 Fire-fighting measures Extragativity mean Extragativity and the	After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor	(Contd. of page 1)
Personal presentions, protective equipment and emergency procedures Wear protective equipment. Allow product to mech servage system or any water course. Wethods and the meterial for cone not allow product to mech servage system or any water course. Wethods and meterial for cone not allow product to mech servage system or any water course. Wethods and the meterial for cone not allow product to mech servage system or any water course. Wethods and the meterial for cone not allow product to mech servage system or any water course. Wethods and the meterial for cone of the second product to mech servage system or any water course. Wethods and the meterial for containment and emergency procedures See Section 13 for disposed information. Wethods and storage Hading Hading and storage Hading And Hading And Hading Hading And Hading And Had	5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Sulfur oxides (SOx) Chromium oxides Advice for firefighters Protective equipment: Wear self-contained respirator.	
Handling Precautions for safe handling Handle under dry protective gas. Keep containers following each obset do containers. Ensure good venilation at the vorkplace. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from without storage in one common storage facility: Store away from without storage conditions: Store away from without storage conditions: Store under dry inert gas. This product is hyperoscopic More and the storage conditions: Store under dry inert gas. This product is hyperoscopic More and the storage conditions: Store under dry inert gas. The special is hyperoscopic More and the storage conditions: Store under dry inert gas. The product for humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Propert for humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of the hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with illini values that require monitoring at the workplace: 15243-38 C formainu(iii) sultate hydrate (100.0%) PEL (USA) Long-term value: 0.5 mg/m ³ as Cr The Usual protective supports Reasonal protective supports Reas	Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.	
Additional information about design of technical systems: Properly operating chemical furme hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 15244-38-9 Chromium(III) sulfate hydrate (100.0%) PEL (USA) Long-term value: 0.5 mg/m³ as Cr TLV (USA) Long-term value: 0.5 mg/m³ as Cr Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual proceautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and fed. Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain a ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended litter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- purifying respirators are appropriate working enuipment tested and approved	Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storeage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water.	
Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480	Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 15244-38-9 Chromium(III) sulfate hydrate (100.0%) PEL (USA) Long-term value: 0.5 mg/m³ as Cr TLV (USA) Long-term value: 0.5 mg/m³ as Cr Additional information: No data	
	Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR	

Glove thickness 0.11 mm Eye protection: Safety glasses Body protection: Protective work clothing.

(Contd. of page 2)

9 Physical and chemical properties	
Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor: Odor threshold:	
pH-value:	Not applicable.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined Not determined Not determined Not determined Not determined Not determined.
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water):	Not determined. Not determined Not determined Not applicable. Not determined. Not applicable. Not applicable. Soluble Not determined.
Viscosity: dynamic: kinematic: Other information	Not applicable. Not applicable. No further relevant information available.
10 Stability and reactivity	

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions to be avoided. Decomposition will Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Water/moisture *Nation agents Hazardous decomposition products: Sulfur oxides (SOx) Chromium oxides* 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if inhaled. Harmful if swallowed. The following RTECS statement/statements refer to the anhydrous compound: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: May cause an allergic skin reaction. **Germ cell mutagenicity:** The following RTECS statement/statements refer to the anhydrous compound: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Carcinogenicity: EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available. EPA-CBD: Carginogenic potential cannot be determined. IARC-3: Not classifiable as a to carcinogenicity to humans. ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals. Reproductive toxicity: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Product name: Chromium(III) sulfate hydrate (Contd. of page 3) Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents. 14 Transport information UN-Number DOT, ADN, IMDG, IATA Not applicable UN proper shipping name DOT, ADN, IMDG, IATA Not applicable Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Not applicable Class Packing group DOT, IMDG, IATA Not applicable Not applicable. Environmental hazards: Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": -15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms ! GHS07 Signal word Warning Hazard statements H302+H332 Harmful if swallowed or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. Precautionary statements Preclationary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P362 Take off contaminated clothing. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. P362 P501 National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) 15244-38-9 Chromium(III) sulfate hydrate 15244-38-9 Chromium(III) sultate nyarate California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / -Date of preparation / last revision 11/24/2015 / -Abbreviations and accomyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transportation EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LCS0: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

Product name: Chromium(III) sulfate hydrate

vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Page 5/5 Printing date 11/24/2015 Reviewed on 10/13/2014

(Contd. of page 4)

USA