



1 Identification
Product identifier
Product name: <u>Ethyl 2-cyano-2-methylpropionate</u> Stock number: H31432
CAS Number: 1572-98-1
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet
Manufacturer/Supplier:
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fel: 800-343-0660
Ward Hill, MA 01835-8099 Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com
www.alfa.com Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS05 Corrosion
Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Acute Tox. 4 H302 Harmful if swallowed. Hazards not otherwise classified No information known.
Label elements
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
\land
GHS05 GHS07
Signal word Danger Hazard statements
H302 Harmful if swallowed. H318 Causes serious eye damage.
Precautionary statements P280 Wear protective gloves/protective clothing/eve protection/face protection.
P270 Do not eat, drink or smoke when using this product
P305+P351+P38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor.
P330 Rinse mouth.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification
D2B - Toxic material causing other toxic effects
(T)
Classification system
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH 2 Health (acute effects) = 2
FIRE I Flammability = 1 REACTIVITY I Physical Hazard = 1
Other hazards
Results of PBT and vPvB assessment PBT: Not applicable.
vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterization: Substances CAS# Description:
1572-98-1 Ethyl 2-cyano-2-methylpropionate
4 First-aid measures
Description of first aid measures After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.
After skin contact Immediately wash with water and soap and rinse thoroughly.
Seek immédiate medical advice. (Contd. on page 2)

After sep contact floors opened up to several minutes under numbing water. Then consult a doctor. Hormation for actors Hormation Hormati		Revision date 06/08/2016
After sep contact floors opened up to several minutes under numbing water. Then consult a doctor. Hormation for actors Hormation Hormati	Product name: Ethyl 2-cyano-2-methylpropionate	
Exitingle string media State a group of a life, the following can be released: Carbon monotone and can on doorde, exitinguishing powder or water spory. Fight larger fires with water spory or alcohol resistant foam. If the product is provided in a fire, the following can be released: Carbon monotone and can on doorde Were sport of the sport	After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Harmful if swallowed. Causes serious eve damage.	(Contd. of page 1)
Personal precautions, protective equipment and emergency procedures. Wear produce equipment, they uppolete the prosine away. Emergence equipment, they uppolete the provide the precedure equipment and emergence proceedures. Wethous and interfails for containment and claiming up: Asson with liquid-handing maching states. Provention of econdary hazards: No special measures required. Proventions for safe handling Proceutions for safe	Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistan Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen cyanide (HCN) Nitrogen oxides (NOx) Advice for firefighters Protective equipment: Wear self-contained respirator.	ıt foam.
Handling Processions for safe handling Keep container lightly sealed. Strie in cool, dry place in lightly closed containers: Ensume poor abmitter in the procession and fires: No information known. Conditions for safe handling Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Specific end use(s) No further relevant information available. 8 Exposure controls/presonal protection Additional information about sets or protection Additional information about design of technical systems: Properly operating chemical lume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General with multi-purpose combination (LS) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to design of the based appropriate. Only use appropriate of the start appropriate government standards such as NDSH (USA) or design of the start appropriate on the milental, but also on quality. Quality will vary from manufacturer to manufacturer. Body protection: Protective equipment to be subhabe respirator when high concentrations are present. Recommended filter device for short them use: Uses a respirator with multi-purpose combination (US) or type ABEK (EN 14387	 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling 	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective equipment General protective equipment General protective read hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and fed. Remove all solied and contaminated obting immediately. Wash hands before breaks and a the end of work. Do not inhale dust / smoke / mist. Avoid contact with the eyes. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands: Impervious gloves Check protection: Protective work clashing. 9 Physical and chemical properties General Information Appearance: Form: Liquid Moit determined	Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.	
Information on basic physical and chemical properties General Information Appearance: Form: Liquid Odor: Not determined	 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical turne hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minu Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective equipment General protective and hygienic measures The usual proceationary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the eyes. Maintain an ergonomically appropriate working environment. Breating equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment shot determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards su CEN (EU). Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. 	ould be performed to
(Contrd on nar	Information on basic physical and chemical properties General Information Appearance: Form: Liquid	
		(Contd. on page 3)

Product name: Ethyl 2-cyano-2-methylpropionate

Page 3/4 Printing date 06/09/2016 Revision date 06/08/2016

Product name: Ethyl 2-cyano-2-meth	hylpropionate	
		(Contd. of page 2)
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not determined 185 °C (365 °F)	
Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature:	Not determined Not determined.	
Ignition temperature: Decomposition temperature:	Not determined Not determined	
Auto igniting:	Not determined.	
Danger of explosion: Explosion limits:	Not determined.	
Lower: Upper:	Not determined Not determined	
Vapor pressure: Density at 20 °C (68 °F):	Not determined 0.97 g/cm³ (8.095 lbs/gal)	
Vapor density	Not determined. Not determined.	
Evaporation rate Solubility in / Miscibility with	Not determined.	
Water: Partition coefficient (n-octanol/water). Viscosity:	Not miscible or difficult to mix): Not determined.	
Viscosity: dynamic: kinomotio:	Not determined.	
kinematic: Other information	Not determined. No further relevant information available.	
10 Stability and reactivity		
Chemical stability Stable under recommendations (Thermal decomposition / conditions (nmended storage conditions. to be avoided: Decomposition will not occur if used and stored according to specifications. eacts with strong oxidizing agents	
Possibility of hazardous reactions Re Conditions to avoid No further relevant	exts with strong oxidizing agents information available.	
Incompatible materials: Oxidizing ager Hazardous decomposition products:	ents	
Carbon monoxide and carbon dioxide		
Hydrogen cyanide Nitrogen oxides		
11 Toxicological information		
Information on toxicological effects Acute toxicity: Harmful if swallowed.		
LD/LC50 values that are relevant for c Skin irritation or corrosion: May cause	se irritation	
Eve irritation or corrosion: Causes set	erious eve damage.	
Sensitization: No sensitizing effects kno Germ cell mutagenicity: No effects kno Carcinogenicity: No classification data	a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.	
Reproductive toxicity: No effects know	wn.	
Aspiration hazard: No effects known.	 repeated exposure: No effects known. single exposure: No effects known. 	
Subacute to chronic toxicity: No effec	cts known. : To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	
Carcinogenic categories		
	alth Administration) Substance is not listed.	
12 Ecological information Toxicity		
Aquatic toxicity: No further relevant info	formation available.	
Persistence and degradability No furth Bioaccumulative potential No further r Mobility in soil No further relevant infor	relevant information available. relevant information available.	
Additional ecological information: General notes:		
	quantities to reach ground water, water course or sewage system.	
Results of PBT and vPvB assessment PBT: Not applicable.	it	
vPvB: Not applicable. vPvB: Not applicable. Other adverse effects No further releva	ant information available	
13 Disposal considerations Waste treatment methods		
	or national regulations to ensure proper disposal.	
Recommendation: Disposal must be m	nade according to official regulations.	
14 Transport information		
UN-Number DOT, ADN, IMDG, IATA	Not applicable	
UN proper shipping name DOT, ADN, IMDG, IATA		
DOT, ADN, IWDG, IATA	Not applicable	(Contd. on page 4)
		USA —

roduct name: Ethyl 2-cyano-2-methylpro	pionate
	(Contd. of page
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	Not applicable
Packing group DOT, IMDG, IATA	Not applicable
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
	ARPOL73/78 and the IBC Code Not applicable.
Transport/Additional information:	
DOT	
Marine Pollutant (DOT):	No
UN "Model Regulation":	-
GHS label elements The product is classified a Hazard pictograms	s/legislation specific for the substance or mixture and labeled in accordance with 29 CFR 1910 (OSHA HCS)
P305+P351+P338 IF IN EYES: Rinse cautiously P310 Immediately call a POISON (Interpretation in the call a POISON (Interpretation interpretation interpre	ISON CENTER/doctor if you feel unwell. er in accordance with local/regional/national/international regulations. ntal Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restric t must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This ses or in formulations for commercial purposes. estic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL). istings) Substance is not listed. Substance is not listed. is not listed.
Employers should use this information only as a information to ensure proper use and protect the conformance with this Material Safety Data She Department issuing SDS: Global Marketing De Date of preparation / last revision 06/09/2016 Abbreviations and acronyms:	gereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)