

Safety Data Sheet acc. to OSHA HCS

Page 1/5 Printing date 02/15/2017 Revision date 02/14/2017

#### 1 Identification

Product identifier

Product name: Dichlorophenylsilane

Stock number: L04371 CAS Number:

1631-84-1 EC number:

216-635-3

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS05

Signal word Danger

Hazard statements

Hazard Statellerin. H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER/doctor.

P310 P405

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
B3 - Combustible liquid
D2B - Toxic material causing other toxic effects
E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH Dealth (acute effects) = 3
Flammability = 2
Flammability = 1
Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

# 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 1631-84-1 Dichlorophenylsilane Concentration: ≤100%

(Contd. on page 2)

## Product name: Dichlorophenylsilane

Identification number(s): EC number: 216-635-3

(Contd. of page 1)

#### 4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Silicon oxide
Hydrogen chloride (HCI)

Hydrogen chloride (HCl)
Advice for firefighters

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Absorb with liquid-binding material (sand, diatomite, acid binders, university use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

Handling Precautions for safe handling

Precautions for sate handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.

Vector intition sources away.

Keep ignition sources away.

## Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from water/moisture.

Store away from strong bases.

Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.

Specific end use(s) No further relevant information available

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.

(Contd. on page 3)

(Contd. of page 2)

## Product name: Dichlorophenylsilane

Wash hands before breaks and at the end of work.

Vash Hairds before breaks and at the end of work.

Do not inhale gases / furnes / aerosols.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of bands:

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

The selection of salitable gloves not only de Eye protection:
Tightly sealed goggles
Full face protection
Body protection: Protective work clothing.

#### 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Odor:

Liquid Not determined Odor threshold: Not determined pH-value: Not determined.

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined 181 °C (358 °F) Not determined 48 °C (118 °F) Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined Not determined

Danger of explosion: Explosion limits:

Auto igniting:

Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Lower: Not determined Upper: Not determined

Vapor pressure: Density at 20 °C (68 °F): Relative density Not determined 1.212 g/cm³ (10.114 lbs/gal) Not determined.

Nelative density Vapor density Evaporation rate Solubility in / Miscibility with Not determined Not determined Not determined Water: Partition coefficient (n-octanol/water): Not determined Viscosity:

dynamic: Not determined kinematic Not determined.

No further relevant information available. Other information

Not determined.

## 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials: Water/moisture

Bases
Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Silicon oxide

Hydrogen chloride (HCI)

# 11 Toxicological information

Information on toxicological effects
Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No effects known.
Carcinogenicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Subacute to chronic toxicity: No effects known.
Subacute to chronic toxicity: No effects known.
Carcinogenic categories

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

HSA (Contd. on page 4)

## Product name: Dichlorophenylsilane

(Contd. of page 3)

## 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional coelegical information.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.
Avoid transfer into the environment.
Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14	Transpor	t informat	tion
	UN-Numb	er	

DOT, IMDG, IATA	UN2986
UN proper shipping name DOT ADR IMDG, IATA	Chlorosilanes, corrosive, flammable, n.o.s. (Dichlorophenylsilane) 2986 Chlorosilanes, corrosive, flammable, n.o.s. (Dichlorophenylsilane) CHLOROSILANES. CORROSIVE. FLAMMABLE. N.O.S. (Dichlorophenylsilane)

#### Transport hazard class(es)





Class

8 Corrosive substances. 8+3

8 (CF1) Corrosive substances 8+3











	1
Class	

8 Corrosive substances. 8+3

Packing group DOT, ADR, IMDG, IATA

Environmental hazards:

Special precautions for user EMS Number: Segregation groups

Warning: Corrosive substances F-E,S-C Acids

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

11

Not applicable.

UN "Model Regulation":

UN2986, Chlorosilanes, corrosive, flammable, n.o.s. (Dichlorophenylsilane), 8 (3),

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS05

Sianal word Danger Hazard statements

H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.

H314 Causes severe skin burns and eye uamage.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

(Contd. on page 5)

(Contd. of page 4)

Printing date 02/15/2017 Revision date 02/14/2017

## Product name: Dichlorophenylsilane

P310 Immediately call a POISON CENTER/doctor.

P405 P501

Store lockéd up. Dispose of contents/container in accordance with local/regional/national/international regulations.

P501 Dispose of contents/container in accordance with local/regional/national/International regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. The conditions of restrictions according to Article 67 and Armex XVII of the Regulation (EC) if market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 02/15/2017 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transportation

DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) IMDG: International Air Transport Association

IATA: International Agraedus Materials Information System (USA)

WHMIS: Hazardous Materials Information System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal dose, 50 percent

LD50: Lethal dose, 50 percent

LD50: Lethal dose, 50 percent

VPUS: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

ARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Flam. Lig. 3: Flammable liquids, Hazard Category 18

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 18

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

USA