

Safety Data Sheet per OSHA HazCom 2012

ĸ	eviewed on 06/26/2009
1 Identification Product identifier	
Product name: 4-Chloro-2-(trifluoromethyl)phenyl isocyanate	
Stock number: L09850 CAS Number: 16588-69-5	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866)	928-0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS06 Skull and crossbones	
Acute Tox. 3 H331 Toxic if inhaled.	
GHS08 Health hazard	
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified Lachrymator Hazards not otherwise classified Lachrymator	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS06 GHS08 Signal word Danger Hazard statements	
H302 Harmful if swallowed. H331 Toxic if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. Precautionary statements	
P284 In case of inadequate ventilation wear respiratory protection. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue n P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification Network	insing.
DIB - Toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects	
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH 2 Health (acute effects) = 2	
FIRE II Flammability = 1 REACTIVITY II Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
	(Contd. on page 2)

Product name: 4-Chloro-2-(trifluoromethyl)phenyl isocyanate

(Contd. of page 1)

	(Contd. of page 1)
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description: 16595 60 5 4 Chara 2. (trifluoramethyl)phonyl isogyapate	
16588-69-5 4-Chloro-2-(trifluoromethyl)phenyl isocyanate	
4 First-aid measures Description of first aid measures	
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.	
Seek immediate medical advice. After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available.	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media	
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:	
If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide	
Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Hydrogen filoride (HCN) Hydrogen chloride (HF) Hydrogen chloride (HCI)	
Hydrogen fluoride (HF) Hydrogen chloride (HCI)	
Advice for intendifiers	
Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation Ensure model recently provide the second second to the environment without proper governmental permits	
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13.	
Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.	
Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
7 Handling and storage Handling	
Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed.	
Keep container tightly sealed. Ensure good ventilation at the workplace.	
Prevent formation of aerosols. Information about protection against explosions and fires: No information known.	
Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: Refrigerate	
Information about storage in one common storage facility: Store away from oxidizing agents. Protect from heat.	
Frotect from heat. Store away from water/moisture. Further information about storage conditions:	
Store under dry inert gas.	
This product is moisture sensitive. Keep container tightly sealed. Protect from humidity and water.	
Refrigerate Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters Components with limit values that require monitoring at the workplace: Not required.	
Additional information: No data Exposure controls	
Personal protective equipment General protective and hygienic measures	
I ne usual precautionary measures for nandling chemicals should be followed.	
Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.	
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present.	
Breatning equipment: Use suitable respirator when high concentrations are present.	(Contd. on page 3)
	-004

Product name: 4-Chloro-2-(trifluoromethyl)phenyl isocyanate

(Contd. of page 2)

Protection of hands:

Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Penetration time of glove material (in minutes)** Not determined **Eye protection:** Safety glasses **Body protection:** Protective work clothing.

9 Physical and chemical properties

Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor: Odor threshold:	Liquid Colorless Pungent Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 114-115 °C (237-239 °F) (10 mnHg) Not determined
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	94 °C (201 °F) Not determined. Not determined Not determined Not determined.
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Product does not present an explosion hazard. Not determined Not determined Not determined 1.467 g/cm ³ (12.242 lbs/gal) Not determined. Not determined. Hydrolyzes Not determined. Not determined.

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Isocyanates may react exothermically with NH, OH or SH groups Conditions to avoid No further relevant information available. Incompatible materials: Alcohols Amines Oxidizing agents Heat Water/moisture Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Hydrogen fluoride Hydrogen chloride (HCl) Hydrogen cyanide 11 Toxicological information Information on toxicological effects

Acute toxicity: Harmful if inhaled. Harmful if swallowed. LD/LC50 values that are relevant for classification: No data Exin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Eve irritation or corrosion: Causes serious eve irritation. This product is a lachrymator. Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Subacu 12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available.

	Reviewed on 06/26/2005
Product name: 4-Chloro-2-(trifluoromethyl)phenyl isocy	anate
Persistence and degradability No further relevant information average Bioaccumulative potential No further relevant information available Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without product or large quantities to reach ground Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information available.	oper governmental permits.
13 Disposal considerations	
Waste treatment methods Recommendation Consult state, local or national regulations to en Uncleaned packagings: Recommendation: Disposal must be made according to official re	
14 Transport information	guianono.
UN-Number	
DOT, IMDG, IATA	UN2206
UN proper shipping name DOT IMDG, IATA	Isocyanates, toxic, n.o.s. (4-Chloro-2-(trifluoromethyl)phenyl isocyanate) ISOCYANATES, TOXIC, N.O.S. (4-Chloro-2-(trifluoromethyl)phenyl isocyanate)
Transport hazard class(es)	
Class	6.1 Toxic substances.
Label Class	6.1
Label IMDG, IATA	6.1 (T1) Toxic substances 6.1
Class Label	6.1 Toxic substances. 6.1
Packing group DOT, IMDG, IATA	<i>III</i>
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances
Transport in bulk according to Annex II of MARPOL73/78 and a	the IBC Code Not applicable.
Transport/Additional information: DOT	
Marine Pollutant (DOT):	No
UN "Model Regulation":	UN2206, Isocyanates, toxic, n.o.s. (4-Chloro-2-(trifluoromethyl)phenyl isocyanate), 6.1, III
15 Regulatory information Safety, health and environmental regulations/legislation speci GHS label elements The product is classified and labeled in account Hazard pictograms GHS06 GHS08 Signal word Dapage	fic for the substance or mixture rdance with 29 CFR 1910 (OSHA HCS)
P405 Store locked up. P501 Dispose of contents/container in accordance wi National regulations	ry protection. ray. protection/face protection. reral minutes. Remove contact lenses, if present and easy to do. Continue rinsing. th local/regional/national/international regulations. ncy Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted or directly under the supervision of a technically gualified individual as defined by TSCA. This

Prop 65 - Chemicals known to cause cancer Substance is not listed. **Prop 65 - Developmental toxicity** Substance is not listed.

(Contd. on page 5) USA

Product name: 4-Chloro-2-(trifluoromethyl)phenyl isocyanate

(Contd. of page 4)

USA

(Contd. of page 4 Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Information to origin properties and the properties of the constraint of the product of process, is the responsibility or the user. Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / -Abbreviations and acronyms: RID: Reighement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Civil Aviation Organization" (IATA) ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association IATA: International Aberials Information System (Canada) ILC50: Lethal concentration, 50 percent ILD50: Lethal concenter of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IATA: International Agency for Research on Canc