



Page 1/5 Printing date 02/14/2017 Revision date 02/13/2017

Revision date ()2/13/2017
1 Identification Product identifier Product name: Lithium chloride monohydrate	
Stock number: 22151 CAS Number: 16712-20-2	
EC number: 231-212-3 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS07	
Signal word Warning Hazard statements H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray.	
P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P362 Take off contaminated clothing and wash before reuse. P321 Specific treatment (see on this label). P332+P313 If skin irritation occurs: Get medical advice/attention. P465 Store lookod up	
P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D2B - Toxic material causing other toxic effects	
Classification system	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System) MEALTH Image: Health (acute effects) = 2	
FIRE Image: Constraint of the second secon	
Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description: 16712-20-2 Lithium chloride monohydrate	
Concentration: ≤100% Identification number(s): EC number: 231-212-3	
	USA -

USA USA (Contd. on page 2)

Product name: Lithium chloride monohydrate

(Contd. of page 1)

	(Contd. of page 1)
4 First-aid measures	
Description of first aid measures After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delaved	
Causes skin irritation. Harmful if swallowed.	
Causes serious eye irritation. May cause respiratory irritation.	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire	
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following come har released:	
If this product is involved in a fire, the following can be released: Hydrogen chloride (HCI)	
Líthium oxide Advice for firefighters	
Protective equipment: Wear self-contained respirator.	
Wear fully protective impervious suit.	
6 Accidental release measures	l
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13	
Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling	
Handle under dry protective gas. Keep container tightly sealed.	
Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.	
Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities	
Storage	
Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:	
Store away from water/moisture. Do not store together with acids.	
Store away from oxidizing agents. Do not store with interhalogens.	
Further information about storage conditions: Store under dry inert gas.	
This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water.	
Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters	
Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.	
Additional information: No data	
Exposure controls Personal protective equipment	
General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.	
Kaan away from foodsfuffo, havarages and food	
Wash hands before breaks and at the end of work. Avoid contact with the eves and skin	
Avoid contact with the eyes and shift. Maintain an ergonomically appropriate working environment. Broadhing equipment: Use suitable respirator when high exponentrations are present.	
Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a reprirate with the P100 (USA) or P2 (EV 142) partridges as a backup to appring controls. Pick approximate the P100 (USA) or P2 (EV 142) partridges as a backup to appring controls.	data maina if - in
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.	uelermine if air-
puntying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.	(Contd. on page 3)

Product name: Lithium chloride monohydrate

reduct nume. Entitutin entientae men			
Protection of hands: Impervious gloves Check protective gloves prior to each use The selection of suitable gloves not only o Material of gloves Nitrile rubber, NBR Penetration time of glove material (in n Glove thickness 0.11 mm Eye protection: Safety glasses Body protection: Protective work clothin	depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. minutes) 480	(Contd. of page 2)	
9 Physical and chemical properties			
Information on basic physical and che General Information Appearance: Form: Odor:	mical properties Crystalline Odorless Not determined.		
pH-value:	Not applicable.		
Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	>98 °C (>208 °F) (-H ₂ O) Not determined Not determined Not determined. Not determined Not determined Not determined.		
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water at 30 °C (86 °F): Partition coefficient (n-octanol/water): Viscosity: dynamic:	Not determined. Not determined Not applicable. 1.78 g/cm³ (14.854 lbs/gal) Not determined. Not applicable. Not applicable. 862 g/l Not determined. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.		
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions.			

1

Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Acids Acids Water/moisture Oxidizing agents Interhalogens Hazardous decomposition products: Hydrogen chloride (HCl) Lithium oxide 11 Toxicological information

Information on toxicological effects

Acute toxicity: Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data

LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes skin irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Carcinogenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No classe respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.

(Contd. on page 4)

Safety Data Sheet

Product name: Lithium chloride monohydrate				
Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable.				
vPvB: Not applicable. Other adverse effects No further relevant information available.				
13 Disposal considerations				
<i>Waste treatment methods</i> <i>Recommendation</i> Consult state, local or national regulations to ensure proper disposal. <i>Uncleaned packagings:</i> <i>Recommendation:</i> Disposal must be made according to official regulations.				
14 Transport information				
UN-Number DOT, ADN, IMDG, IATA	Not applicable			
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable			
Transport hazard class(es)				
DOT, ADR, ADN, IMDG, IATA Class	Not applicable			
Packing group DOT, ADR, IMDG, IATA	Not applicable			
Environmental hazards:	Not applicable.			
Special precautions for user	Not applicable.			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Co				
Transport/Additional information:				
DOT				
Marine Pollutant (DOT):	No			
UN "Model Regulation":	-			
Hazard pictograms Wight GHS07 Signal word Warning Hazard statements H302 Harmful if swallowed. H315 Causes skin initiation. H316 Causes skin initiation. H317 Causes skin initiation. H326 Harmful if swallowed. H337 Causes skin initiation. H326 Lauses skin initiation. H326 Lauses skin initiation. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P304-P330 Fill INHALED: Remove vicin the fresh air and keep at rest in a position comfortable for breathing. P304-P330 Fill NHALED: Remove vicin the fresh air and keep at rest in a position comfortable for breathing. P321 Specific treatment (see on this label). P322 Specific treatment (see on this label). P332+P333 Store in a well-ventilated place. Keep container tightly closed. P403 Spose of contents/container in accordance with local/regional/national/international regulations. National regulations. </th				
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.				
16 Other information Employers should use this information only as a supplement to other informati information to ensure proper use and protect the health and safety of employe conformance with this Safety Data Sheet, or in combination with any other pro- Department issuing SDS: Global Marketing Department Date of preparation / last revision 02/14/2017 / -	ion gathered by them, and should make independent judgement of suitability of this ses. This information is furnished without warranty, and any use of the product not in oduct or process, is the responsibility of the user.			
Abbreviations and acronyms:				

Abbreviations and acronyms: Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)



Product name: Lithium chloride monohydrate

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent CAS: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Acute Tox. 4: Acute toxicity, Hazard Category 2 Eye Imit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(Contd. of page 4)

USA