

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 11/21/2014

1 Identification

Product identifier

Product name: Sodium hydrogen sulfide

Stock number: 87389 **CAS Number:** 16721-80-5

EC number: 240-778-0

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

Self-heat. 1 H251 Self-heating: may catch fire.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS05 GHS07

Signal word Danger Hazard statements

Hazard statements
H228 Flammable solid.
H251 Self-heating: may catch fire.
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.

Precautionary statements
P210
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260
Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
B6 - Reactive flammable material
D2B - Toxic material causing other toxic effects
E - Corrosive material



Classification system

HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3 Flammability = 3 Physical Hazard = 3

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

USA

Product name: Sodium hydrogen sulfide

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 16721-80-5 Sodium hydrogen sulfide Identification number(s): EC number: 240-778-0

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation

Arter Illiaation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. For safety reasons unsuitable extinguishing agents Water

Special hazards arising from the substance or mixture if this product is involved in a fire, the following can be released:

Advice for firefighters

Protective equipment:Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up:
Ilse peutralizing agent

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas. Keep container tightly sealed.

Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.

Information about protection against explosions and fires: Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility:
Do not store together with acids.
Store away from water/moisture.
Store away from strong bases.
Further information about storage conditions:
Store under dry inert gas.
This product is hygroscopic.
This product is moisture sensitive.
Keep container tightly sealed

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data

Exposure controls

Personal controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.

(Contd. on page 3)

(Contd. of page 2)

Product name: Sodium hydrogen sulfide

Not applicable

Not applicable.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined

Eve protection:

Eye protection: Tightly sealed goggles Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties Appearance: Form: Color:

Crystalline Off-white Odor: Odor threshold: Like rotten eggs Not determined

Change in condition

pH-value:

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: 350 °C (662 °F) Not determined Not determined Highly flammable.
Not determined Not determined Auto igniting: Not determined

Danger of explosion: Explosion limits: Lower: Upper: Not determined. Not determined Not determined

Opper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Not applicable. 1.79 g/cm³ (14.938 lbs/gal) Not determined. Not applicable.

Evaporation rate Solubility in / Miscibility with

Soluble Water: Partition coefficient (n-octanol/water): Not determined.

Viscosity dynamic: kinematic: Not applicable.

Not applicable. No further relevant information available. Other information

10 Stability and reactivity

Reactivity Contact with acids liberates toxic gas.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Conditions to avoid No further relevant information available.

Incompatible materials:

Water/moisture

Bases Acids

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if inhaled. Harmful in contact with skin.

Harmful if swallowed.

Danger through skin absorption.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification: No data

LD/LC50 values that are relevant for classification: No data'
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

(Contd. on page 4)

Product name: Sodium hydrogen sulfide

(Contd. of page 3)

Additional ecological information:
General notes:
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.
Avoid transfer into the environment.

Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation: The control of the c

	14	Trans	port	inform	ation
--	----	-------	------	--------	-------

UN-Number DOT, IMDG, IATA	UN2318		
UN proper shipping name DOT IMDG, IATA	RQ Sodium hydrosulfide SODIUM HYDROSULPHIDE		

Transport hazard class(es)

DOT



Class 4.2 Substances liable to spontaneous combustion. Label 4.2 4.2 (S4) Substances liable to spontaneous combustion 4.2 Class IMDG, IATA



Class	4.2 Substances liable to spontaneous combustion.
Label	4.2
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Substances liable to spontaneous combustion
EMS Number:	F-A,S-J
Segregation groups	Alkalis

Segregation groups Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT 5000 lbs, 2270 kg Hazardous substance: Marine Pollutant (DOT): UN "Model Regulation": UN2318, Sodium hydrosulfide, 4.2, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms









Signal word Danger Hazard statements

Flammable solid.

H251 Self-heating: may catch fire. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage

Precautionary statements
P210

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

P501 Dispose of contents/container in accordance with local/regional/inalional regulations.

National regulations.

(Contd. on page 5)

Product name: Sodium hydrogen sulfide

(Contd. of page 4)

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department Issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LP90: very Persistent and very Bioaccumulative
PVP8: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
ARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA