

1 Identification

Product identifier

Product name: Potassium hexachloroplatinate(IV)

Stock number: 12169

CAS Number:

16921-30-5

EC number:

240-979-3

Index number:

078-007-00-3

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

STOT RE 1 H372 Causes damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS05 GHS06 GHS08

Signal word Danger

Hazard statements

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H372 Causes damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects



Product name: Potassium hexachloroplatinate(IV)

Classification system
HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)

HEALTH	2	Health (acute effects) = 2
FIRE	0	Flammability = 0
REACTIVITY	1	Physical Hazard = 1

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances
CAS# Description:
16921-30-5 Potassium hexachloroplatinate(IV)
Concentration: ≤100%
Identification number(s):
EC number: 240-979-3
Index number: 078-007-00-3

4 First-aid measures

Description of first aid measures
General information
Immediately remove any clothing soiled by the product.
In case of irregular breathing or respiratory arrest provide artificial respiration.
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor
Most important symptoms and effects, both acute and delayed
Toxic if swallowed.
Causes serious eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Causes damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Hydrogen chloride (HCl)
Potassium oxide
Platinum oxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
PAC-1: Substance is not listed.
PAC-2: Substance is not listed.
PAC-3: Substance is not listed.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Prevent formation of dust.
Information about protection against explosions and fires: The product is not flammable
Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from water/moisture.
Do not store together with acids.
Store away from oxidizing agents.

(Contd. on page 3)
USA

Product name: Potassium hexachloroplatinate(IV)	
<div>Store away from metals. Further information about storage conditions: Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.</div>	

(Contd. of page 2)

8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters	
Components with limit values that require monitoring at the workplace:	
16921-30-5 Potassium hexachloroplatinate(IV) (100.0%)	
PEL (USA)	Long-term value: 0.002 mg/m ³ as Pt
REL (USA)	Long-term value: 0.002 mg/m ³ as Pt
TLV (USA)	Long-term value: 0.002 mg/m ³ as Pt
EL (Canada)	Long-term value: 0.002 mg/m ³ as Pt; S
EV (Canada)	Long-term value: 0.002 mg/m ³ as Pt
Additional information: No data	
Exposure controls	
Personal protective equipment	
General protective and hygienic measures	
The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Maintain an ergonomically appropriate working environment.	
Breathing equipment: Use suitable respirator when high concentrations are present.	
Recommended filter device for short term use:	
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.	
Protection of hands:	
Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
Penetration time of glove material (in minutes) Not determined	
Eye protection:	
Tightly sealed goggles Safety glasses with side shields / NIOSH (US) or EN 166(EU)	
Body protection: Protective work clothing.	

9 Physical and chemical properties	
Information on basic physical and chemical properties	
General Information	
Appearance:	
Form:	Crystalline powder
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	250 °C (482 °F) (dec)
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
Danger of explosion:	
Not determined.	
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	3.5 g/cm ³ (29.208 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Slightly soluble
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity	
Reactivity No information known.	
Chemical stability Stable under recommended storage conditions.	

(Contd. on page 4)
USA

Product name: Potassium hexachloroplatinate(IV)

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Reacts with strong oxidizing agents
Conditions to avoid No further relevant information available.
Incompatible materials:
Acids
Oxidizing agents
Metals
Water/moisture
Hazardous decomposition products:
Hydrogen chloride (HCl)
Potassium oxide
Platinum oxide

(Contd. of page 3)

11 Toxicological information

Information on toxicological effects
Acute toxicity:
Toxic if swallowed.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: May cause irritation
Eye irritation or corrosion: Causes serious eye damage.
Sensitization:
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: Causes damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.



12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxicological effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.



13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA	UN3288
UN proper shipping name DOT ADR IMDG IATA	Toxic solid, inorganic, n.o.s. (Potassium hexachloroplatinate(IV)) 3288 Toxic solid, inorganic, n.o.s. (Potassium hexachloroplatinate(IV)) TOXIC SOLID, INORGANIC, N.O.S. (Potassium hexachloroplatinate(IV)), MARINE POLLUTANT TOXIC SOLID, INORGANIC, N.O.S. (Potassium hexachloroplatinate(IV))
Transport hazard class(es) DOT  Class Label ADR  Class	6.1 Toxic substances 6.1 6.1 (T5) Toxic substances

(Contd. on page 5)
USA

Product name: Potassium hexachloroplatinate(IV)	
(Contd. of page 4)	
Label IMDG 	6.1
Class Label IATA 	6.1 Toxic substances 6.1
Class Label	6.1 Toxic substances 6.1
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant (IMDG):	Yes (DOT) Symbol (fish and tree)
Special precautions for user EMS Number: Stowage Category	Warning: Toxic substances F-A,S-A A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg
Marine Pollutant (DOT): Remarks:	No Special marking with the symbol (fish and tree).
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3288 TOXIC SOLID, INORGANIC, N.O.S. (POTASSIUM HEXACHLOROPLATINATE(IV)), 6.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Hazard pictograms



GHS05 GHS06 GHS08

Signal word Danger

Hazard statements

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H372 Causes damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

(Contd. on page 6)
USA

Product name: Potassium hexachloroplatinate(IV)

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 3: Acute toxicity – Category 3
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

(Contd. of page 5)