

1 Identification

Product identifier

Product name: 3-n-Hexylthiophene

Stock number: H55891

CAS Number:

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com
www.alfa.com
Information Department: Health, Safety and Environmental Department
Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation. **Hazards not otherwise classified** No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS07

Signal word Warning

Hazard statements H226

Flammable liquid and vapour.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 H319 Causes skin irritation. Causes serious eye irritation.

May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B2 - Flammable liquid D2B - Toxic material causing other toxic effects



Classification system

HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2Flammability = 3

Flammability = 3

FACTIVITY Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

1693-86-3 3-n-Hexylthiophene

Product name: 3-n-Hexylthiophene

(Contd. of page 1)

4 First-aid measures

Description of first aid measures After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediately wash with water and soap and hirse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

Causes skin irritation

Harmful if swallowed

Causes serious eye irritation. Harmful if inhaled.

Harmful in contact with skin.

May cause respiratory irritation.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Sulfur oxides (SOx)

Advice for firefighters Protective equipment: Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling

Randling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Keen ingition sources away.

Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

Exposure controls

Personal protective equipment

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Do not inhale dust / smoke / mist.
Avaid contact with the over and pkin

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Page 3/5 Printing date 04/14/2016 Revision date 04/12/2016

(Contd. of page 2)

Product name: 3-n-Hexylthiophene

Recommended filter device for short term use:

Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Liquid Color: Colorless Odor: Odor threshold: Stench Not determined.

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Not determined

Not determined.

65 °C (149 °F) (0.45mm Hg) Not determined

Flash point: 37 °C (99 °F) Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined. Not determined Not determined Auto igniting: Not determined

Danger of explosion:

Explosion limits:

Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Lower: Upper: Not determined Not determined

Vapor pressure: Density at 20 °C (68 °F): Relative density Not determined 0.936 g/cm³ (7.811 lbs/gal) Not determined.

Vapor density Not determined. Evaporation rate Solubility in / Miscibility with Not determined. Water: Not determined Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: Not determined. kinematic: Not determined.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents

Hazardous decomposition products: Carbon monoxide and carbon dioxide Sulfur oxides (SOx)

11 Toxicological information

Information on toxicological effects

Acute toxicity:
Harmful if inhaled.
Harmful in contact with skin.
Harmful if swallowed.
Danger through skin absorption.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation.
Eye irritation or corrosion: Causes serious eye irritation.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Page 4/5 Printing date 04/14/2016 Revision date 04/12/2016

(Contd. of page 3)

Product name: 3-n-Hexylthiophene

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

	4	Trans	port	infor	mation
--	---	--------------	------	-------	--------

UN-Number DOT, IMDG, IATA

UN1993

UN proper shipping name

Flammable liquids, n.o.s. (3-n-Hexylthiophene) FLAMMABLE LIQUID, N.O.S. (3-n-Hexylthiophene) ĪMDG, IATA

Transport hazard class(es)

DOT



Class

Class Label IMDG, IATA 3 Flammable liquids.

3 Flammable liquids.

(F1) Flammable liquids



Packing group DOT, IMDG, IATA

Environmental hazards:

Not applicable.

No

Special precautions for user

Warning: Flammable liquids

EMS Number:

F-E,S-Ĕ

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT Marine Pollutant (DOT):

UN "Model Regulation":

UN1993, Flammable liquids, n.o.s. (3-n-Hexylthiophene), 3, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







Signal word Warning

Hazard statements

Flammable liquid and vapour.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation.

Causes serious eye irritation. H319 May cause respiratory irritation.

P261 Avoid bre

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.

Safety Data Sheet acc. to OSHA HCS

Page 5/5 Printing date 04/14/2016 Revision date 04/12/2016

(Contd. of page 4)

Product name: 3-n-Hexylthiophene

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 04/14/2016 /

Date of preparation / last revision 04/14/2016 / Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
MDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
ATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal concentration, 50 percent
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Flam. Lig. 3: Hammable liquids, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 2
Eye Irnit. 2A: Serious eye damage/eye irritation, Hazard Category 3
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3