



	evision date 07/05/2016
1 Identification	
Product identifier	
Product name: 3-(Methacryloyloxy)propyltris(trimethylsiloxy)silane	
Stock number: L16682 CAS Number:	
17096-07-0 EC number:	
241-165-0 Relevant identified uses of the substance or mixture and uses advised against.	
Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet	
Manufacturer/Supplier: Alfa Aesar	
Thermo Fisher Scientific Chemicals Inc	
30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Tel: 800-343-0600 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com Information Department: Health, Safaty and Environmental Department	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	000 0700
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866)	928-0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 20 CEP 1010 (OSHA HCS)	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.	
Label elements	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
$\langle \uparrow \rangle$	
GHS07	
Signal word Warning Hazard statements H315 Causes skin irritation. H319 Cause respiratory irritation. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P260 Wear protective gloves/protective clothing/eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue r P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P321 Specific treatment (see on this label). P322+P313 If skin irritation occurs: Get medical advice/attention. P403+P233 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contentis/container in accordance with local/regional/national/international regulations. WHMIS classification Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS ratings (scale 0-4) (Hazardous Materials Identification System) (Hazardous Materials Identification System) Hit who content for the set of the base	insing.
HEALTH I Health (acute effects) = 1 FIRE Flammability = 1 REACTIVITY Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
17096-07-0 3-(Methacryloyloxy)propyltris(trimethylsiloxy)silane Identification number(s): EC number: 241-165-0	
	USA –

(Contd. on page 2)

Product name: 3-(Methacryloyloxy)propyltris(trimethylsiloxy)silane

rc	duct name: 3-(IWethacryIOyIOXy)propyItrIS(trimethyISIIOXy)Silane	
		(Contd. of page 1)
4	First-aid measures	
	Description of first aid measures	
	After inhalation Supply fresh air, If required, provide artificial respiration, Keep patient warm,	
	Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact	
	Immediately wash with water and soap and rinse thoroughly.	
	Seek immédiate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.	
	After swallowing Seek medical treatment. Information for doctor	
	Most important symptoms and effects, both acute and delayed	
	Causes skin irritation. Causes serious eye irritation.	
	May cause respiratory irritation. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5	Fire-fighting measures	
	Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.	
	Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:	
	Carbon monoxide and carbon dioxide	
	Silicon oxide Advice for firefighters	
	Protective equipment: Wear self-contained respirator.	
	Wear fully protective impervious suit.	
6	Accidental release measures	
	Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
	Ensure adequate ventilation	
	Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up:	
	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	Ensure adequate ventilation. Prevention of secondary hazards: No special measures required.	
	Reference to other sections See Section 7 for information on safe handling	
	See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
-		
1	Handling and storage Handling	
	Precautions for safe handling	
	Handle under dry protective gas. Keep container tightly sealed.	
	Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.	
	Prevent formation of aerosols.	
	Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities	
	Storage	
	Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:	
	Store away from water/moisture.	
	Store information about storage conditions: Store under dry inert gas.	
	This product is moisture sensitive.	
	Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.	
	Solor from humidity and water. Specific end use(s) No further relevant information available.	
0		
Ø	Exposure controls/personal protection Additional information about design of technical systems:	
	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
	Control parameters Components with limit values that require monitoring at the workplace:	
	Additional information: No data	
	Exposure controls	
	General protective equipment General protective and hygienic measures	
	The usual precautionary measures for handling chemicals should be followed.	
	Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.	
	Wash hands before breaks and at the end of work.	
	Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present.	
	Recommended tilter device for short ferm use:	
	Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be p determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as N	erformed to IOSH (USA) or
	CEN (EU).	
	Protectión of hands: Impervious gloves	

(Contd. of page 2)

Product name: 3-(Methacryloyloxy)propyltris(trimethylsiloxy)silane

Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses Body protection: Protective work clothing.

9 Physical and chemical properties

9 r nysical and chemical properties				
Information on basic physical and ch General Information Appearance:				
'Form:	Liquid			
Odor:	Not determined			
Odor threshold:	Not determined.			
pH-value:	Not determined.			
Change in condition Melting point/Melting range:	Not determined			
Boiling point/Boiling range:	112-115 °C (234-239 °F) (0.2mm)			
Sublimation temperature / start:	Not determined			
Flash point:	201 °C (394 °F)			
Flammability (solid, gaseous)	Not determined.			
Ignition temperature:	Not determined			
Decomposition temperature:	Not determined			
Auto igniting:	Not determined.			
Danger of explosion:	Not determined.			
Explosion limits:				
Lower:	Not determined			
Upper:	Not determined			
Vapor pressure:	Not determined			
Density at 20 °C (68 °F):	0.93 g/cm ³ (7.761 lbs/gal)			
Relative density	Not determined.			
Vapor density	Not determined.			
Evaporation rate	Not determined.			
	Not determined.			
Solubility in / Miscibility with Water:	Not miscible or difficult to mix			
Partition coefficient (n-octanol/water)	. Not determined.			
Viscosity:				
dynamic:	Not determined.			
kinematic:	Not determined.			
Other information	No further relevant information available.			

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Water/moisture Hazardous decomposition products: Carbon monoxide and carbon dioxide Silicon oxide

11 Toxicological information

Information on toxicological effects
Acute toxicity: No effects known.
LDVLCSO values that are relevant for classification: No data
Skin irritation or corrosion: Causes skin irritation.
Eve irritation or corrosion: Causes skin irritation.
Germ cell mutagenicity: No effects known.
Garcinogenicity: No effects known.
Garcinogenicity: No effects known.
Garcinogenicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - repeated exposure: May cause respiratory irritation.
Aspiration hazari. No effects known.
Specific target organ system toxicity - single exposure: May cause respiratory irritation.
Aspiration hazari. No effects known.
Subacute to chronic toxicity: No effects known.
Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information
Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Mobility in soil No further relevant information available.
Mobility in soil No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Avoid trapsfer info

vPvB: Not applicable. Other adverse effects No further relevant information available.

Product name: 3-(Methacryloyloxy)propyltris(trimethylsiloxy)silane

(Contd. of page 3)

13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information				
UN-Number DOT, ADN, IMDG, IATA	Not applicable			
UN proper shipping name DOT, ADN, IMDG, IATA	Not applicable			
Transport hazard class(es)				
DOT, ADR, ADN, IMDG, IATA Class	Not applicable			
Packing group DOT, IMDG, IATA	Not applicable			
Environmental hazards:	Not applicable.			
Special precautions for user	Not applicable.			
Transport in bulk according to Annex II of MARPOL73/78 a	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information:			
Transport/Additional information:				
DOT Marine Pollutant (DOT):	No			
UN "Model Regulation":	-			

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Warning

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation

H335 May cause respiratory irritation. Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Take off contaminated clothing and wash before reuse. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. P362 P321

P332+P313

P405

P403+P233

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes. This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity female Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 07/07/2016 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration and very Bioaccumulative ACGIH: American Conference of Governmentel Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA)

Product name: 3-(Methacryloyloxy)propyltris(trimethylsiloxy)silane

IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Page 5/5 Printing date 07/07/2016 Revision date 07/05/2016

(Contd. of page 4)

USA -