

Safety Data Sheet per OSHA HazCom 2012

1 Identification	
Product identifier Product name: 4-Ethoxy-1,1,1-trifluoro-3-buten-2-one	
Stock number: H26975	
CAS Number: 17129-06-5	
ELINCS Number: 475-900-3	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals. Inc.	
30 Bond Street Ward Hill, MA 01835-8099	
Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal humana huma (Mandau Eridau, Sam Tem EST), coll (200) 242,0660, After normal humana humana only Carachem 24 at (266),028,078	10
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-078	9.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS02 Flame	
Flam. Liq. 3 H226 Flammable liquid and vapour.	
GHS06 Skull and crossbones	
Acute Tox. 1 H330 Fatal if inhaled.	
GHS08 Health hazard	
STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS02 GHS06 GHS08	
Signal word Danger	
Hăzard statements H226 Flammable liquid and vapour.	
H302 Harmful if swallowed. H330 Fatal if inhaled.	
H315 Causes skin irritation. H319 Causes serious eye irritation.	
H317 May cause an allérgic skin reaction. H372 Causes damage to organs through prolonged or repeated exposure.	
Precautionary statements P280 Wear protective gloves / protective clothing. P272 August release to the environment	
Precationary statements P280 Wear protective gloves / protective clothing. P273 Avoid release to the environment. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P309 IF exposed or if you feel unwell: P310 Immediately call a POISON CENTER/doctor/	
P309 IF exposed or if you feel unwell: P310 Immediately call a POISON CENTER/doctor/	
WHMIS classification B3 - Combustible liquid	
D1A - Very toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects	
A A A	
	Contd. on page 2) USA

Product name: 4-Ethoxy-1,1,1-trifluoro-3-buten-2-one

(Contd. of page 1)

Classification system	(Contd. of page 1)
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
FIRE 2 Flammability = 2 REACTIVITY Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 17129-06-5 4-Ethoxy-1,1,1-trifluoro-3-buten-2-one Identification number(s): ELINCS Number: 475-900-3	
<i>4 First-aid measures</i> Description of first aid measures General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Soek immediate medical advice.	
After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen fluoride (HF) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 7 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tighty sealed. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: Protect against electrostatic charges. Furnes can combine with air to form an explosive mixture. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in freezer (-20 °C). Information about storage in one common storage facility: Store away from oxidizing agents. Protect from heat. Store away from water/moisture. Store under dry inert gas. This product is moisture sensitive.	
Keep container tightly sealed. Protect from humidity and water.	(Contd. on page 3) USA

Product name: 4-Ethoxy-1,1,1-trifluoro-3-buten-2-one

(Contd. of page 2)

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data

Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use self-contained respiratory protective device in emergency situations. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses Body protection: Protective work clothing.

9 Physical and chemical properties

9 Physical and chemical propertie	3
Information on basic physical and cl General Information Appearance: Form: Color: Odor: Odor threshold:	nemical properties Liquid Pale yellow Ether-like Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	-30 °C (-22 °F) 159 °C (318 °F) Not determined
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	52 °C (126 °F) Not determined. 242 °C (468 °F) Not determined Not determined.
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water, Viscosity: dynamic: kinematic: Other information	Product is not explosive. However, formation of explosive air/vapor mixtures is possible. 1.4 Vol % Not determined 3.02 hPa (2 mm Hg) 1.215 g/cm ³ (10.139 lbs/gal) Not determined. Not determined. Not determined. Hydrolyzes Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.

10 Stability and reactivity

Inhalative

Irritation of skin moderate unknown mg (rabbit)

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Water/moisture Heat Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen fluoride 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. Fatal if inhaled. LD/LC50 values that are relevant for classification: Oral I D50 300-2000 mg/kg (rat) LC50/4H 60-80 mg/m3/4H (rat)

(Contd. on page 4)

Product name: 4-Ethoxy-1,1,1-trifluoro-3-buten-2-one

(0				
(C	ontd.	of	page	3)

Irritation of avoa madarata unknown ma (rabbit)	(Contd. of page 3)
Irritation of eyes moderate unknown mg (rabbit) Skin irritation or corrosion: Causes skin irritation.	
Eye irritation or corrosion: Causes serious eye irritation. Sensitization: May cause an allergic skin reaction.	
Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this n	naterial is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure:	
Causes damage to organs through prolonged or repeated exposure. Specific target organ is not known.	
Specific target organ system toxicity - single exposure: No effects know Aspiration hazard: No effects known.	wn.
Subacute to chronic toxicity: Lungs, Thorax, or Respiration - dyspnea.	
Lungs, Thorax, or Respiration - acute pulmonary edema. Gastrointestinal - nausea or vomiting. Cardiac - arrhythmias (including changes in conduction).	
Additional toxicological information:	
To the best of our knowledge the acute and chronic toxicity of this substanc Vapors have narcotic effect.	ce is not fully known.
12 Ecological information	
Toxicity	
Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available.	
Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.	
Ecotoxical effects: Remark: Harmful to aquatic organisms	
Additional ecological information: General notes:	
Do not allow product to reach ground water, water course or sewage system	m. ernmental permits.
Danger to drinking water if even small quantities leak into the ground. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment.	
Harmful to aduatic organisms	
Results of PBT and vPvB assessment PBT: Not applicable.	
vPvB: Not applicable. Other adverse effects No further relevant information available.	
13 Disposal considerations	
Waste treatment methods	
Recommendation Consult state, local or national regulations to ensure pro Uncleaned packagings:	
Recommendation: Disposal must be made according to official regulations	S.
14 Transport information	
UN-Number DOT, IMDG, IATA	UN3384
UN proper shipping name DOT	Toxic by inhalation liquid. flammable. n.o.s. (4-Ethoxy-1.1.1-trifluoro-3-buten-2-one)
IMDG	Toxic by inhalation liquid, flammable, n.o.s. (4-Ethoxy-1,1,1-trifluoro-3-buten-2-one) TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. (4-Ethoxy-1,1,1-trifluoro-3- buten-2-one)
	TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.
Transport hazard class(es) DOT	
Class Label	6.1 Toxic substances. 6.1+3
Class Label	6.1 (TF1) Toxic substances 6.1+3
IMDG, IATA	0.1+3
Class Label	6.1 Toxic substances. 6.1+3
Packing group DOT, IMDG, IATA	
Environmental hazards:	, Not applicable.
Special precautions for user EMS Number:	Warning: Toxic substances F-E.S-D
Transport in bulk according to Annex II of MARPOL73/78 and the IBC (
Transport/Additional information:	
DOT Marine Pollutant (DOT):	No
	(Contd. on page 5) USA

Product n 4-Ethoxy-1 1 1-trifluoro-3-buten-2-one

Product name: 4-Ethoxy-1,1,1-trifluoro-3-buten-2-one	
UN "Model Regulation":	(Contd. of page UN3384, Toxic by inhalation liquid, flammable, n.o.s. (4-Ethoxy-1,1,1-trifluoro-3- buten-2-one), 6.1 (3), I
15 Regulatory information Safety, health and environmental regulations/legislation specific GHS label elements The product is classified and labeled in accord Hazard pictograms GHS02 GHS06 GHS08	c for the substance or mixture lance with 29 CFR 1910 (OSHA HCS)
Signal word Danger Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H330 Fatal if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 Causes damage to organs through prolonged or repeated exp Precautionary statements P280 Wear protective gloves / protective clothing. P273 Avoid release to the environment. P305+P351+P338 IF IN EYES: Rinse cautiously with water for seve P304+P340 IF INHALED: Remove person to fresh air and kee P309 IF exposed or if you feel unwell: P310 Immediately call a POISON CENTER/doctor/ Mational regulations This product is not listed in the U.S. Environmental Protection Agend to research and development only. This product must be used by or product must not be used for commercial purposes or in formulation: SARA Section 313 (specific toxic chemical listings) Substance is California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not list	ral minutes. Remove contact lenses, if present and easy to do. Continue rinsing. ep comfortable for breathing. cy Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted directly under the supervision of a technically qualified individual as defined by TSCA. This s for commercial purposes. s not listed.
market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation f Chemical safety assessment: A Chemical Safety Assessment has 6 Other information	CH Regulations (EC) No. 1907/2006. Substance is not listed. x XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the for use) Substance is not listed. not been carried out.
information to ensure proper use and protect the health and safety o conformance with this Material Safety Data Sheet, or in combination Department issuing SDS: Global Marketing Department Date of preparation / Last revision 11/2/2015 /	r information gathered by them, and should make independent judgement of suitability of this of employees. This information is furnished without warranty, and any use of the product not in with any other product or process, is the responsibility of the user. chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) "(IATA)
IA IA-DER: Dangerous Goods Regulations by the "international Air Transport Association ICAC: International Civil Aviation Organization ICAC Thermational Instructions by the "International Civil Aviation Organization" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europe IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association IEINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal dose, 50 percent VPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	(IATA) ean Agreement concerning the International Carriage of Dangerous Goods by Road) USA