rinting date 02.07.2013	Revision: 07.06.2013			
SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1 Product identifier Trade name Stock number: 1.2 Relevant identified uses of the substanc or mixture and uses advised against. Identified use:	<b>Cyclopentylzinc bromide, 0.5M in THF</b> H58764 No further relevant information available. SU24 Scientific research and development			
1.3 Details of the supplier of the safety data Manufacturer/Supplier:	sheet Alfa Aesar GmbH & Co.KG A Johnson Matthey Company Zenpelinstr. 7b			
Informing department: 1.4 Emergency telephone number:	76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com www.alfa.com Product safety Tel + +049 (0) 7275 988687-0 Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number) Poison Information Center Mainz www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240			
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008				
GHS02 flame				
Flam. Liq. 2 H225 Highly flammable liquid and vapour. Water-react. 2 H261 In contact with water releases flammable gases.				
GHS08 health hazard				
Carc. 2 H351 Suspected of causing cancer.				
GHS05 corrosion				
Skin Corr. 1B H314 Causes severe skin burns and eye damage.				
GHS07				
STOT SE 3       H335       May cause respiratory in         Classification according to Directive 67/548         C; Corrosive         R34:       Causes burns.         Xn; Harmful         R40:       Limited evidence of a carcinogenic         Xi; Irritant         R37:       Irritating to respiratory system.         F; Highly flammable	/EEC or Directive 1999/45/EC			
R11-15: Highly flammable. Contact with wat	er liberates extremely flammable gases.			
R19: May form explosive peroxides. Information concerning particular hazards				
for human and environment:	The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.			
Other hazards that do not result in classification	No information known.			
2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word	The product is classified and labelled according to the CLP regulation. GHS02, GHS05, GHS07, GHS08 Danger			
Hazard-determining components of labelling:	Tetrahydrofuran			
Hazard statements	Cyclopentylzinc bromide H225 Highly flammable liquid and vapour. H261 In contact with water releases flammable gases. H314 Causes severe skin burns and eye damage. H351 Suspected of causing cancer. H335 May cause respiratory irritation.			
Precautionary statements	P210       Keep away from heat/sparks/open flames/hot surfaces No smoking.         P231+P232       Handle under inert gas. Protect from moisture.         P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.         P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P405       Store locked up.         P501       Dispose of contents/container in accordance with local/regional/national/international			
Additional information: 2.3 Other hazards	regulations. EUH019 May form explosive peroxides.			
Results of PBT and vPvB assessment PBT: vPvB:	Not applicable. Not applicable.			

DE/E (Contd. on page 2)

(Contd. of page 1)

(Contd. on page 3) DE/E

Page 2/5

## Trade name Cyclopentylzinc bromide, 0.5M in THF

	(Conta.	of page 1
SECTION 3: Composition/information o	n ingredients	
3.2 Mixtures Dangerous components:		
CAS: 109-99-9 Tetrahydrofuran	Xn R40; Xi R36/37; A F R11	89,3%
EINECS: 203-726-8 CAS: 171860-68-7 Cyclopentylzinc bromide	R19	10,7%
	I C R34;	10,7%
Additional information	None known.	
SECTION 4: First aid measures 4.1 Description of first aid measures General information After inhalation	Instantly remove any clothing soiled by the product. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptom persist.	าร
After skin contact After sya contact After swallowing A 2 Mest important symptoms and effects	Seek immediate medical advice. Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice. Rinse opened eye for several minutes under running water. Then consult doctor. Seek medical treatment.	
4.2 Most important symptoms and effects, both acute and delayed	No further relevant information available.	
4.3 Indication of any immediate medical attention and special treatment needed	No further relevant information available.	
SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents For safety reasons unsuitable extinguishing	In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. Special powder for metal fires. Do not use water.	
agents 5.2 Special hazards arising from the substance or mixture	Water. If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Metal oxide	
5.3 Advice for firefighters Protective equipment:	Wear self-contained breathing apparatus. Wear full protective suit.	
SECTION 6: Accidental release measure	es	
6.1 Personal precautions, protective equipment and emergency procedures	Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation	
6.2 Environmental precautions:	Keep away from ignition sources Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.	
<ul> <li>6.3 Methods and material for containment and cleaning up:</li> <li>Prevention of secondary hazards:</li> <li>6.4 Reference to other sections</li> </ul>	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Keep away from ignition sources. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.	
SECTION 7: Handling and storage		
7.1 Precautions for safe handling	Handle under dry protective gas. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care.	
Information about protection against explosions and fires:	Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Do not distill to dryness. Explosive peroxides may form, handle container cautiously.	
7.2 Conditions for safe storage, including an Storage	y incompatibilities	
Requirements to be met by storerooms and containers:	Refrigerate	
Information about storage in one common storage facility:	Store away from air. Protect from heat. Store away from strong bases. Store away from oxidizing agents.	
Further information about storage conditions: 7.3 Specific end use(s)	Store under dry inert gas. This product is air sensitive. Avoid contact with air / oxygen (formation of peroxide). Store in a locked cabinet or with access restricted to technical experts or their assistants. Refrigerate Check container pressure periodically to prevent explosive peroxides. No further relevant information available.	
	al protection	
SECTION 8: Exposure controls/personal Additional information about design of technical systems:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face of at least 100 feet per minute	e velocity

Trade name Cyclopentylzinc bromide, 0.5M in THF

Revision: 07.06.2013

Page 3/5

	meters	
	th critical values that requir /drofuran (89,3%)	e monitoring at the workplace:
AGW (Germany)	150 mg/m <sup>3</sup> , 50 ppm	
	2(I);DFG, EU, H, Y	
PEL (USA)	590 mg/m <sup>3</sup> , 200 ppm	
REL (USA)     Short-term value: 735 mg/m Long-term value: 590 mg/m <sup>3</sup> TLV (USA)     Short-term value: 295 mg/m Long-term value: 147 mg/m <sup>3</sup>		, 250 ppm 200 npm
		, 50 ppm
	Skin	
	biological limit values:	
BGW (Germany)	/drofuran (89,3%)	
Sow (Comany)	U	
	b Tatua hu daa fuwa a	
	Tetrahydrofuran	
BEI (USA)	2 mg/L urine	
	end of shift	
	Tetrahydrofuran	N
dditional inform		No data
2.2 Exposure co Personal protect		
	ive and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals.
		Keep away from foodstuffs, beverages and food
		Instantly remove any soiled and impregnated garments.
		Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Do not inhale dust / smoke / mist.
		Avoid contact with the eves and skin.
Proothing oquin	mont	Maintain an ergonomically appropriate working environment. Use breathing protection with high concentrations.
Breathing equip Protection of ha	nds:	Check protective gloves prior to each use for their proper condition.
		The selection of the suitable gloves does not only depend on the material, but also on further marks of gua
Interial of allows		and varies from manufacturer to manufacturer.
laterial of glove	es e of glove material	Impervious gloves Not determined
Eye protection:	of glove material	Tightly sealed safety glasses.
 	_	Full face protection
ody protection		Protective work clothing.
SECTION 9: PI	hysical and chemical pro	perties
.1 Information	on basic physical and chem	ical properties
General Informa	tion	····· • • • • • • • • • • • • • • • • •
Appearance:		Linuid
Appearance: Form:		Liquid Yellow to brown to black
Appearance: Form: Colour:		Liquid Yellow to brown to black Not determined
Appearance: Form: Colour: Smell:	<b>i</b> :	Yellow to brown to black
Appearance: Form: Colour: Smell: Ddour threshold	1:	Yellow to brown to black Not determined
Appearance: Form: Colour: Smell: Ddour threshold bH-value: Change in condi	ition	Yellow to brown to black Not determined Not determined. Not determined.
Appearance: Form: Colour: Smell: Ddour threshold DH-value: Change in condi Melting point/N	ition Melting range:	Yellow to brown to black Not determined Not determined. Not determined.
Appearance: Form: Colour: Smell: Ddour threshold H-value: Change in condi Melting point/E Boiling point/E	ition Melting range: 3oiling range:	Yellow to brown to black Not determined Not determined. Not determined.
Appearance: Form: Colour: Smell: Ddour threshold DH-value: Change in condi Melting point/I Boiling point/E Sublimation te	ition Melting range:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined Not determined Not determined
Appearance: Form: Colour: Smell: Ddour threshold DH-value: Change in condi Melting point/I Boiling point/I Sublimation te Flash point:	ition Melting range: Boiling range: emperature / start:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF)
Appearance: Form: Colour: Smell: Ddour threshold DH-value: Change in condi Melting point/R Sublimation te Sublimation te Flash point: nflammability (s gnition tempera	ition Melting range: Boiling range: mperature / start: solid, gaseous) iture:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C
Appearance: Form: Colour: Smell: Odour threshold H-value: Change in condi Melting point/A Boiling point/A Sublimation te Tash point: nflammability (s gnition tempera becomposition t	ition Melting range: Boiling range: mperature / start: solid, gaseous) iture: temperature:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined
Appearance: Form: Colour: Smell: Odour threshold H-value: Change in condi Melting point/M Boiling point/M Sublimation te lash point: nflammability (s gnition tempera becomposition t belf-inflammabil	ition Melting range: Boiling range: mperature / start: solid, gaseous) iture: temperature: lity:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting.
Appearance: Form: Colour: Smell: Odour threshold H-value: Change in condi Melting point/M Boiling point/M Sublimation te Sublimation te flash point: offammability (s gnition tempera becomposition t Self-inflammabil	ition Melting range: Boiling range: mperature / start: solid, gaseous) iture: temperature: lity:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting.
Appearance: Form: Colour: Smell: Dodour threshold H-value: Change in condi Melting point/E Sublimation te Sublimation te flash point: nflammability (s gnition tempera becomposition f Self-inflammabil Danger of explos	ition Melting range: Boiling range: Songerature / start: Solid, gaseous) Iture: temperature: temperature: lity: Sion:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting. May form explosive peroxides. Do not distill to dryness.
Appearance: Form: Colour: Smell: Odour threshold H-value: Change in condi Melting point/I Boiling point/I Sublimation te Sublimation te flash point: offammability (s gnition tempera becomposition f Secomposition f Secomposition tempera Decomposition f Secomposition f Se	ition Melting range: Boiling range: Songerature / start: Solid, gaseous) Iture: temperature: temperature: lity: Sion:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting. May form explosive peroxides. Do not distill to dryness.
Appearance: Form: Colour: Smell: Dodour threshold H-value: Change in condi Melting point/E Sublimation te Sublimation te flash point: Itash point: Itash point: Itash point: Itash point: Clash point: Sublimation tempera Decomposition to Self-inflammabil Danger of explose Critical values for Lower:	ition Melting range: Boiling range: Comperature / start: Solid, gaseous) Iture: temperature: lity: sion: Sion: or explosion:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting. May form explosive peroxides. Do not distill to dryness. 1,5 Vol % 12,0 Vol %
Appearance: Form: Colour: Smell: Odour threshold H-value: Change in condi Melting point/A Boiling point/A Boiling point/A Sublimation te clash point: nflammability (s gnition tempera Decomposition for Secomposition for Lower: Upper: Steam pressure	ition Melting range: Boiling range: Imperature / start: solid, gaseous) ature: temperature: lity: sion: or explosion: at 20 °C:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting. May form explosive peroxides. Do not distill to dryness. 1,5 Vol % 12,0 Vol %
Appearance: Form: Colour: Smell: Ddour threshold H-value: Change in condi Melting point/I Boiling point/I Boiling point/I Sublimation te flash point: offlammability (s gnition tempera becomposition t beff-inflammabil Danger of explose Critical values for Lower: Upper: Upper: Steam pressure Density at 20 °C Relative density	ition Melting range: Boiling range: Imperature / start: Solid, gaseous) Iture: Iture: temperature: Ity: Sion: Sion: or explosion: at 20 °C:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting. May form explosive peroxides. Do not distill to dryness. 1,5 Vol % 12,0 Vol % 200 hPa 0,955 g/cm <sup>3</sup> Not determined.
Appearance: Form: Colour: Smell: Ddour threshold M-value: Change in condi Melting point/R Sublimation te Sublimation te flash point: Iflammability (s gnition tempera Decomposition te belf-inflammabil Danger of explos Critical values for Lower: Upper: Steam pressure Density at 20 °C Relative density apour density	ition Melting range: Boiling range: Bomperature / start: solid, gaseous) ature: temperature: lity: sion: or explosion: at 20 °C:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting. May form explosive peroxides. Do not distill to dryness. 1,5 Vol % 12,0 Vol % 200 hPa 0,955 g/cm <sup>3</sup> Not determined. Not determined.
Appearance: Form: Colour: Smell: Ddour threshold H-value: Change in condi Melting point/M Boiling point/M Sublimation te Sublimation te flash point: Iflammability (s gnition tempera Decomposition t Self-inflammabil Danger of explos Critical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Vapour density Vapour density	ition Melting range: Boiling range: Imperature / start: Solid, gaseous) Iture: Itemperature: Ity: Sion: Sion: or explosion: at 20 °C:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting. May form explosive peroxides. Do not distill to dryness. 1,5 Vol % 12,0 Vol % 200 hPa 0,955 g/cm <sup>3</sup> Not determined.
Appearance: Form: Colour: Smell: Ddour threshold H-value: Change in condi Melting point/M Boiling point/M Sublimation te Sublimation te flash point: Iflammability (s gnition tempera Decomposition t Self-inflammabil Danger of explos Critical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Vapour density Vapour density	ition Melting range: Boiling range: Imperature / start: Solid, gaseous) Iture: Itemperature: Ity: Sion: Sion: or explosion: at 20 °C:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting. May form explosive peroxides. Do not distill to dryness. 1,5 Vol % 12,0 Vol % 200 hPa 0,955 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
Appearance: Form: Colour: Mell: Dour threshold H-value: Change in condi Melting point// Boiling point// Boiling point/ Sublimation te clash point: nflammability (s gnition tempera Decomposition for telf-inflammabil Danger of explos Critical values for Lower: Upper: Critical values for Lower: Upper: Celative density apour density vaporation rate Solubility in / Mi Water: Cartition coeffici	ition Melting range: Boiling range: Imperature / start: Solid, gaseous) Iture: Itemperature: Ity: Sion: Sion: or explosion: at 20 °C:	Yellow to brown to black Not determined Not determined. Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting. May form explosive peroxides. Do not distill to dryness. 1,5 Vol % 12,0 Vol % 200 hPa 0,955 g/cm <sup>3</sup> Not determined. Not determined.
Appearance: Form: Colour: Smell: Ddour threshold M-value: Change in condi Melting point/I Boiling point/I Sublimation te sublimation te flash point: offlammability (s gnition tempera Decomposition f Belf-inflammabil Danger of explos Critical values for Lower: Upper: Genative density Apour density Evaporation rate Solubility in / Mi Water: Partition coeffici	ition Melting range: Boiling range: Boiling range: Boiling range: Solid, gaseous) Iture: temperature: lity: sion: sion: or explosion: at 20 °C:	Yellow to brown to black         Not determined.         Not determined.         Not determined         Not determined         Not determined         Not determined.         Not determined.         Not determined.         Not determined.         230 °C         Not determined.         230 °C         Not determined.         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1.5 Vol %         12.0 Vol %         200 hPa         0.955 g/cm³         Not determined.
Appearance: Form: Colour: Smell: Dodour threshold Method threshold H-value: Change in condi Melting point/I Boiling point/I Boiling point/I Sublimation te flash point: Inflammability (s gnition tempera Decomposition t Belf-inflammabil Danger of explos Critical values for Lower: Upper: Celative density vaporation rate Solubility in / Mi: Water: artition coeffici Viscosity: dynamic:	ition Melting range: Boiling range: Boiling range: Boiling range: Solid, gaseous) Iture: temperature: lity: sion: sion: or explosion: at 20 °C:	Yellow to brown to black         Not determined         Not determined.         Not determined         Not determined         -17 °C (THF)         Not determined.         230 °C         Not determined         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1,5 Vol %         200 hPa         0,955 g/cm³         Not determined.         Not determined.         Not determined.         Contact with water releases flammable gases
Appearance: Form: Colour: Smell: Ddour threshold M-value: Change in condi Melting point/I Boiling point/I Boiling point/I Sublimation te flash point: of lammability (s gnition tempera Decomposition t Decomposition t Self-inflammabil Danger of explos Critical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Zapour density Evaporation rate Solubility in / Mi Water: Partition coeffici (iscosity: dynamic: kinematic:	ition Melting range: Boiling range: comperature / start: solid, gaseous) iture: temperature: lity: sion: or explosion: at 20 °C: scibility with ient (n-octanol/water):	Yellow to brown to black         Not determined         Not determined.         Not determined         Not determined         -17 °C (THF)         Not determined.         -230 °C         Not determined         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1.5 Vol %         12.0 Vol %         200 hPa         0.955 g/cm³         Not determined.
Appearance: Form: Colour: Smell: Ddour threshold DH-value: Change in condi Melting point/I Boiling point/I Boiling point/I Sublimation te sublimation te flash point: nflammability (s gnition tempera Decomposition f Decomposition f Defi-inflammabil Danger of explos Critical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Zvaporation rate Solubility in / Mi Water: Partition coeffici /iscosity: dynamic: kinematic:	ition Melting range: Boiling range: Boiling range: Solid, gaseous) Ature: temperature: lity: sion: or explosion: at 20 °C: scibility with ient (n-octanol/water):	Yellow to brown to black         Not determined         Not determined.         Not determined         Not determined         -17 °C (THF)         Not determined.         -230 °C         Not determined         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1.5 Vol %         12.0 Vol %         200 hPa         0.955 g/cm³         Not determined.
Appearance: Form: Colour: Smell: Ddour threshold H-value: Change in condi Melting point/M Boiling point/M Boiling point/ Sublimation te flash point: nflammability (s gnition tempera Decomposition f Self-inflammabil Danger of explos Critical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Zapour density Solvent content: Organic solveet Solids content	ition Melting range: Boiling range: comperature / start: solid, gaseous) ature: temperature: lity: sion: or explosion: at 20 °C: e scibility with ient (n-octanol/water):	Yellow to brown to black         Not determined.         Not determined.         Not determined         Not determined         Not determined         Not determined.         -17 °C (THF)         Not determined.         230 °C         Not determined.         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1.5 Vol %         12.0 Vol %         200 hPa         0.955 g/cm³         Not determined.         Not de
Appearance: Form: Colour: Melting point/M Boiling point/M Boiling point/M Boiling point/M Boiling point/M Sublimation ter Tash point: Itash point: I	ition Melting range: Boiling range: comperature / start: solid, gaseous) ature: temperature: lity: sion: or explosion: at 20 °C: e scibility with ient (n-octanol/water):	Yellow to brown to black Not determined Not determined Not determined Not determined Not determined -17 °C (THF) Not determined. 230 °C Not determined Product is not selfigniting. May form explosive peroxides. Do not distill to dryness. 1,5 Vol % 12,0 Vol % 200 hPa 0,955 g/cm <sup>3</sup> Not determined. Not determined.
Appearance: Form: Colour: Smell: Ddour threshold H-value: Change in condi Melting point/M Boiling point/M Boiling point? Sublimation te flash point: Iflammability (s gnition tempera Decomposition t Self-inflammabil Danger of explos Critical values for Lower: Upper: Organic values for Lower: Upper: Steam pressure Density at 20 °C Relative density Zapour density Zapour density Wapour density Wapour density Wapour density Wapour density Solubility in / Mis Water: Solubility in / Mis Water: Solubility in / Mis Water: Solubility in / Mis Water: Solubility in / Mis Solvent content: Organic solver Solids content	ition Melting range: Boiling range: comperature / start: solid, gaseous) ature: temperature: lity: sion: or explosion: at 20 °C: at 20 °C: scibility with ient (n-octanol/water): : nts: t: mation	Yellow to brown to black         Not determined.         Not determined.         Not determined         Not determined         Not determined         Not determined.         -17 °C (THF)         Not determined.         230 °C         Not determined.         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1.5 Vol %         12.0 Vol %         200 hPa         0.955 g/cm³         Not determined.         Not de
Appearance: Form: Colour: Smell: Ddour threshold H-value: Change in condi Melting point/M Boiling point/M Boiling point/ Sublimation te flash point: nflammability (s gnition tempera Decomposition f Self-inflammabil Danger of explos Critical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Zapour density Steam pressure Solvent content: Organic solver Solvent content: Solvent content: Solvent inform	ition Melting range: Boiling range: comperature / start: solid, gaseous) ature: temperature: lity: sion: or explosion: at 20 °C: e scibility with ient (n-octanol/water):	Yellow to brown to black         Not determined.         Not determined.         Not determined         Not determined         Not determined         Not determined.         -17 °C (THF)         Not determined.         230 °C         Not determined.         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1.5 Vol %         12.0 Vol %         200 hPa         0.955 g/cm³         Not determined.         Not de
Appearance: Form: Colour: Smell: Ddour threshold H-value: Change in condi Melting point/M Boiling point/M Boiling point/ Sublimation te flash point: nflammability (s gnition tempera Decomposition f Self-inflammabil Danger of explos Critical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Zapour density Steam pressure Solvent content: Organic solver Solvent content: Solvent content: Solvent inform	ition Melting range: Boiling range: comperature / start: solid, gaseous) ature: temperature: lity: sion: or explosion: at 20 °C: at 20 °C: scibility with ient (n-octanol/water): : nts: t: mation	Yellow to brown to black         Not determined.         Not determined.         Not determined         Not determined         -17 °C (THF)         Not determined.         230 °C         O to determined.         Mat determined.         230 °C         Not determined.         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1.5 Vol %         12.0 Vol %         200 hPa         0.955 g/cm³         Not determined.         Not determine
Appearance: Form: Colour: Smell: Ddour threshold DH-value: Change in condi Melting point/I Boiling point/I Boiling point/I Sublimation te sublimation te flash point: nflammability (s gnition tempera Decomposition f Decomposition f Decompo	ition Melting range: Boiling range: Boiling range: Boiling range: Boiling range: Boiling range: Stability and reactivity	Yellow to brown to black         Not determined.         Not determined.         Not determined         Not determined         -17 °C (THF)         Not determined.         230 °C         Product is not selfighting.         May form explosive peroxides.         Do not distill to dryness.         1.5 Vol %         200 hPa         0.955 g/cm³         Not determined.         Xot determined.         Not determined.         Soft g/cm³         Not determined.         Nof (mathet releases flammable gases which may ignite sp
Appearance: Form: Colour: Smell: Ddour threshold H-value: Change in condi Melting point/M Boiling point/M Boiling point/M Sublimation ter flash point: mflammability (s gnition tempera Decomposition tempera Decomposition tempera Decomposition rate Critical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Vapour density Steam pressure Solubility in / Mis Water: Variticon coeffici Viscosity: dynamic: kinematic: Solvent content: Organic solver Solids content Solids content Solids content Sectrion 10: S 0.1 Reactivity 0.2 Chemical si	ition Melting range: Boiling range: Boiling range: Boiling range: Boiling range: Boiling range: Solid, gaseous) at ure: temperature: Ity: Sion: or explosion: at 20 °C: Scibility with ient (n-octanol/water): Ity:	Yellow to brown to black         Not determined.         Not determined.         Not determined         Not determined         -17 °C (THF)         Not determined.         230 °C         O to determined.         Mat determined.         230 °C         Not determined.         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1.5 Vol %         12.0 Vol %         200 hPa         0.955 g/cm³         Not determined.         Not determine
Appearance: Form: Colour: Smell: Ddour threshold bH-value: Change in condi Melting point/I Boiling point/I Boiling point/I Sublimation tempera Sublimation tempera Decomposition f Self-inflammability (s gnition tempera Decomposition f Self-inflammabil Danger of explos Critical values for Lower: Upper: Oritical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Zvaporation rate Solubility in / Mii Water: Partition coeffici /iscosity: dynamic: kinematic: Solvent content: Organic solver Solids content D.2 Other inform SECTION 10: S 0.1 Reactivity 0.2 Chemical sf Thermal decomption for the solution of the solution of the solution of the solution Security of the solution Security of the solution Security of the solution of the solution of the solution of the solution of the solution of the solution of	ition Melting range: Boiling range: Boiling range: Boiling range: Boiling range: Boiling range: Solid, gaseous) Iture: temperature: Ity: Sion: or explosion: at 20 °C: Scibility with ient (n-octanol/water): Ity:	Yellow to brown to black         Not determined.         Not determined.         Not determined         Not determined         17 °C (THF)         Not determined.         230 °C         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1,5 Vol %         20,0 °C         20,0 °C         Not determined.         Not determined.         Not determined.         Not 0 %         20,0 °C         0,955 g/cm³         Not determined.         Not duetermined.         Nof under recommemeded s
Appearance: Form: Colour: Smell: Ddour threshold off-value: Change in condi Melting point/I Boiling point/I Boiling point/I Sublimation tempera Decomposition t Self-inflammability (s gnition tempera Decomposition f Self-inflammabil Danger of explos Critical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Zvaporation rate Solubility in / Mii Water: Partition coeffici Viscosity: dynamic: kinematic: Solvent content: Organic solver Solids content Solids content Solids content Solids content Sol Critical solver Solids content Solution coeffici (10.1 Reactivity 10.2 Chemical solver Solution contents Solution coeffici (10.1 Reactivity Solution contents Solution content	ition Melting range: Boiling range: Boiling range: Boiling range: Boiling range: Boiling range: Solid, gaseous) at ure: temperature: Ity: Sion: or explosion: at 20 °C: Scibility with ient (n-octanol/water): Ity:	Yellow to brown to black         Not determined.         Not determined.         Not determined         Not determined         17 °C (THF)         Not determined.         230 °C         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1,5 Vol %         20,0 °C         20,0 °C         Not determined.         Not determined.         Not determined.         Not 0 %         20,0 °C         0,955 g/cm³         Not determined.         Not duetermined.         Nof under recommemeded s
Appearance: Form: Colour: Smell: Ddour threshold bH-value: Change in condi Melting point/I Boiling point/I Boiling point/I Sublimation tempera Sublimation tempera Decomposition f Self-inflammability (s gnition tempera Decomposition f Self-inflammabil Danger of explos Critical values for Lower: Upper: Oritical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Zvaporation rate Solubility in / Mii Water: Partition coeffici /iscosity: dynamic: kinematic: Solvent content: Organic solver Solids content D.2 Other inform SECTION 10: S 0.1 Reactivity 0.2 Chemical sf Thermal decomption for the solution of the solution of the solution of the solution Security of the solution Security of the solution Security of the solution of the solution of the solution of the solution of the solution of the solution of	ition Melting range: Boiling range: Boiling range: Boiling range: Boiling range: Boiling range: Solid, gaseous) Iture: temperature: Ity: Sion: or explosion: at 20 °C: Scibility with ient (n-octanol/water): Ity:	Yellow to brown to black Not determined. Not determined. Not determined Not determined Not determined Not determined Not determined Not determined Product is not selfigniting. May form explosive peroxides. Do not distil to dryness. 1.5 Vol % 12.0 Vol % 200 hPa 0.935 g/cm <sup>3</sup> Not determined. Not determi
Appearance: Form: Colour: Smell: Ddour threshold bH-value: Change in condi Melting point/I Boiling point/I Boiling point/I Sublimation tempera Sublimation tempera Decomposition f Self-inflammability (s gnition tempera Decomposition f Self-inflammability (s gnitical values for Lower: Upper: Steam pressure Density at 20 °C Relative density Zapour density Exaporation rate Solubility in / Mii Water: Partition coeffici /iscosity: dynamic: kinematic: Solids content: Organic solver Solids content Sectrion 10: S 0.1 Reactivity 0.2 Chemical sf Thermal decomption organic decomption (solided:	ition Melting range: Boiling range: Boiling range: Boiling range: Boiling range: Boiling range: Solid, gaseous) Iture: temperature: Ity: Sion: or explosion: at 20 °C: Scibility with ient (n-octanol/water): It It It It It It It It It It	Yellow to brown to black         Not determined.         Not determined.         Not determined         Not determined         17 °C (THF)         Not determined.         230 °C         Product is not selfigniting.         May form explosive peroxides.         Do not distill to dryness.         1,5 Vol %         20,0 °C         20,0 °C         Not determined.         Not determined.         Not determined.         Not 0 %         20,0 °C         0,955 g/cm³         Not determined.         Not duetermined.         Nof under recommemeded s

L

Printing date 02.07.2013	according to 1907/2006/EC, Article 31	Revision: 07.06.2013		
Trade name Cyclopentylzinc bromide, 0.5M in THF				
	Bases	(Contd. of page 3)		
	Oxidizing agents Heat			
10.6 Hazardous decomposition products:	Water/moisture Carbon monoxide and carbon dioxide			
	Hydrogen bromide Metal oxide			
SECTION 11: Toxicological information				
11.1 Information on toxicological effects Acute toxicity:	Swallowing will lead to a strong caustic effect on mouth and throat and to the	he danger of perforation of		
	esophagus and stomach. The Registry of Toxic Effects of Chemical Substances (RTECS) contains at this product.	cute toxicity data for components in		
LD/LC50 values that are relevant for classific				
109-99-9         Tetrahydrofuran           Oral         LD50         1650 mg/kg (rat)           Inholativa         LC50/011/22000 mg/m2/011 (rat)				
Inhalative LC50/2H 72000 mg/m3/2H (rat) Skin irritation or corrosion:	Causes severe skin burns.			
Eye irritation or corrosion: Sensitization:	Causes serious eye damage. No sensitizing effect known.			
Germ cell mutagenicity:	The Registry of Toxic Effects of Chemical Substances (RTECS) contains m product.	iutation data for components in this		
Carcinogenicity:	Suspected of causing cancer. EPA-S: Suggestive evidence of carcinogenicity, but not sufficient to assess ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animal	s human carcinogenic potential.		
	route(s) of administration, at site(s), of histologic type(s), or by mechanism( exposure. Available epidemologic studies do not confirm an increased risk Available evidence suggests that the agent is not likely to cause cancer in h	(s) not considered relevant to worker (of cancer in exposed humans.		
	unlikely routes or levels of exposure.			
Paraductive tovisity	The Régistry of Toxic Effects of Chemical Substances (RTECS) contains tu or neoplastic data for this product.	ů ů		
Reproductive toxicity: Specific target organ system toxicity -	The Registry of Toxic Effects of Chemical Substances (RTECS) contains re this product.	sproductive data for components in		
repeated exposure: Specific target organ system toxicity - single	No effects known.			
exposure: Aspiration hazard:	May cause respiratory irritation. No effects known.			
Experience with humans:	The Registry of Toxic Effects of Chemical Substances (RTECS) contains m components in this product.			
Additional toxicological information:	To the best of our knowledge the acute and chronic toxicity of this substance. The product shows the following dangers according to the calculation method	ce is not fully known. Nod of the General EC Classification		
	Guidelines for Preparations as issued in the latest version: Corrosive Irritant			
SECTION 12: Ecological information				
12.1 Toxicity Aquatic toxicity:	No further relevant information available.			
12.2 Persistence and degradability 12.3 Bioaccumulative potential	No further relevant information available. No further relevant information available.			
12.4 Mobility in soil Additional ecological information:	No further relevant information available.			
General notes:	Do not allow material to be released to the environment without proper gove Water hazard class 1 (Self-assessment): slightly hazardous for water.			
12.5 Results of PBT and vPvB assessment	Do not allow undiluted product or large quantities of it to reach ground wate Avoid transfer into the environment.	r, water bodies or sewage system.		
PBT: vPvB:	Not applicable. Not applicable.			
12.6 Other adverse effects	No further relevant information available.			
SECTION 13: Disposal considerations 13.1 Waste treatment methods				
Recommendation	Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations.			
Uncleaned packagings:	Consult state, local or national regulations for proper disposal.			
Recommendation:	Disposal must be made according to official regulations.			
SECTION 14: Transport information UN-Number				
ÁDR, ÍMDĠ, IATA	UN3399			
14.2 UN proper shipping name ADR	3399 ORGANOMETALLIC SUBSTANCE, LI FLAMMABLE (Cyclopentylzinc bromide, TE	IQUID, WATER-REACTIVE,		
IMDG, IATA	ORGANOMETALLIC SUBSTANCE, LIQUID FLAMMABLE (Cyclopentylzinc bromide, TE	D, WATER-REACTIVE,		
14.3 Transport hazard class(es)				
ADR				
Class Label	4.3 (WF1) Substances which, in contact with 4.3+3	n water, emit flammable gases.		
	<u></u>	(Contd. on page 5) DE/E		

Page 4/5

Page 5/5

ade name Cyclopentylzinc bromide, 0.5M in THF			
	(Contd. of page 4		
IMDG, IATA			
(B) (B)			
Class Label	<ul><li>4.3 Substances which, in contact with water, emit flammable gases.</li><li>4.3+3</li></ul>		
Packing group ADR, IMDG, IATA	II		
14.5 Environmental hazards: Marine pollutant:	No		
14.6 Special precautions for user	Warning: Substances which, in contact with water, emit flammable gases.		
Kemler Number: EMS Number:	323 F-G,S-M		
14.7 Transport in bulk according to Annex Code	x II of MARPOL73/78 and the IBC Not applicable.		
Transport/Additional information:			
ADR	E2		
Excepted quantities (EQ): Limited quantities (LQ)	500 ml		
Transport category	0 D/E		
UN "Model Regulation":	UN3399, ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Cyclopentylzinc bromide, TETRAHYDROFURAN), 4.3 (3), II		
	FLAMMABLE (Cyclopentylzinc bromide, TETRAHYDROFURAN), 4.3 (3), II		
SECTION 15: Regulatory information			
	ulations/legislation specific for the substance or mixture		
Australian Inventory of Chemical Substan			
109-99-9 Tetrahydrofuran			
Standard for the Uniform Scheduling of D	rugs and Poisons		
None of the ingredients is listed. National regulations			
Information about limitation of use:	For use only by technically qualified individuals.		
Classification according to VbF:	Employment réstrictions concerning young persons must be observed.		
Technical instructions (air):	Class Share in %		
	NK 89,3		
Water hazard class:	Water hazard class 1 (Self-assessment): slightly hazardous for water.		
Other regulations, limitations and prohibi ELINCS (European List of Notified Chemi-			
None of the ingredients is listed.			
Substances of very high concern (SVHC)	according to REACH, Article 57		
None of the ingredients are listed.			
REACH - Pre-registered substances 109-99-9 Tetrahvdrofuran			
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.		
this information to ensure proper use and pro	as a supplement to other information gathered by them, and should make independent judgement of suitability of otect the health and safety of employees. This information is furnished without warranty, and any use of the product Data Sheet, or in combination with any other product or process, is the responsibility of the user. H225 Highly flammable liquid and vapour. H260 In contact with water releases flammable gases which may ignite spontaneously. H314 Causes severe skin burns and eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H351 Suspected of causing cancer.		
Department issuing data specification sh Abbreviations and acronyms:	R11       Highly flammable.         R15       Contact with water liberates extremely flammable gases.         R19       May form explosive peroxides.         R34       Causes burns.         R36/37 Irritating to eyes and respiratory system.         R40       Limited evidence of a carcinogenic effect.         eet:       Health, Safety and Environmental Department.         ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage o Dangerous Goods by Road)         IMDG: International Maritime Code for Dangerous Goods         IATA: International Maritime Code for Dangerous Goods         IATA: International Maritime Code for Classification and Labelling of Chemicals         VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)         LC50: Lethal dose, 50 percent		