Page 1/5 Printing date 11/24/2015 Reviewed on 05/06/2014

1 Identification

Product identifier

Product name: Zirconium(IV) 2,4-pentanedionate

Stock number: 14065 **CAS Number:** 17501-44-9 EC number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

Thermo Fisher Scientific S. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech @alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

*A*lfa *A*esar

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2A H319 Causes serious eve irritation. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation.

Causes serious eye irritation. H319 H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects



Classification system

HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2 Flammability = 1 Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

17501-44-9 Zirconium(IV) 2,4-pentanedionate Identification number(s): EC number: 241-510-5

USA

Product name: Zirconium(IV) 2,4-pentanedionate

(Contd. of page 1)

4 First-aid measures

Description of first aid measures After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediately wash with water and soap and hirse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Zirconium oxide

Advice for firefighters
Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:

Do not store together with acids. Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

17501-44-9 Zirconium(IV) 2,4-pentanedionate (100.0%)

PEL (USA) Long-term value: 5 mg/m³ as Zr

Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ REL (USA)

Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ as Zr TLV (USA)

EL (Canada) Short-term value: 10 mg/m3

Long-term value: 5 mg/m³ as Zr

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.

(Contd. on page 3)

Safety Data Sheet per OSHA HazCom 2012

Page 3/5 Printing date 11/24/2015 Reviewed on 05/06/2014

(Contd. of page 2)

Product name: Zirconium(IV) 2,4-pentanedionate

Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Crystalline White Color: Odor: Weak

Odor threshold: Not determined. pH-value: Not applicable.

191-195 °C (376-383 °F) Not determined

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined Flammability (solid, gaseous) Not determined Ignition temperature: Decomposition temperature: Not determined Not determined Not determined Auto igniting:

Danger of explosion: Not determined. Explosion limits: Lower: Upper: Not determined Not determined Not applicable. Vapor pressure: Density: Not determined Density:
Relative density
Vapor density
Valor delemined
Vater at 20 °C (68 °F):
Vapor density
Valor delemined
Vapor delemined
Vapor

Viscosity:

Not applicable.

kinematic: Other information

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials:

Oxidizing agents **Hazardous decomposition products:**

Carbon monoxide and carbon dioxide

Zirconium oxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Harmful if inhaled.

Harmful in contact with skin. Harmful if swallowed.

Training it swallowed. Danger through skin absorption. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 719 mg/kg (rat)

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.

Carcinogenicity:

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: May cause respiratory irritation.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

(Contd. on page 4)

Safety Data Sheet per OSHA HazCom 2012

Page 4/5 Printing date 11/24/2015 Reviewed on 05/06/2014

(Contd. of page 3)

Product name: Zirconium(IV) 2,4-pentanedionate

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Avoid transfer into the environment.

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, ADN, IMDG, IATA Not applicable

UN proper shipping name DOT, ADN, IMDG, IATA

Not applicable

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Class Not applicable

Packing group DOT, IMDG, IATA

Not applicable

Environmental hazards.

Not applicable.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS07

Signal word Warning Hazard statements H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

Causes serious eye irritation.
May cause respiratory irritation. H319 H335

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Store locked up.
P301 Dispose of contacts/co

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / -

Abbreviations and acronyms:

ADR. Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 5)

Safety Data Sheet per OSHA HazCom 2012

Page 5/5 Printing date 11/24/2015 Reviewed on 05/06/2014

Product name: Zirconium(IV) 2,4-pentanedionate

CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent VPWB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

(Contd. of page 4)

USA