

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 01/15/2016 Reviewed on 01/14/2016

1 Identification

Product identifier

Product name: Formamidinesulfinic acid

Stock number: A11885

CAS Number: 1758-73-2

EC number: 217-157-8

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Self-heat. 1 H251 Self-heating: may catch fire.



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation. **Hazards not otherwise classified** No information known.

Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





Signal word Danger

Hazard statements
H251 Self-heating: may catch fire.
H302 Harmful if swallowed.

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. **Precautionary statements**

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Store locked up.
Dispect for tropic contact lenses, if present and easy to do. Continue rinsing.
Store locked up.
Dispect for tropic contact lenses is present and easy to do. Continue rinsing.
P504 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification B6 - Reactive flammable material D2B - Toxic material causing other toxic effects F - Dangerously reactive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



RE 1 Health (acute effects) = 2
Flammability = 3
Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 1758-73-2 Formamidinesulfinic acid

(Contd. on page 2)

Product name: Formamidinesulfinic acid

Identification number(s): EC number: 217-157-8

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Carbon monoxide and carbon dioxide Sulfur oxides (SOX) Nitrogen oxides (NOx) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Precautions for sare nandling
Handle under dry protective gas.
Keep container tightly sealed.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: Protect from heat.

Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: Refrigerate
Information about storage in one common storage facility:
Protect from heat.

Store away from water/moisture. Do not store together with acids.

Store away from strong bases.
Store away from oxidizing agents.
Further information about storage conditions:
Store under dry inert gas.
This product is moisture sensitive.

Keep container tightly sealed.
Protect from humidity and water.

Refrigerate Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

(Contd. on pa

(Contd. on page 3)

(Contd. of page 2)

Product name: Formamidinesulfinic acid

Protection of hands:

Impervious gloves
Check protection of names:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR
Penetration time of glove material (in minutes) >480
Glove thickness 0.2 mm
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Odor: Odor threshold:

pH-value (10 g/l) at 20 °C (68 °F):

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

Auto igniting:

Danger of explosion:
Explosion limits:
Lower:
Upper:
Vapor pressure:
Density at 20 °C (68 °F):
Relative density

Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Vapor density
Va

dynamic: kinematic: Other information Not applicable. 1.68 g/cm³ (14.02 lbs/gal) Not determined.

Not applicable.

Crystalline powder Not determined Not determined

Not determined Not determined

Not determined.

Not determined Not determined

Not determined. >123 °C (>253 °F) Not determined

ca 126 °C (ca 259 °F) (dec)

Heating may cause an explosion.

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity Heating may cause an explosion.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions. Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available. Incompatible materials:

Acids Water/moisture Bases Oxidizing agents

Heat

Hazardous decomposition products:

Carbon monoxide and carbon dioxide Sulfur oxides (SOx)

Nitrogen oxidès

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if swallowed.

riannum is wandwed. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

(Contd. on page 4)

Product name: Formamidinesulfinic acid

(Contd. of page 3)

Additional ecological information:
General notes:
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.
Avoid transfer into the environment.

Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

UN-Number

DOT, IMDG, IATA	UN3341
UN proper shipping name DOT IMDG IATA	Thiourea dioxide THIOUREA DIOXIDE

Transport hazard class(es)

DOT



4.2 Substances liable to spontaneous combustion. 4.2 Class Label Class 4.2 (S2) Substances liable to spontaneous combustion 4.2 l ahel IMDG, IATA



4.2 Substances liable to spontaneous combustion. 4.2 Label

Packing group DOT, IMDG, IATA

Not applicable. Environmental hazards:

Special precautions for user Warning: Substances liable to spontaneous combustion

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

Marine Pollutant (DOT): No

UN "Model Regulation": UN3341. Thiourea dioxide. 4.2. II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





Signal word Danger

Hazard statements H251 Self-heating: may catch fire. H302 Harmful if swallowed.

H315 Causes skin irritation. H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P405 P501

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

(Contd. on page 5)

Product name: Formamidinesulfinic acid

(Contd. of page 4)
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

USA