Page 1/5 Printing date 11/24/2015 Reviewed on 04/24/2005

1 Identification

Product identifier

Product name: Bis(2,2,6,6-tetramethyl-3,5 heptanedionato)barium (II)

Stock number: 14539 **CAS Number:** 17594-47-7

Index number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

Thermo Fisher Scientific S. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech @alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS07

Signal word Warning Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

Precautionary statements

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash thoroughly after handling.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.
P312 Call a POISON CENTER/doctor/.../if you feel unwell.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification

WHMIS classification
D1B - Toxic material causing immediate and serious toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 1 Flammability = 1

Flammability = 1

FACTIVITY Physical Hazard = 0

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 17594-47-7 Bis(2,2,6,6-tetramethyl-3,5 heptanedionato)barium (II)

Identification number(s): Index number: 056-002-00-7

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.

Product name: Bis(2,2,6,6-tetramethyl-3,5 heptanedionato)barium (II)

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. of page 1)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Barium oxide
Advice for firefighters

Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents. Store away from water/moisture.

Further information about storage conditions:

This product is hygroscopic.
Store under dry inert gas.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace:

Barium, and soluble compounds, as Ba

mg/m3 0.5; Not classified as a human carcinogen 0.5 0.5_

ACGIH TLV Austria MAK Belgium TWA Denmark TWA

Finland TWA

Germany MAK

0.5 (total dust) 0.5-STEL 0.5 0.5 Hungary Ireland TWA Korea TLV

Ireland I WA 0.5 Korea TLV 0.5 Netherlands MAC-TGG 0.5 Norway TWA 0.5 Poland TWA 0.5; 1.5-STEL

Sweuen IWA 0.5 Switzerland MAK-W 0. United Kingdom, 1 United Kingdom LTEL 0.5 United Kingdom LTEL 0.5 USA PEL 0.5 Additional information

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Protection of mands.
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

(Contd. on page 3)

Safety Data Sheet per OSHA HazCom 2012

Page 3/5 Printing date 11/24/2015 Reviewed on 04/24/2005

Product name: Bis(2,2,6,6-tetramethyl-3,5 heptanedionato)barium (II)

Not determined

Eye protection: Safety glasses Body protection: Protective work clothing.

(Contd. of page 2)

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Odor threshold:

Appearance: Form: Color: Powder White Not determined Odor:

pH-value: Not applicable.

Change in condition

Melting point/Melting range: Boiling point/Boiling range: 200 °C (392 °F) 225 °C (437 °F) (0.3mm Hg) Not determined Sublimation temperature / start:

Flash point: Not applicable Not determined. Flammability (solid, gaseous) Ignition temperature:

Not determined Decomposition temperature: Not determined Auto igniting: Not determined

Danger of explosion: Explosion limits:

Lower: Not determined Upper: Not determined Vapor pressure: Not applicable.

Density: Relative density Not determined Not determined. Vapor density Not applicable. Evaporation rate Solubility in / Miscibility with Not applicable. Water Insoluble

Partition coefficient (n-octanol/water): Not determined. Viscosity: dvnamic: Not applicable. Not applicable. kinematic:

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Product does not present an explosion hazard.

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents Water/moisture

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Barium oxide

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if inhaled.

Harmful if swallowed.

LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritant to skin and mucous m

Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Barium compounds may cause severe gastroenteritis, including abdominal pain, vomiting and diarrhea, tremors, faintness, paralysis of the arms and legs, and slow or irregular heartbeat. Severe cases may produce collapse and death due to respiratory failure. Soluble barium compounds are more likely to cause these effects than itself to compounds. Inhalation of fumes may cause sore throat, coughing, labored breathing, and irritation of the respiratory tract as well as the above

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information: General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

Page 4/5 Printing date 11/24/2015 Reviewed on 04/24/2005

Product name: Bis(2,2,6,6-tetramethyl-3,5 heptanedionato)barium (II)

PvB: Not applicable

Other adverse effects No further relevant information available.

(Contd. of page 3)

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

UN-Number

ĪMDG, IATA

DOT, IMDG, IATA UN proper shipping name DOT

Barium compounds, n.o.s. (Bis(2,2,6,6-tetramethyl-3,5 heptanedionato)barium (II)) BARIUM COMPOUND, N.O.S. (Bis(2,2,6,6-tetramethyl-3,5 heptanedionato)barium

UN1564

Transport hazard class(es)

DOT



Class I abel Class

6.1 Toxic substances. 6.1 6.1 (T5) Toxic substances

IMDG, IATA

Class

I ahel Packing group DOT, IMDG, IATA 6.1

6.1 Toxic substances.

Environmental hazards: Not applicable.

Warning: Toxic substances Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT): UN "Model Regulation": No

UN1564, Barium compounds, n.o.s. (Bis(2,2,6,6-tetramethyl-3,5 heptanedionato) barium (II)), 6.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS07

Signal word Warning

Hazard statements H302+H332 Harmful if swallowed or if inhaled.

Precautionary statements

Precationary Statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash thoroughly after handling.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.
P312 Call a POISON CENTER/doctor/.../if you feel unwell.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings)

17594-47-7 Bis(2,2,6,6-tetramethyl-3,5 heptanedionato)barium (II)

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:
For use only by technically qualified individuals.
This product contains barium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Safety Data Sheet per OSHA HazCom 2012

Page 5/5 Printing date 11/24/2015 Reviewed on 04/24/2005

Product name: Bis(2,2,6,6-tetramethyl-3,5 heptanedionato)barium (II)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 4)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety' Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DIT: US Department of Transportation Goods by Road) IMDG: International Maritime Code for Dangerous Goods
DIT: US Department of Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA