



Page 1/6 Printing date 03/30/2017 Revision date 03/29/2017 Version 1

Versio
1 Identification
Product identifier
Product name: Lawesson's Reagent
Stock number: A14530, L00975 CAS Number:
19172-47-5 EC number:
242-855-4 Details of the cumplice of the cofety data short
Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street Ward Hill, MA 01835-8099
Tel: 800-343-0660 Fax: 800-322-4757
Email: tech@alfa.com www.alfa.com
Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS02 Flame
Water-react. 3 H261 In contact with water releases flammable gas.
GHS06 Skull and crossbones
Acute Tox. 3 H331 Toxic if inhaled.
GHS07
Acute Tox. 4 H302 Harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS02 GHS06
Signal word Danger Hazard statements
H261 In contact with water releases flammable gas. H302 Harmful if swallowed.
H331 Toxic if inhaled. H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation. Precautionary statements
P231+P232 Handle under inert gas. Protect from moisture. P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves / eye protection / face protection. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P305+P351+P338 If in eyes: Rinse cautiouslý with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P311 Call a POISON CENTER/doctor. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P405 Store locked up
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification
B6 - Reactive flammable material D1B - Toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects F - Dangerously reactive material
Classification system HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)
HEALTH 2 Health (acute effects) = 2 FIRE 2 Flammability = 2
REACTIVITY 2 Physical Hazard = 2
(Contd. on page

(Contd. of page 1)

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 19172-47-5 p-Methoxyphenylthionophosphine sulfide dimer Concentration: ≤100% Identification number(s): EC number: 242-855-4

4 First-aid measures

Description of first aid measures

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes skin irritation. Harmful if swallowed. Causes serious eye irritation. Toxic if inhaled. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Sulfur oxides (SOX) Phosphorus oxides Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for information. Protective Action Criteria for Chemicals PAC-1: Substance is not listed. PAC-3: Substance is not listed.

7 Handling and storage

 Handling

 Precautions for safe handling

 Handle under dry protective gas.

 Keep container tighty sealed.

 Store in cool, dry place in tightly closed containers.

 Ensure good ventilation at the workplace.

 Information about protection against explosions and fires: Protect against electrostatic charges.

 Conditions for safe storage, including any incompatibilities

 Storage

 Requirements to be met by storerooms and receptacles: No special requirements.

 Information about storage in one common storage facility:

 Store away from water/moisture.

 Store away from water/moisture.

 Store under dry inert gas.

 This product is moisture sensitive.

 Keep container tightly sealed.

 Store in cool, dry conditions in well sealed containers.

 Protect from humidity and water.

(Contd. on page 3)

(Contd. of page 2)

Product name: Lawesson's Reagent

Specific end use(s) No further relevant information available

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters

Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

Exposure controls

Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment

Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness: 0.11 mm Eye protection: Full face protection Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

9 Physical and chemical properties

9 Physical and chemical properties	
Information on basic physical and che General Information Appearance: Form: Odor: Odor: Odor threshold:	emical properties Crystalline powder Not determined Not determined.
pH-value:	Not applicable.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	221-225 °C (430-437 °F) Not determined Not determined
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable Contact with water liberates extremely flammable gases. Not determined Not determined Not determined.
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Not determined. Not determined Not applicable. Not determined Not determined. Not applicable. Not applicable. Contact with water releases flammable gases Not determined. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

10 Stability and reactivity

Reactivity In contact with water releases flammable gases, which may ignite spontaneously. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with storag oxidizing agents Contact with water releases flammable gases Contact with water releases toxic gases Contact with acids releases toxic gases Contact with acids releases toxic gases Contact not avoid No further relevant information available. Incompatible materials: Oxidizing agents Water/moisture Hazardous decomposition products: Water/moisture Hazardous decomposition products: Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Phosphorus oxides (e.g. P2O5)

(Contd. of page 3)

	(Contd. of page 3)
11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. Toxic if inhaled. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Irritant to skin and mucous membranes. Eye irritation or corrosion: Irritating effect. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this mate Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects know Specific target organ system toxicity - single exposure: May cause respirat Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute	n. ory irritation.
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governm Do not allow undiluted product or large quantities to reach ground water, water Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	nental permits. course or sewage system.
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	disposal.
14 Transport information	
UN-Number DOT, IMDG, IATA	UN3134
UN proper shipping name DOT ADR IMDG, IATA	Water-reactive solid, toxic, n.o.s. (p-Methoxyphenylthionophosphine sulfide dimer) 3134 Water-reactive solid, toxic, n.o.s. (p-Methoxyphenylthionophosphine sulfide dimer) WATER-REACTIVE SOLID, TOXIC, N.O.S. (p-Methoxyphenylthionophosphine sulfide dimer)
Transport hazard class(es) DOT Class Label ADR	4.3 Substances which, in contact with water, emit flammable gases 4.3, 6.1
Class Label IMDG	4.3 (WT2) Substances which, in contact with water, emit flammable gases 4.3+6.1
Class Label IATA	4.3 Substances which, in contact with water, emit flammable gases 4.3/6.1
Class Label	4.3 Substances which, in contact with water, emit flammable gases 4.3 (6.1)
Packing group DOT, ADR, IMDG, IATA	<i>III</i>
Environmental hazards:	Not applicable.
Special precautions for user EMS Number: Stowage Category Stowage Code	Warning: Substances which, in contact with water, emit flammable gases F-G,S-N E SW3 Shall be transported under temperature control.
	(Contd. on page 5) USA

	(Contd. of page
Handling Code Segregation Code	H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
Transport in bulk according to Annex II of MARPOL	L73/78 and the IBC Code Not applicable.
Transport/Additional information:	
DOT Quantity limitations Marina Ballutant (DOT):	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg No
Marine Pollutant (DOT): IMDG Limited quantities (LQ) Excepted quantities (ÉQ)	1 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3134 WATER-REACTIVE SOLID, TOXIC, N.O.S. (P- METHOXYPHENYLTHIONOPHOSPHINE SULFIDE DIMER), 4.3 (6.1), III
15 Regulatory information Safety, health and environmental regulations/legisl GHS label elements The product is classified and labe Hazard pictograms GHS02 GHS06 Signal word Danger	l ation specific for the substance or mixture eled in accordance with 29 CFR 1910 (OSHA HCS)
Hāzard statements H261 In contact with water releases flammable gas.	

H302 Harmful if swallowed.

H301 Toxic if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes respiratory irritation.

Precautionary statements

 Precautionary statements

 P231+P232
 Handle under inert gas. Protect from moisture.

 P261
 Avoid breathing dust/fume/gas/mist/vapors/spray

 P280
 Wear protective gloves / eye protection / face protection.

 P280
 Wear protective gloves / eye protection / face protection.

 P305+P351+P338
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P304+P340
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

 P301+P312
 IF SWALLOWED: Call a POISON CENTER/doctor.

 P305
 Store locked up.

 P405
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 P501
 Dispose of contents/container in accordance with local/regional/national/International regulations.

 National regulations
 All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

 All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

 SARA Section 313 (specific toxic chemical listings) Substance is not listed.

 California Proposition 65

 Prop 65 - Chemicals known to cause cancer Substance is not listed.

 Prop 65 - Developmental toxicity, female Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Information about limitation of use: For use only by technically qualified individuals.

 Other regulations, limitations and prohibitive regulations

 Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

 The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

 market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Deterministic and preparation/Revision: Print date, revision date and version number are in the header of each page. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMD6: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstractors Materials Information System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) MAR: Accute Tox: 3: Acute toxicity – Category 4 Acute Tox: 3: Acute toxicity – Category 2 Skin Int: 2: Skin corrosion/irritation – Category 2

(Contd. on page 6)

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 5)

USA