



1 Identification Product identifier Product name: Ethyl dimethylpyruvate Stock number: H53413 CAS Number: 20201-24-5 EC number: 243-587-0 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Details of the supplier of the safety da Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) * GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapour. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS02 Signal word Warning Hazard statements H226 Flammable liquid and vapour. Precautionary statements P210 P280 P240 P241 P233 P242 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Keep container tightly closed. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P403+P235 P501 Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification B3 - Combustible liquid * Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
 HEALTH
 I

 Health (acute effects) = 1

 RRE
 I

 REACTWITY [1]
 Physical Hazard = 1
 Other hazards Results of PBT and vPvB assessment PBT: Not applicable vPvB: Not applicable 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 20201-24-5 Ethyl dimethylpyruvate Identification number(s): EC number: 243-587-0 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly.

pH-value:

Not determined.

(Contd. on page 3)

Product name: Ethyl dimethylpyruvate

(Contd. of page 1) Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special freatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Frotect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. **Breathing equipment:** Breathing equipment: Use suitable respirator when high concentrations are present. Use suitable respiratory protective device in case of insufficient ventilation. Recommended filter device for short term use: Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses **Body protection:** Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liauid Odor: Not determined Odor threshold: Not determined

Ethyl dimothyln) to

Page 3/5 Printing date 10/05/2016 Revision date 10/04/2016

	Revis	sion date 10/04/2016
Product name: Ethyl dimethylpyruva	ate	
		(Contd. of page 2)
Change in condition	·····	
Melting point/Melting range: Boiling point/Boiling range:	Not determined 62 °C (144 °F) (11mm)	
Sublimation temperature / start:	Not determined	
Flash point: Flammability (solid, gaseous)	43 °C (109 °F) Not determined.	
Ignition temperature: Decomposition temperature:	Not determined Not determined	
Auto igniting:	Not determined.	
Danger of explosion: Explosion limits:	Product is not explosive. However, formation of explosive air/vapor mixtures is possible.	
Lower: Upper:	Not determined Not determined	
Vapor pressure:	Not determined	
Density at 20 °C (68 °F): Relative density	0.989 g/cm³ (8.253 lbs/gal) Not determined.	
Vapor density Evaporation rate	Not determined. Not determined.	
Solubility in / Miscibility with Water:		
Partition coefficient (n-octanol/water):	Not determined : Not determined.	
Viscosity: dynamic:	Not determined.	
kinematic: Other information	Not determined. No further relevant information available.	
0 Stability and reactivity		
Reactivity No information known. Chemical stability Stable under recomm	mended storage conditions.	
Thermal decomposition / conditions to Possibility of hazardous reactions Rea	o be avoided: Decomposition will not occur it used and stored according to specifications.	
Conditions to avoid No further relevant	t information available.	
Incompatible materials: Oxidizing agen Hazardous decomposition products: (its Carbon monoxide and carbon dioxide	
· · ·		
11 Toxicological information Information on toxicological effects		
Acute toxicity: No effects known.	n na ku u k	
LD/LC50 values that are relevant for c Skin irritation or corrosion: May cause	e irritation	
Eye irritation or corrosion: May cause Sensitization: No sensitizing effects kno	irritation own.	
Germ cell mutagenicity: No effects kno	onn. wn. on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.	
Reproductive toxicity: No effects know	ín.	
Specific target organ system toxicity - Specific target organ system toxicity -	 repeated exposure: No effects known. single exposure: No effects known. 	
Aspiration hazard: No effects known. Subacute to chronic toxicity: No effect	ts known.	
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.		
Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.		
2 Ecological information Toxicity		
Aquatic toxicity: No further relevant info		
Persistence and degradability No furth Bioaccumulative potential No further re	elevant information available.	
Mobility in soil No further relevant information available. Additional ecological information:		
General notes:	ruantitias to reach around water water course or sewage system	
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.		
Results of PBT and vPvB assessment PBT: Not applicable.		
vPvB: Not applicable. Other adverse effects No further releva	ant information available.	
3 Disposal considerations Waste treatment methods		
Recommendation Consult state, local or national regulations to ensure proper disposal.		
Uncleaned packagings: Recommendation: Disposal must be ma	ade according to official regulations.	
•		
4 Transport information UN-Number		
DOT, IMDG, IATA	UN3272	
UN proper shipping name DOT	Esters. n.o.s. (Ethyl dimethylpyruvate)	
ĨMDG, IATA	Esters, n.o.s. (Ethyl dimethylpyruvate) ESTERS, N.O.S. (Ethyl dimethylpyruvate)	(Contd. on page 4)

(Contd. on page 4)

	Revision date 10/04/2010		
Product name: Ethyl dimethylpyruvate			
	(Contd. of page 3)		
Transport hazard class(es)			
DOT			
Class Label	3 Flammable liquids. 3		
Class	3 (F1) Flammable liquids		
Label IMDG, IATA	3		
Class	3 Flammable liquids.		
Label Packing group	3		
Packing group DOT, IMDG, IATA	III		
Environmental hazards:	Not applicable.		
Special precautions for user EMS Number:	Warning: Flammable liquids F-E,S-D		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.			
Transport/Additional information:			
DOT Marine Pollutant (DOT):	No		
UN "Model Regulation":	UN3272, Esters, n.o.s. (Ethyl dimethylpyruvate), 3, III		
15 Regulatory information			
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)			
Hazard pictograms			
GHS02			
Signal word Warning			
Hazard statements H226 Flammable liquid and vapour.			
Precautionary statements			
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P240 Ground/bond container and receiving equipment.			
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment.			
P233 Keep container tightly closed			
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge.			
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P403+P235 Store in a well-ventilated place. Keep cool.			
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.			
National regulations' This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted			
This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must be used by a comparison of a technically qualified individual as defined by TSCA. This product must be used by a comparison of a technically qualified individual as defined by TSCA. This product must be used by a comparison of a technically qualified individual as defined by TSCA. This product must be used by a comparison of a technically qualified individual as defined by TSCA.			
product must not be used for commercial purposes or in formulations for commercial purposes. This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).			
SAR'A Section 313 (specific toxic chemical listings) Substance is not lísted. California Proposition 65			
Prop 65 - Chemicals known to cause cancer Substance is not listed.			
Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed.			
Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals.			
Other regulations, limitations and prohibitive regulations			
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the			
market and use must be observed. Substance is not listed.			
Annex XIV of the REACH Regulations (requiring Authorisation for use) Su Chemical safety assessment: A Chemical Safety Assessment has not been of	bstance is not listed.		
16 Other information Employers should use this information only as a supplement to other information	on gathered by them, and should make independent judgement of suitability of this		
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this user and protect or in explored and user any user of the product or in the property of the product of the produc			
conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department			
Department issuing SDS: Global Marketing Department Date of preparation / last revision 10/05/2016 / -			
ADDreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDE: International Maritimes Codo for Dangaparus Goods			
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association			
Date of preparation / fast revision 10/05/2016 / - Abbreviations and acronyms: ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal cose, 50 percent VerVB: verv Persistent and verv Bioaccumulative			
HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada)			
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent			
vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA)			
	(Contd. on page 5) USA		

OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Flam. Liq. 3: Flammable liquids, Hazard Category 3 Page 5/5 Printing date 10/05/2016 Revision date 10/04/2016

(Contd. of page 4)

USA -