



Page 1/5 Printing date 01/24/2017 Revision date 01/11/2017

Revision date 01/11/2017
1 Identification Product identifier Product name: Lithium dodecylsulfate
Stock number: 39328 CAS Number: 2044-56-6
EC number: 218-058-2
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757
Email: tech@alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS02 Flame
Flam. Sol. 2. H228. Flammable solid.
GHS05 Corrosion
Eye Dam. 1. H318. Causes serious eye damage.
GHS07
Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS02 GHS05 GHS07
Signal word Danger Hazard statements
H228 Flammable solid. H315 Causes skin irritation.
H318 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection. P240 Ground/bond container and receiving equipment. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P310 Immediately call a POISON CENTER/doctor.
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification B4 - Flammable solid D2B - Toxic material causing other toxic effects
Classification system HMIS ratings (scale 0-4)
HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH Image: Constraint of the system Health (acute effects) = 2 HEALTH Image: Constraint of the system HEALTH Image: Constrate sys
Reactivity 1 Physical Hazard = 1 Other hazards
Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.
USA

(Contd. of page 1) 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 2044-56-6 Lithium dodecylsulfate Concentration: ≤100% Identification number(s): EC number: 218-058-2 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes skin irritation. Causes skill in factori. Causes serious eye damage. May cause respiratory irritation. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Sulfur oxides (SOX) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit 6 Accidental release measures **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. (Contd. on p Exposure controls

(Contd. on page 3)

Product name: Lithium dodecylsulfate

Protoction of boundary		(Contd. of page 2)	
Protection of hands: Impervious gloves			
Check protective gloves prior to each us The selection of suitable gloves not only	se for their proper condition. y depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.		
Penetration time of glove material (in	n minutes) Not determined		
Eye protection: Tightly sealed goggles Body protection: Protective work clothin	ing.		
9 Physical and chemical properties	s		
Information on basic physical and che			
General Information Appearance:			
Form: Odor:	Powder Odorless		
Odor threshold:	Not determined.		
pH-value:	Not applicable.		
Change in condition Melting point/Melting range:	Not determined		
Boiling point/Boiling range: _Sublimation temperature / start:	Not determined Not determined		
Flammability (solid, gaseous) Ignition temperature:	Highly flammable. Not determined		
Decomposition temperature: Auto igniting:	Not determined Not determined		
Auto igniting: Danger of explosion:	Not determined.		
Explosion limits: Lower:	Not determined		
Upper:	Not determined		
Vapor pressure: Density:	Not applicable. Not determined		
Relative density Vapor density	Not determined. Not applicable.		
Evaporation rate Solubility in / Miscibility with	Not applicable.		
Water: Partition coefficient (n-octanol/water):	Soluble		
Viscosity:			
dynamic: kinematic:	Not applicable. Not applicable.		
Other information	No further relevant information available.		
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Lithium oxide			
11 Toxicological information			
Information on toxicological effects			
Acute toxicity: No effects known. LD/LC50 values that are relevant for c	classification: No data		
Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye damage.			
Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.			
Carrinogenicity: No clossification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known.			
Specific target organ system toxicity	• - repeated exposure: No effects known single exposure: May cause respiratory irritation.		
Aspiration hazard: No effects known.			
Subacute to chronic toxicity: No effect Additional toxicological information:	cts known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.		
Carcinogenic categories OSHA-Ca (Occupational Safety & Hea	alth Administration) Substance is not listed.		
12 Ecological information		i	
Toxicity			
Aquatic toxicity: No further relevant info Persistence and degradability No furth	ther relevant information available.		
Bioaccumulative potential No further no Mobility in soil No further relevant infor	relevant information available.		
Additional ecological information: General notes:	IIIduoII avanasie.		
Do not allow material to be released to the	the environment without proper governmental permits.		
Avoid transfer into the environment.	quantities to reach ground water, water course or sewage system.		
Results of PBT and vPvB assessment PBT: Not applicable.	t		
vPvB: Not applicable. Other adverse effects No further releva	ant information available.		
		USA (Contd. on page 4)	

UN proper shipping name DOT IMDG, IATA Transport hazard class(es) DOT Class Label 4.1	nmable solids, organic, n.o.s. (Lithium dodecylsulfate, ultrapure) MMABLE SOLID, ORGANIC, N.O.S. (Lithium dodecylsulfate, ultrapure)
UN-Number DOT, IMDG, IATA UN proper shipping name DOT IMDG, IATA Transport hazard class(es) DOT Class Label Class 4.1 Class 4.1 Label 4.1 Class 4.1	
UN-Number DOT, IMDG, IATA UN proper shipping name DOT IMDG, IATA Transport hazard class(es) DOT Class Label Class 4.1 Class 4.1 Label Label 4.1	
UN proper shipping name DOT IMDG, IATA Transport hazard class(es) DOT Class Label Class 4.1	
DOT Flam IMDG, IATA FLA Transport hazard class(es) DOT DOT Image: Class Label 4.1 Class 4.1 Label 4.1 Label 4.1	nmable solids, organic, n.o.s. (Lithium dodecylsulfate, ultrapure) MMABLE SOLID, ORGANIC, N.O.S. (Lithium dodecylsulfate, ultrapure)
Transport hazard class(es) DOT Class 4.1 Label 4.1 Class 4.1 Label 4.1 Label 4.1	MMABLE SOLID, ORGANIC, N.O.S. (Lithium dodecylsulfate, ultrapure)
DOT Class 4.1 Label 4.1 Class 4.1 Label 4.1 Label 4.1	
Class 4.1 Label 4.1 Class 4.1 Label 4.1 Label 4.1	
Class 4.1 Expl Label 4.1	
Class 4.1 expl Label 4.1	Flammable solids, self-reactive substances and solid desensitised explosives.
Label 4.1	(F1) Flammable solids, self-reactive substances and solid desensitised
(Alles	losives
Ψ	
Class 4.1 Label 4.1	Flammable solids, self-reactive substances and solid desensitised explosives.
Packing group DOT, IMDG, IATA III	
	applicable.
expl	rning: Flammable solids, self-reactive substances and solid desensitised losives .S-G
EMS Number: F-A, Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not	
Transport/Additional information:	appilousio.
DOT	
Marine Pollutant (DOT): No	
UN "Model Regulation": UN1	1325, Flammable solids, organic, n.o.s. (Lithium dodecylsulfate, ultrapure), 4.1,
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substate GHS label elements. The product is classified and labeled in accordance with 29 CFI Hazard pictograms Image: Constraint of the substate of the product is classified and labeled in accordance with 29 CFI Hazard pictograms Image: Constraint of the product is classified and labeled in accordance with 29 CFI Hazard pictograms Image: Constraint of the product is classified and labeled in accordance with 29 CFI Hazard pictograms Image: Constraint of the product of the product is classified and labeled in accordance with 29 CFI Hazard pictograms Image: Constraint of the product	nce or mixture R 1910 (OSHA HCS)

Signal word Danger Hazard statements H228 Flammable solid. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements P210 Kaen away from bu P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P240 Ground/bond container and receiving equipment. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P362 Take off contaminated clothing and wash before reuse. P405 Store locked up. P305 Dispose of contents/container in paperture. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, remale Substance is not listed. Prop 65 - Developmental toxicity all Substance is not listed. Prop 65 - Developmental toxicity, remale Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

(Contd. on page 5)

Product name: Lithium dodecylsulfate

(Contd. of page 4) Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 01/24/2017 /
Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VPVE: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Agency for Research on Cancer
EAX: Environmental Toxicology Program (USA)
IATR: National Toxicology Protection (USA)
IATR: Sun Context Category 2
Skin Unit: 2: Skin corrosion/Intration, Hazard Category 2
Skin Unit: 2: Skin corrosion/Intration, Hazard Category 1
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3